



3 1761 11653474 4

CA20N  
PS31  
-V37



# REGISTRATION REPORT

ONTARIO.

1884.



614.1

658


(1884)



Library  
of the  
Academy of Medicine,  
Toronto.

6167





Digitized by the Internet Archive  
in 2023 with funding from  
University of Toronto









# REPORT

RELATING TO THE REGISTRATION OF

## BIRTHS, MARRIAGES AND DEATHS

IN THE

## PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31<sup>ST</sup> DECEMBER,

1884.

16

---

Printed by Order of the Legislative Assembly.

---



Toronto:

PRINTED BY WARWICK & SONS 26 & 28 FRONT STREET WEST,

1885.

6167





REGISTRAR-GENERAL'S OFFICE, ONTARIO,

TORONTO, December 1st, 1885.

*To His Honour the Honourable John Beverley Robinson,  
Lieutenant-Governor of the Province of Ontario,*

MAY IT PLEASE YOUR HONOUR:

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1884.

Respectfully submitted,

ARTHUR S. HARDY,  
*Registrar-General.*





# CONTENTS.

	Page.
Synopsis of the Report .....	1-2
Table I.—Births, Marriages and Deaths in each County .....	3-4
“ II. “ “ “ City .....	5
“ III. “ “ “ the Principal Towns .....	6
 <i>Births:</i>	
Deductions drawn from Birth Tables .....	8
Comparison between the Birth rate in the Cities of Ontario and other Cities .....	8
Table IV.—Order of Births by Months in 1883 and 1884 .....	9
“ V.—Quarterly Return of Births “ .....	9
“ VI.—Births within specified periods .....	9
“ VII.—Births in each quarter for ten years .....	10
“ VIII.—Proportion of Male to Female Births in the Province .....	10
“ “ “ “ “ Cities .....	10
“ IX.—Comparative Statement of the Birth rate in the Cities .....	11
“ Remarks on the preceding Tables .....	12
“ X.—Illegitimate Births, Twins and Triplets .....	12
“ Remarks upon them .....	13
 <i>Marriages:</i>	
Remarks on the Marriage Returns .....	16
Table XI.—Marriages by Denominations .....	16
“ XII. “ Months .....	17
“ XIII. “ Quarters .....	17
“ Explanatory Remarks .....	18
“ XIV.—Marriages by Ages .....	19
“ XV.—Marriages exhibiting great disparity in Age of persons married .....	20
 <i>Deaths:</i>	
Table XVI.—Deaths at different periods .....	22
“ XVII.—Average Age at Death in the Province .....	23
“ XVIII. “ “ Principal Towns .....	24
“ XIX.—Quarterly and Monthly Return of Deaths .....	25
“ XX.—Nationality of Decedents over sixty years of age .....	25
“ XXI.—List of Centenarians .....	26
“ Death rate in each County for four years .....	27
“ “ City “ .....	28
“ General remarks on the foregoing Tables .....	28-29
“ XXII.—Ten highest causes of Death in eight years .....	30-31
“ XXIII.—Population, number of Deaths and ten highest causes of Death in each County .....	32-33
“ “ “ “ “ “ “ City .....	34-35
“ “ “ “ “ “ “ Principal Towns .....	34-35
Diagram No. 1. Death wave in the years 1881, 1882, 1883 and 1884 .....	34-35
Remarks on the Death Wave .....	36
Classified causes of Death .....	36
Diagram No. 2, shewing the mortality in the five classes .....	36
“ 3, “ “ “ “ five diseases .....	36
Explanation of the different classes .....	37
Table shewing the decrease in Diphtheria in 1884 .....	37
General remarks on the causes of Death .....	38-42
Deaths by Occupations .....	43
Classification of the Deaths by Occupations .....	44-45
Remarks in reference to these Deaths .....	46-47
Instructions to Division Registrars .....	46

## APPENDIX.

	PAGE
Table A.—Births by Months.....	iv.
“ B.—Marriages by Denominations .....	xiv.
“ C.       “       Months .....	xxiv.
“ D.       “       Ages.....	xxx.
“ E.—Deaths, Causes of, Months and Ages.....	xxxiv.
Recapitulation of Table E.....	lxx.
“ F.—Deaths by Counties—Causes of Death .....	lxxii.
“ G.       “       Cities and Towns—Causes of Death.....	civ.
“ H.       “       Ages by Counties.....	cxxvi.
“ I.       “       “   in the Cities and Principal Towns.....	clviii
“ J.       “       Occupations.....	clxxxii.



# REPORT

RELATING TO THE

## Registration of Births, Marriages and Deaths

IN THE

### PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31st DECEMBER, 1884.

---

PARLIAMENT BUILDINGS,

TORONTO, December 1st, 1885.

*To the Honourable A. S. HARDY,*

*Registrar-General, Province of Ontario.*

SIR,—I have the honour to present a Report of the Births, Marriages and Deaths returned as having been registered in the Province during the year ending 31st December, 1884.

The total number of Births, Marriages and Deaths registered during the year amounted to 79,852, an increase over the number registered in 1883 of 1,545.

There were 44,504 Births registered; 1,523 more than in 1883; the Deaths registered numbered 21,702, or 653 more than in 1883; but the Marriages solemnized during the year have decreased from 14,277 in 1883, to 13,646 in 1884, a falling off of 631.

Tables 1, 2 and 3, are framed on the same principle as those presented in last year's report, and it is believed that taken in connection with the Tables in the Appendix they will be found valuable.

1 (R.G.)

Twenty-six of the 39 Counties of the Province making returns, shew a total increase of 3,309 registrations, while the remaining 13 shew a total decrease of 1,764. Of these Carleton and Frontenac account for the decrease of nearly 700 registrations, which is mainly owing to a falling off in the number of births and deaths returned from public institutions situate within their limits. The large decreases in the Counties of Wentworth, Wellington, Perth, Ontario and Oxford, are not so easily accounted for. With the exception of Wentworth the birth and death rate per 1,000 of the population in those Counties was low, being as follows : Wellington, birth rate, 22.7 per 1,000, death rate 10.8 ; Perth birth rate, 20.6 per 1,000, death rate 7.7 ; Oxford birth rate 21.8 per 1,000, death rate 10.3 ; Ontario birth rate, 22.9 per 1,000, death rate, 11.1.

The principal increases were from the following Counties, viz.: Renfrew, 421 ; Hastings, 385 ; York 333 ; Prescott and Russell, (United) 272 ; Lanark, 256 ; Northumberland and Durham (United), 210 ; Simcoe, 132 ; and Victoria, 104. These increases were chiefly in the number of births registered.

Table 3 shews the statistics from the principal Towns, but, owing to the very imperfect returns made by some of the Assessors as to the population, the proportionate ratio of the births, marriages and deaths to population is not given, as if it were computed on such data, the results in many cases must be erroneous and misleading. Nearly all these Towns shew an increase in the total number of registrations, particularly in the number of births registered. Picton shews the largest increase, 53, while Brockville shews the greatest decrease, viz., 135.

Comparing the returns from the rural districts with the cities and towns, it is found that the birth rate was 22.2 per 1,000 in the former, and 26.7 in the latter ; the death rate was 18.5 per 1,000 in the cities and 9.6 per 1,000 in the rural districts, which proves that the births and deaths are far from being all registered in the rural districts.

---

TABLE I.

TABLE shewing the Total Number of Births, Marriages and Deaths, in each County in 1884.

COUNTIES.	Number of Births, 1884.	Increase over 1883.	Decrease.	Number of Marriages, 1884.	Increase over 1883.	Decrease.	Number of Deaths, 1884.	Increase over 1883.	Decrease.	Total number of B., M. and D., 1884.	Total number of B., M. and D., 1883.	Increase.	Decrease.	BIRTHS. Ratio to 1,000 Population.	MARRIAGES. Ratio to 1,000 Population.	DEATHS. Ratio to 1,000 Population.
Algonia	424	69	.....	173	63	.....	193	85	.....	790	600	190	.....	20.8	8.6	9.5
Brant	712	.....	49	257	14	.....	388	6	.....	1357	1386	.....	29	21.02	7.6	11.4
Bruce	1464	62	.....	402	7	.....	476	.....	.....	2342	2276	66	.....	22.6	6.2	7.3
Carleton	1795	.....	46	515	.....	84	476	.....	.....	3580	3919	.....	339	23.001	8.3	19.8
Pufferin.	478	41	.....	142	8	.....	187	13	.....	807	745	62	.....	23.2	6.9	9.1
Elgin	803	46	.....	337	.....	1	351	21	.....	1491	1425	66	.....	18.01	7.9	8.2
Knox	1407	.....	.....	337	.....	24	673	86	.....	2417	2349	68	.....	30.2	7.2	14.4
Frontenac	837	6	248	305	13	.....	553	.....	121	1695	2051	.....	356	19.6	7.1	12.9
Grey	1384	10	.....	400	18	.....	494	42	.....	2278	2208	70	.....	19.6	5.6	7.0
Haldimand	533	57	.....	168	4	.....	223	35	.....	924	828	96	.....	21.3	6.7	8.7
Halton	508	40	.....	128	.....	5	241	34	.....	877	808	69	.....	23.1	5.8	10.9
Hastings	1126	185	.....	503	53	.....	721	147	.....	2350	1965	385	.....	20.4	9.1	13.06
Huron	1574	.....	10	424	11	.....	615	.....	12	2613	2624	.....	11	20.5	5.5	8.03
Kent	1098	23	.....	407	.....	25	551	49	.....	2056	2009	47	.....	20.2	7.4	9.9
Lambton	1119	.....	80	268	.....	99	544	118	.....	1351	1392	.....	61	21.5	5.1	10.4
Lanark	787	228	.....	246	.....	37	320	65	.....	1353	1097	256	.....	23.1	7.2	9.4
Leeds and Grenville	975	80	.....	400	.....	21	550	.....	20	1925	1886	39	.....	16.2	6.6	6.6
Lennox and Addington	148	15	.....	210	.....	25	252	.....	29	890	929	.....	39	16.9	7.9	8.7
Litchfield	679	11	.....	190	.....	51	437	36	.....	1306	1310	.....	4	21.5	6.01	13.8
Middlesex	2036	.....	46	599	.....	101	1149	173	.....	3784	3758	26	.....	21.8	6.4	12.2
Mississauga and Perry Sound	894	56	.....	172	.....	3	235	.....	22	1301	1270	31	.....	32.8	6.3	8.6
Norfolk	761	84	.....	222	.....	22	309	12	.....	1292	1218	74	.....	22.6	6.6	9.2
Northumberland and Durham	1432	123	.....	548	36	.....	742	51	.....	2722	2512	210	.....	18.5	7.07	9.5
Ontario	1120	.....	101	277	.....	70	542	.....	34	1939	2144	.....	205	22.9	5.6	11.1
Oxford	1098	.....	41	347	.....	39	517	.....	44	1962	2086	.....	124	21.8	6.9	10.3
Peel	598	69	.....	148	.....	44	301	38	.....	1047	984	63	.....	22.8	5.6	11.5
Peterborough	1107	.....	25	338	.....	70	416	.....	24	1861	1980	.....	119	20.6	6.2	7.7
Peterborough and Russell	856	20	.....	254	.....	10	380	.....	29	1490	1509	.....	19	24.7	7.3	10.9
Prescott and Russell	1483	217	.....	230	11	.....	435	44	.....	2148	1876	272	.....	39.003	6.04	11.1
Prince Edward	403	19	.....	162	22	.....	290	40	.....	855	774	81	.....	19.1	7.6	13.7



TABLE I.—Continued.

COUNTIES.	Number of Births, 1884.	Increase over 1883.	Decrease.	Number of Marriages, 1884.	Increase over 1883.	Decrease.	Number of Deaths, 1884.	Increase over 1883.	Decrease.	Total number of B. M. and D., 1884.	Total number of B. M. and D., 1883.	Increase.	Decrease.	BIRTHS. Ratio to 1,000 Population.	MARRIAGES. Ratio to 1,000 Population.	DEATHS. Ratio to 1,000 Population.
Renfrew .....	1185	357	.....	321	47	.....	338	17	.....	1844	1423	421	.....	29.4	7.9	8.3
Simcoe .....	1473	52	.....	538	48	.....	642	32	.....	2653	2521	132	.....	19.6	7.1	8.5
Stornont, Dundas and Glengary .....	1169	27	.....	438	.....	53	582	105	.....	2189	2110	79	.....	17.7	6.6	8.8
Victoria .....	846	108	.....	248	.....	9	368	5	.....	1460	1356	104	.....	24.03	6.9	10.4
Waterloo .....	1366	38	.....	369	.....	18	470	.....	23	2205	2148	57	.....	31.9	8.6	10.9
Welland .....	705	2	.....	221	.....	.....	332	14	.....	1258	1246	12	.....	22.1	6.9	10.4
Wellington .....	1508	.....	67	347	.....	128	715	1	.....	2570	2764	.....	194	22.7	5.2	10.8
Wentworth .....	1810	125	.....	547	.....	69	1143	.....	70	3500	3764	.....	264	27.03	8.1	17.07
York .....	4503	256	.....	1510	26	.....	2777	51	.....	8790	8457	333	.....	29.4	9.8	18.1
Totals .....	44504	2361	838	13646	381	1012	21702	1293	640	79852	78307	3309	1764	23.1	7.09	11.2
		Increase, 1523.		Decrease, 631.			Increase, 653.			Total increase in B. M. and D., 1545.						

TABLE II.

BIRTHS, MARRIAGES AND DEATHS IN THE TEN CITIES IN 1884.

CITIES.	Population as returned by Assessors	BIRTHS.		MARRIAGES.		DEATHS.		Total number of B. M. and D., 1884.	Total number of B. M. and D., 1883.	Increase.	Decrease.	Increase.	Decrease.	Ratio to 1000 of the Population.		
		1884.	1883.	1884.	1883.	1884.	1883.							Births.	Marriages.	Deaths.
Toronto	105211	2996	2790	206	1159	1083	76	2155	2040	115	6310	5913	397	28.4	11.0	20.4
Hamilton	39216	1095	1202	107	393	445	52	722	822	100	2210	2109	259	27.9	10.0	18.4
Ottawa	30791	1074	1015	9	377	427	50	1047	1211	164	2448	2653	205	33.2	12.2	31.0
London	20970	476	550	74	212	274	62	332	280	52	1020	1104	84	22.7	10.1	15.8
Kingston	15297	306	501	135	185	180	5	268	384	116	819	1065	246	24.0	12.0	17.5
Brantford	11833	270	263	7	127	112	15	143	159	16	510	534	6	22.8	19.7	12.0
St. Thomas	10811	305	262	43	155	156	1	91	91	0	551	509	42	28.2	14.3	8.4
Guelph	10190	311	299	12	66	96	30	175	150	25	552	545	7	30.5	6.4	17.1
St. Catharines	9931	195	180	15	86	126	40	189	166	23	470	472	2	19.6	8.6	19.0
Belleville	9742	188	181	7	132	126	6	194	164	30	514	471	43	19.3	13.5	20.0
Totals	263902	7296	7243	299	316	2892	102	5316	5407	245	15434	15735	495	27.3	10.9	20.1

Decrease in Births, 17. Decrease in Marriages, 133.

Decrease in Deaths, 151.

Total decrease in B., M. and D., 301.

TABLE III.

BIRTHS, MARRIAGES AND DEATHS IN THE PRINCIPAL TOWNS IN 1884.

COUNTY TOWNS.	BIRTHS.		MARRIAGES.		DEATHS.		Total number of B., M. and D., 1884.		Total number of B., M. and D., 1883.	
	1884.	1883.	1884.	1883.	1884.	1883.	Increase.	Decrease.	Increase.	Decrease.
Walkerton .....	75	69	38	38	32	22	10	10	16	3
Windsor .....	188	181	74	101	116	99	17	17	30	32
Owen Sound .....	119	126	86	58	68	59	9	9	176	4
Goderich .....	72	86	24	37	48	53	3	5	205	39
Chatham .....	144	160	155	118	128	125	23	3	201	135
Sarnia .....	110	106	44	75	47	24	42	4	238	199
Perth .....	134	68	58	89	31	46	41	44	311	446
Brookville .....	138	175	62	116	111	155	19	8	201	197
Napanee .....	84	74	57	82	60	41	56	10	226	217
Cobourg .....	118	103	60	58	48	56	42	11	217	9
Whitby .....	61	47	24	23	52	61	3	11	297	30
Woodstock .....	143	158	74	78	50	61	72	3	210	21
Brampton .....	92	79	43	55	75	57	19	4	320	22
Stratford .....	155	165	89	119	76	113	35	18	386	364
Peterboro' .....	178	139	54	92	67	32	35	18	187	134
Pictou .....	66	46	54	56	40	58	55	2	225	20
Pembroke .....	123	126	100	92	57	55	4	10	259	19
Barrie .....	112	112	80	111	62	71	68	9	273	255
Cornwall .....	112	104	84	89	61	61	68	35	246	270
Lindsay .....	110	86	84	89	61	61	68	35	246	270
Berlin .....	172	138	65	64	68	68	68	68	270	270
Totals .....	2506	2368	1432	1612	1421	1363	158	100	5359	5343

Increase in Births, 138.

Decrease in Marriages, 180.

Increase in Deaths, 58.

Total Increase, 16.



---

# BIRTHS.

---

## BIRTHS.

(See Tables 1, 2 and 3.)

According to table 1. the births registered in 1884 exceeded those of 1883 by 1,523, increasing the birth rate from 22.3 to 23.1 per 1,000 of the population.

The Counties of Frontenac and Wentworth, which in 1883 returned the largest increase in births, returned in 1884 the largest decrease, viz., 248 and 155 respectively; on the contrary the counties of Leeds and Grenville (United) and Bruce which returned the largest decrease in 1883 have in 1884 returned an increase.

Every county except two (Perth and Huron) which returned a decrease in the number of births in 1883 have in 1884 returned an increase, particularly the following counties, Leeds and Grenville (United) Bruce, Norfolk, Northumberland and Durham (United), Peel and Renfrew. The number registered in Renfrew in 1883 was 83 below the number registered in 1882, but in 1884 the returns shew an increase of 357.

The counties of Prescott and Russell (United), Lanark, Waterloo, Stormont, Dundas and Glengarry (United), Simcoe, Peterboro, Elgin, and York, all reported increases in the number of births registered in 1883 and continued to do so in 1884.

Four counties, Essex, Muskoka and Parry Sound (United), Prescott and Russell (United), and Waterloo, respectively, returned birth rates of over 30 per 1,000, and several other counties had nearly the same ratio, while in 1883 only three counties reached that rate, and only one of those three was over 30 per 1,000.

In Prescott and Russell (United) the ratio was 39 per 1,000, the highest of any county. That was also the case in 1883. The lowest ratios were in the three following counties: Leeds and Grenville (United) 16.2 per 1,000; Lennox and Addington (United) 16.9; Stormont, Dundas and Glengarry (United) 17.7 per 1,000.

In 1883 some counties had as low a rate as 14 per 1,000, but no county in 1884 returned less than 16 per 1,000, so that generally there was a marked improvement in the returns of births in the counties for 1884.

The number of births registered in the ten cities present a falling off. Instead of there being an increase as is generally the case, there was a total decrease of 17, caused principally by the large decrease in the cities of Hamilton, London and Kingston, numbering 107, 135, and 74 respectively. The other cities returned a total increase of 299, but it was not sufficiently large to overcome the decrease in the three cities named, consequently the ratio of births to population has decreased from 28.5 in 1883, to 27.3 in 1884.

The following comparison between the registration of births in several cities in other parts of the world with the ten cities of Ontario is here given:—

CITIES.	Country.	Population.	No. of Births.	Year.	Ratio to Population.
Providence .....	United States ..	116755	2,916	1883.....	24.9 per 1000.
Ogdensburgh .....	do .....	10341	205	do .....	20.0 "
Newburyport .....	do .....	13947	303	do .....	21.7 "
Bolton .....	England .....	107862	2338	do .....	21.6 "
Blackburn .....	do .....	108460	2648	do .....	24.4 "
Cork .....	Ireland .....	80124	1993	do .....	24.8 "
Limerick .....	do .....	38562	1051	do .....	27.0 "
Elberfeld .....	Germany .....	102000	2336	do .....	22.9 "
Rheims .....	France .....	93823	3020	do .....	32.1 "
Winterthur .....	Switzerland .....	14676	392	do .....	26.7 "
Total .....	.....	686550	17302	.....	25.0 per 1000.
Ten Cities of Ontario ..	.....	263992	7226	1884 .....	27.3 per 1000.

The principal towns shew an increase of 138 births. The Town of Perth returned the largest increase, 66, and the Town of Brockville the largest decrease, 37.

TABLE IV.  
ORDER of Births, by Months, in 1883 and 1884.

MONTHS.	1883.			MONTHS.	1884.		
	Male.	Female.	Total.		Male.	Female.	Total.
March . . . . .	2031	1982	4013	March . . . . .	2210	1953	4163
September . . . . .	1952	1869	3821	September . . . . .	1992	1926	3918
April . . . . .	1919	1804	3723	August . . . . .	2006	1890	3896
August . . . . .	1890	1779	3669	April . . . . .	1919	1838	3757
October . . . . .	1872	1734	3606	July . . . . .	1953	1755	3708
January . . . . .	1860	1698	3558	May . . . . .	1867	1833	3700
May . . . . .	1787	1770	3557	February . . . . .	1894	1785	3679
July . . . . .	1814	1720	3534	October . . . . .	1886	1784	3670
February . . . . .	1821	1622	3443	January . . . . .	1923	1726	3649
December . . . . .	1786	1621	3407	June . . . . .	1803	1680	3483
November . . . . .	1718	1639	3357	November . . . . .	1752	1708	3460
June . . . . .	1665	1623	3293	December . . . . .	1789	1632	3421
Total . . . . .	22115	20866	42981	Total . . . . .	22994	21510	44504

TABLE V.  
QUARTERLY Return of Births, in 1883 and 1884.

QUARTERS.	1883.			1884.		
	Male.	Female.	Total.	Male.	Female.	Total.
Quarter ending March 31st . . . . .	5712	5302	11014	6027	5464	11491
“ June 30th . . . . .	5371	5202	10573	5589	5351	10940
“ September 30th . . . . .	5656	5368	11024	5951	5571	11522
“ December 31st . . . . .	5376	4994	10370	5427	5124	10551
Totals . . . . .	22115	20866	42981	22994	21510	44504

TABLE VI.

The number of births within the several specified periods was as follows :

For the year . . . . .	44,504	—Males, 22,944 ;	Females, 21,510
“ month . . . . .	3,708	“ 1,916	“ 1,792
“ week . . . . .	855	“ 442	“ 413
“ day . . . . .	121	“ 63	“ 58

The difference between the male and female births reported in each year, for the last ten years, is shewn to have been as follows :

In 1874 there were	1,073	more male than female births.
“ 1875	1,064	“ “
“ 1876	987	“ “
“ 1877	1,361	“ “
“ 1878	1,780	“ “
“ 1879	1,651	“ “
“ 1880	1,726	“ “
“ 1881	1,580	“ “
“ 1882	1,373	“ “
“ 1883	1,249	“ “
“ 1884	1,484	“ “



TABLE VII.

THE following Statement shews the total number of Births, in each quarter, for the last ten years, with the percentages.

QUARTERS.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	Total for ten years.	Percentage of the whole ten years.
January to March ..	6998	10012	12580	10652	11333	11050	10845	11117	11014	11491	107092	26.8
April to June.....	6481	9566	9899	9688	10484	10345	9893	10032	10573	10940	97901	24.6
July to September..	6474	9623	9854	10075	9944	10893	10146	10875	11024	11522	100430	25.2
October to December	6015	9257	7624	9821	9274	10024	9838	10405	10370	10551	93171	23.4
Total .....	25968	38458	39957	40236	41035	42312	40714	42429	42981	44504	398594	100.00

TABLE VIII.

BIRTHS by Months, in the Province, 1884, shewing the proportion of Male to Female Births.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
Males .....	1923	1894	2210	1919	1867	1803	1953	2006	1992	1886	1752	1789	22994
Females .....	1726	1785	1953	1838	1833	1680	1755	1890	1926	1784	1708	1632	21510
Total .....	3649	3679	4163	3757	3700	3483	3708	3896	3918	3670	3460	3421	44504
Male births to 100 female births .....	111.4	106.1	113.1	104.4	101.8	107.3	111.2	106.1	103.4	105.7	102.5	109.6	106.8

BIRTHS by Months, in the ten Cities, during 1884, shewing the proportion of Male to Female Births.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males .....	313	300	356	312	295	257	301	339	343	329	323	305	3773
Females .....	289	257	313	289	233	276	312	319	265	294	287	269	3403
Total .....	602	557	669	601	528	533	613	658	608	623	610	574	7176
Male births to 100 female births .....	108.3	116.7	113.7	107.9	126.6	93.1	96.4	106.2	129.4	111.9	112.5	113.3	110.8

TABLE IX.

COMPARATIVE STATEMENT of the Birth Rate in the Cities of Ontario for Nine Years.

CITIES.	1876.			1877.			1878.			1879.			1880.			1881.			1882.			1883.			1884.		
	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population according to Census, 1881.	Number of Births.	Birth rate per 1,000 living.	Population according to Census, 1881.	Number of Births.	Birth rate per 1,000 living.	Population as returned by Assessors.	Number of Births.	Birth rate per 1,000 living.	Population as returned by Assessors.	Number of Births.	Birth rate per 1,000 living.
Toronto .....	71,673	1,984	27	67,386	2,222	32	70,867	2,637	37	73,813	2,638	35	83,410	2,650	31.7	86,445	2,545	29.4	86,415	2,600	30.0	95,450	2,790	29.2	105,211	2,996	28.4
Hamilton .....	32,641	644	19	32,641	940	28	33,511	1,008	30	34,268	994	29	35,041	941	26.7	35,965	957	26.6	35,961	948	26.3	39,216	1,202	30.6	39,216	1,095	27.9
Ottawa .....	25,000	458	18	24,431	339	13	24,000	474	19	24,015	479	19	26,830	667	24.8	27,417	495	18.0	27,412	1,042	38.0	30,700	1,015	33.0	30,791	1,024	33.2
London .....	18,196	456	25	18,898	465	24	19,186	521	27	19,666	539	27	19,870	487	24.6	19,763	426	21.5	19,746	449	22.7	20,976	550	26.2	20,970	476	22.7
St. Catharines ..	12,870	137	10	13,143	164	12	11,079	172	15	10,475	186	17	9,465	257	27.1	9,642	172	17.8	9,631	192	20.0	10,053	180	17.9	9,981	195	19.6
Kingston .....	12,786	416	32	13,253	349	26	14,072	352	25	14,358	889	27	13,925	397	28.5	14,093	363	25.7	14,091	329	23.3	15,297	501	32.7	15,297	366	24.0
Belleville .....	9,768	284	29	11,192	321	28	9,612	301	31	9,789	330	33	9,295	296	31.8	9,516	210	22.0	9,516	190	20.0	9,742	181	18.5	9,742	188	19.3
Brantford .....	9,444	237	25	10,631	278	26	10,792	262	24	10,587	254	24	9,475	263	27.7	9,626	247	25.6	9,616	255	26.5	11,783	263	22.3	11,833	270	22.8
Guelph .....	9,017	311	34	9,677	341	35	9,918	340	34	10,072	298	29	9,589	289	30.1	9,890	282	28.5	9,894	284	28.7	10,190	249	29.3	10,190	311	30.5
St. Thomas .....	5,527	109	19	5,954	123	20	6,446	125	19	7,217	154	21	7,753	182	23.6	8,370	204	24.3	8,367	177	21.1	10,811	262	24.2	10,811	306	28.2

These tables are deductions from the general table of births in the appendix, and exhibit in a concise manner the sex of the children born, the number of births in each month and quarter of the year, the proportion of male to female births, and the ratio to population.

#### BIRTHS BY MONTHS.

(See Table 4.)

March invariably returns more births than any other month. The months of June and December generally return the least number of births.

In the aggregate the male births always exceed the female births, but the excess varies every year, in 1884 the male births exceeded the female by 1,484. The largest excess 1,780, was in 1878, and the smallest, 987, in 1876.

In four counties, viz., Halton, Leeds and Grenville (United), Stormont, Dundas and Glengarry (United), and Waterloo, there were more female than male births.

The proportion between male and female births for the whole year was 106 males to 100 females for the Province; in the cities it was 110 males to 100 females. The largest proportion in the Province was during the month of March, 113 males to 100 females, the smallest in May, 101.8 to 100. In the cities the largest proportion was in the month of September, 129 males to 100 females, and the smallest in June, 93 males to 100 females. The third quarter of the year returned the largest number of births; in previous years the first quarter held that position. There was an average of 3,708 births every month, 855 every week, and 121 every day.

TABLE X.

#### ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS.

YEAR.	ILLEGITIMATE BIRTHS.			No. of Pairs of Twins.	No. of Triplets.
	No.	Proportion to the whole Number of Births.	Ratio in every 1000 Births.		
1872 .....	235	One in every 99 Births .....	10.0	76	0
1873 .....	229	" " 129 " .....	8.3	200	1
1874 .....	196	" " 144 " .....	6.9	255	2
1875 .....	198	" " 131 " .....	4.8	264	1
1876 .....	392	" " 98 " .....	10.1	349	1
1877 .....	529	" " 75 " .....	13.2	411	5
1878 .....	575	" " 70 " .....	14.2	425	9
1879 .....	524	" " 78 " .....	12.7	378	1
1880 .....	671	" " 63 " .....	15.8	407	6
1881 .....	748	" " 54 " .....	18.3	384	3
1882 .....	966	" " 43 " .....	22.7	389	5
1883 .....	989	" " 43 " .....	23.0	377	8
1884 .....	644	" " 69 " .....	14.4	382	8
Average for 13 years .....	530	One in every 84 Births .....	.....	310	3.8



### *Illegitimate Births.*

A very satisfactory decrease in the number of these births was reported in 1884. In 1883 the number returned was 989, in 1884 only 644, a decrease of 345, reducing the proportion to the whole number of births from one in every 43 births to one in every 69, which is comparatively low when compared with the illegitimate birthrate in other countries. The principal falling off was observable in the City of Ottawa, which for four years has returned a very large number of illegitimate births. In 1883 there were 331 of these births registered there, while in 1884 only 71, a decrease of 260.

Of the 44,504 births registered in 1884, 43,860, or 98.6 per cent. were legitimate, and 644, or 1.4 per cent. illegitimate. In Ireland, according to the Report of the Registrar-General for 1883, the total number of births registered was 118,163, of which 115,114, or 97.4 per cent. were legitimate, and 3,049 or 2.6 per cent. were illegitimate. The birth rate for the same year in that country was 23.6 per 1,000. In this Province it was 23.1 per 1,000. In Scotland, England and France, particularly the latter country, the illegitimate birth rate was much higher. From recently issued returns in France it appears that these births are greatly on the increase. In 1880 there were 68,227 illegitimate births, or 7 per cent. of all the births in that year, being one in every 14 births. In 1881 they increased to 71,305, one in every 13 births, or 7.6 per cent. of the whole number, and in 1884 the number was still higher—75,754—one in every 12 births, or 8 per cent.

### *Twin Births, and Triplets.*

The number of twin births was 382, an increase of 5. The same number of cases of triplets, eight, was registered in 1884 as in 1883. Two of them were reported from the County of Wellington, and one each from the Counties of Bruce, Lanark, Stormont, Dundas and Glengarry (United), Victoria, Welland and York.



---

# MARRIAGES.

---



# MARRIAGES.

(See Tables 1, 2 and 3.)

The number of marriages registered in 1884 was 13,646, a decrease, of 631 as compared with the number reported in 1883, reducing the ratio from 7.4 per 1,000 of the population to 7.09.

It is noticed that those counties which return increased registrations of marriages in one year return, as a rule, decreases the following year, and, contrariwise, those that return fewer marriages in one year return, in the following year increases; thus the counties of Perth, Oxford, Carleton, Lanark, Stormont, Dundas and Glengarry (United), which in 1883 returned an increased number of marriages over those returned in 1882, have in 1884 returned a less number than in 1883, while the counties of Prescott and Russell (United) Grey, Bruce, Dufferin, Prince Edward and Simcoe, whose returns in 1883 shewed a falling off from 1882, return in 1884 an increase over the number registered in 1883.

TABLE XI.

## MARRIAGES BY DENOMINATIONS.

Of the whole number of persons married in 1883 the percentages of those whose religious denominations were given, were as follows:—

34.67	per cent.	(or 1 in every	2.88)	were	Methodists.
19.73	"	( "	" 5.06)	"	Presbyterians.
17.74	"	( "	" 5.63)	"	Episcopalians.
14.37	"	( "	" 6.59)	"	Roman Catholics.
5.09	"	( "	" 19.06)	"	Baptists.
1.96	"	( "	" 50.89)	"	Lutherans.
1.95	"	( "	" 51.08)	"	Bible Christians.
1.06	"	( "	" 93.92)	"	Congregationalists.
.60	"	( "	" 164.10)	"	Evangelical Association.
.57	"	( "	" 196.89)	"	Mennonites.
.09	"	( "	" 1057.55)	"	Quakers.
2.15	"	( "	" 46.42)	"	of other denominations.

The percentages in 1884 were as follows:—

37.41	per cent.	(or 1 in every	2.67)	were	Methodists.
20.14	"	( "	" 4.96)	"	Presbyterians.
17.00	"	( "	" 5.88)	"	Episcopalians.
14.25	"	( "	" 7.01)	"	Roman Catholics.
4.73	"	( "	" 21.21)	"	Baptists.
1.84	"	( "	" 54.14)	"	Lutherans.
1.07	"	( "	" 92.82)	"	Congregationalists.
.62	"	( "	" 160.54)	"	Evangelical Association.
.54	"	( "	" 184.45)	"	Mennonites.
.04	"	( "	" 2099.38)	"	Quakers.
1.03	"	( "	" 76.66)	"	of other denominations.

## MARRIAGES BY DENOMINATIONS.

Marriages amongst Methodists still largely outnumber the marriages amongst other denominations, and while they shew an increase of 304 in 1884, every other denomination except Mennonite shew a decrease. Over 37 per cent. of all who were married in 1884 were Methodists, twenty per cent. were Presbyterians, 17 per cent. were Episcopalians, and 14.25 per cent. were Roman Catholics.

In thirty counties the Methodist marriages numbered more than any other denomination. In three counties, Bruce, Lanark and Waterloo, more Presbyterians were married; and in five counties, Prescott and Russell (United), Carleton, Renfrew, Essex and Stormont, Dundas and Glengarry (United), the Roman Catholic marriages were the most numerous.

The Episcopalians do not appear to have had the largest number of marriages in any county, but they were the second highest in fourteen.

According to the census of 1881, the Methodists numbered 30.7 per cent. of the whole population of Ontario, and they returned 37.4 per cent. of all the marriages; the Presbyterians were 21.7 per cent. of the population, and they returned 20.1 per cent. of the marriages; the Episcopalians were 19.1 per cent. of the population and 17 per cent. of the marriages; the Roman Catholics were 16.6 per cent. of the population and 14.2 per cent. of the marriages.

TABLE XII.  
MARRIAGES BY MONTHS IN NUMERICAL ORDER.

1883.		1884.	
December .....	1614	December .....	1543
October .....	1547	October .....	1437
January .....	1519	January .....	1271
November .....	1263	November .....	1256
March .....	1167	September .....	1147
September .....	1139	February .....	1124
April .....	1130	April .....	1109
February .....	1044	March .....	1090
June .....	1018	June .....	1066
May .....	1014	July .....	961
July .....	942	May .....	855
August .....	821	August .....	735
No date given .....	59	No date given .....	52
Total .....	14277	Total .....	13646
The average number of marriages, per quarter, for 1884 was 3,411			
" " " "	"	month, " "	1,137
" " " "	"	week " "	262
" " " "	"	day " "	37

TABLE XIII.  
QUARTERLY RETURN OF MARRIAGES, 1883 AND 1884.

QUARTERS.	1882.		1884.	
	Number of Marriages.	Per cent. of the whole Number.	Number of Marriages.	Per cent. of the whole Number.
Quarter ending 31st March .....	3730	26.1	3485	25.6
" " 30th June .....	3162	22.2	3030	22.3
" " 30th September .....	2902	20.3	2843	20.8
" " 31st December .....	4424	31.0	4236	31.0
Date of Marriages omitted .....	59	.4	52	3
	14277	100.0	13646	100.0

## MARRIAGES BY MONTHS.

*(See Tables 12 and 13.)*

December and August again return the highest and lowest number of marriages respectively.

There was an average of 1,137 marriages every month, 262 every week, and 37 every day. More marriages took place in the last quarter of the year than in any other quarter.

## MARRIAGES BY AGES.

*(See Tables 14 and 15.)*

The proportion between males and females who married under 20 years remains about the same as in former years; 141 males and 2,657 females were married before arriving at the age of 20 years. Between 20 and 25 years the difference was not so great, being 5,125 males and 6,849 females. In all the other periods of life the proportion between males and females was in favor of the males. Fifty per cent. of all the females married were between 20 and 25 years of age at the time of their marriage.

Of the 13,646 men married 12,143 or 89 per cent. were bachelors, and 1,503 or 11 per cent. were widowers. Of the women married 12,918 or 94.6 per cent. were spinsters, and 728 or 5.4 per cent. were widows.

Every year the returns shew the marriages of persons far advanced in years, and in 1884 thirty-eight persons were married at the age of seventy and over.

The united ages of the oldest couple married in 1884 were 148 years, 3 years more than the oldest couple married in 1883. The bridegroom was 82 years and the bride 66 years at the time of their marriage.

The greatest disparity in the ages of any couple married was that of a man aged 72 years who took for his wife a maiden of 22 years. Only one case occurred in the list where the bride was the elder, a man of 45 married a woman aged 70 years. Eighteen damsels were married at 15 years and three children at 14 years.

TABLE XIV.—MARRIAGES BY AGES.

The proportion of males to females married during the different quinquennial periods of life for the years 1883-4 to the whole number of marriages, is shown in the appended table :—

QUINQUENNIAL PERIODS OF LIFE.	1883.				1884.			
	Whole number of marriages, 14,277.				Whole number of marriages, 13,646.			
	Males.		Females.		Males.		Females.	
	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.
Under 20 years . . . . .	175	1.22	2841	19.90	141	1.04	2657	19.47
From 20 to 25 years . . . . .	5341	37.42	7168	50.20	5125	37.55	6849	50.19
" 25 to 30 " . . . . .	4944	34.62	2599	18.20	4784	35.06	2580	18.91
" 30 to 35 " . . . . .	1869	13.09	771	5.40	1740	12.75	710	5.21
" 35 to 40 " . . . . .	734	5.14	337	2.36	724	5.30	320	2.34
" 40 to 45 " . . . . .	429	3.00	212	1.48	381	2.79	189	1.38
" 45 to 50 " . . . . .	240	1.68	117	.82	247	1.82	109	.79
" 50 to 55 " . . . . .	177	1.24	58	.41	162	1.18	48	.36
" 55 to 60 " . . . . .	116	.81	60	.42	104	.76	36	.26
" 60 to 65 " . . . . .	87	.61	22	.15	66	.48	23	.16
" 65 to 70 " . . . . .	61	.43	8	.06	38	.28	9	.07
" 70 to 75 " . . . . .	31	.22	5	.04	22	.17	4	.03
" 75 to 80 " . . . . .	9	.07	1	.01	6	.04	0	.....
" 80 and over . . . . .	0	.....	0	.....	6	.04	0	.....
Ages not given . . . . .	64	.45	78	.55	100	.74	112	.83
	14277	100.00	14277	100.00	13646	100.00	13646	100.00



TABLE XV.

MARRIAGES exhibiting great disparity of age between Bridegroom and Bride.

BRIDEGROOM THE ELDER.					BRIDE THE ELDER.			
COUNTIES.	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.	COUNTIES.	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.	COUNTIES.
Carlton .....	Gentleman .....	77	53	Norfolk .....	Cooper .....	70	69	Northumberland and Durham .....
" .....	Farmer .....	75	70	Northumberland and Durham .....	" .....	79	52	
Elgin .....	Labourer .....	82	66	Ontario .....	Clergyman .....	73	41	
Essex .....	Farmer .....	72	56	" .....	Farmer .....	70	69	
" .....	" .....	74	64	Oxford .....	Weaver .....	83	44	
Grey .....	Gentleman .....	77	62	Peel .....	Gentleman .....	70	57	
Haldon .....	Farmer .....	72	67	" .....	" .....	74	71	
Hastings .....	Clergyman .....	72	56	Peterborough .....	Farmer .....	70	51	
Huron .....	Merchant .....	71	40	Prescott and Russell .....	Pensioner .....	80	53	
Kent .....	Tailor .....	70	61	Simcoe .....	Farmer .....	72	20	
" .....	Farmer .....	77	60	Wellington .....	" .....	70	63	
Lambton .....	" .....	70	59	York .....	Doctor of Medicine .....	77	51	
" .....	Gentleman .....	70	69	" .....	Farmer .....	73	63	
Leeds and Grenville .....	Justice of the Peace .....	81	63	" .....	" .....	74	43	
" .....	Civil Engineer .....	72	22	" .....	Mechanic .....	73	55	
" .....	Farmer .....	75	70	" .....	Farmer .....	80	66	
Lennox and Addington .....	Gentleman .....	83	44					
Middlesex .....	Farmer .....	70	40					

---

## DEATHS.

---

# DEATHS.

(See Appendix, page xxxv.)

TABLE XVI.—DEATHS AT DIFFERENT AGES.

The death rate under one year, from one to five, from five to ten, and in each decennial period thereafter, for the years 1876, 1877, 1878, 1879, 1880, 1881, 1882, 1883, and 1884, is shewn in the following table:

	1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.		1884.	
	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.
Total under 1 year.....	3844	21.4	4704	24.1	3863	22.9	3869	22.2	4379	22.8	5246	28.6	4874	22.3	4882	28.2	5242	24.1
“ from 1 year to 5 years.....	2471	13.7	2841	14.6	2321	13.4	2159	12.3	2795	14.6	3120	14.0	2942	13.6	2215	10.5	2157	9.9
Total under 5 years.....	6315	35.1	7545	38.7	6284	36.3	6028	34.5	7174	37.4	8366	37.6	7826	35.9	7097	33.7	7399	34.0
“ from 5 to 10 years.....	1012	5.6	1064	5.6	904	5.2	777	4.5	796	5.1	1144	5.2	1150	5.2	825	3.9	806	3.7
“ 10 “ 20 “.....	1341	7.5	1391	7.1	1187	6.8	1037	6.1	1137	6.2	1499	6.8	1449	6.6	1377	6.5	1296	6.0
“ 20 “ 30 “.....	1696	9.5	1687	8.6	1623	9.4	1622	9.3	1785	9.3	2027	9.1	1930	8.8	2103	10.0	2075	9.6
“ 30 “ 40 “.....	1316	7.4	1310	6.7	1201	7.0	1205	6.9	1192	6.2	1451	6.5	1359	6.3	1519	7.2	1477	6.8
“ 40 “ 50 “.....	1116	6.2	1444	5.8	1026	6.0	1112	6.3	1142	5.9	1302	5.9	1201	5.5	1249	5.9	1267	5.8
“ 50 “ 60 “.....	1099	6.1	1098	5.6	1067	6.1	1166	6.6	1119	5.8	1278	5.8	1257	5.8	1283	6.1	1285	5.9
“ 60 “ 70 “.....	1311	7.3	1389	7.1	1376	7.4	1486	8.5	1468	7.6	1549	6.9	1600	7.4	1537	7.4	1617	7.4
“ 70 “ 80 “.....	1595	9.0	1572	8.1	1351	9.0	1673	9.6	1803	9.4	2058	9.2	1952	8.9	1903	9.1	2251	10.4
“ 80 “ 90 “.....	917	5.1	1000	5.2	951	5.5	1071	6.2	1112	5.9	1269	5.7	1250	5.8	1254	6.0	1367	6.3
“ 90 “ 100 “ and over.....	228	1.2	272	1.5	214	1.3	269	1.5	235	1.2	265	1.2	273	1.2	223	1.1	266	1.4
Age not given.....	17946	100.0	19472	100.0	17284	100.0	17468	100.0	19203	100.0	22208	100.0	21237	97.4	20392	96.9	21106	97.3
Whole number of deaths.....	677	3.6	581	2.8	524	2.9	490	2.7	599	3.0	613	2.7	563	2.6	637	3.1	596	2.7
	18223	...	20053	...	17808	...	17958	...	19802	...	22821	...	21800	100.0	21049	100.0	21702	100.0

TABLE XVII.

COUNTIES.	Including deaths under one year.						Deducting all who died under one year.					
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
Brant .....	200	26.1	188	30.7	388	28.4	158	33.2	148	39.0	306	36.0
Bruce .....	251	32.5	225	31.5	476	32.0	204	40.1	195	36.4	399	38.3
Carleton .....	649	20.4	621	22.0	1270	21.2	355	36.8	364	37.5	719	37.2
Dufferin .....	95	38.6	92	33.1	187	35.8	73	50.7	79	38.4	152	49.5
Elgin .....	181	34.8	170	29.1	351	32.0	136	47.2	139	36.1	275	41.7
Essex .....	360	20.9	313	24.0	673	26.5	245	31.0	246	30.2	491	27.5
Frontenac .....	312	40.2	241	33.4	553	36.8	262	48.2	199	40.0	461	44.1
Grey .....	264	32.7	230	31.4	494	32.0	218	44.3	187	38.7	405	41.5
Haldimand .....	121	40.2	102	38.0	223	39.1	95	51.9	88	44.2	183	48.1
Halton .....	110	44.3	131	41.2	241	41.6	93	52.1	112	48.3	205	45.2
Hastings .....	378	29.6	343	26.0	721	27.8	301	37.1	280	32.0	581	34.6
Huron .....	317	37.3	298	32.2	615	34.8	246	48.3	239	40.2	485	44.2
Kent .....	283	32.5	268	32.2	551	32.3	210	44.2	234	37.2	444	40.7
Lambton .....	274	27.2	270	26.1	544	26.7	188	39.6	202	34.7	390	37.2
Lanark .....	157	37.1	163	32.8	320	34.9	120	48.4	142	37.8	262	43.1
Leeds and Grenville ..	261	37.2	289	31.7	550	34.4	220	44.1	256	36.0	476	40.1
Lennox and Addington ..	115	33.1	117	38.2	232	35.6	90	42.2	98	46.0	188	44.1
Lincoln .....	237	32.1	210	37.2	437	36.6	169	43.0	178	44.1	347	46.0
Middlesex .....	609	34.2	540	33.1	1149	33.6	459	45.7	418	42.6	877	44.2
Norfolk .....	162	36.0	147	36.6	309	36.3	122	40.8	123	40.5	245	40.6
Northumberland and Durham .....	383	39.3	359	38.2	742	38.7	307	48.8	309	44.3	616	46.5
Ontario .....	279	33.8	263	38.8	542	36.3	211	44.8	226	45.5	437	45.1
Oxford .....	277	39.4	240	34.4	517	36.9	213	51.0	190	43.5	403	42.3
Peel .....	152	32.0	149	38.0	301	35.0	111	45.0	135	42.3	246	43.6
Perth .....	209	35.9	207	39.2	416	37.6	167	45.0	171	47.5	338	46.2
Peterboro' .....	209	30.6	171	32.1	380	31.3	156	41.0	141	39.1	297	40.1
Prescott and Russell ..	247	30.0	188	24.4	435	27.2	155	46.1	127	33.4	282	39.7
Prince Edward .....	156	36.8	134	35.4	290	36.1	134	43.0	117	40.6	251	41.8
Renfrew .....	172	33.4	166	28.7	338	31.0	127	45.3	127	36.7	254	41.0
Simcoe .....	350	30.0	292	31.2	642	30.6	262	39.6	237	38.3	499	38.9
Stormont, Dundas and Glengarry .....	285	38.7	297	37.2	582	37.9	238	46.1	245	44.2	483	45.1
Victoria .....	171	34.1	197	32.7	368	33.4	127	41.2	169	39.6	296	40.4
Waterloo .....	250	30.3	220	29.4	470	29.8	178	38.7	164	36.4	342	37.5
Welland .....	191	31.6	141	28.7	332	31.2	153	41.4	116	37.3	269	39.3
Wellington .....	355	33.1	360	32.8	715	32.9	259	45.2	293	40.9	552	43.0
Wentworth .....	584	31.4	559	31.3	1143	31.4	429	42.7	432	40.3	861	41.5
York .....	1430	26.5	1347	26.9	2777	26.7	941	40.2	945	38.2	1886	39.2
	11026	33.3	10248	32.5	21274	33.0	8132	43.6	8071	39.8	16203	41.7



TABLE XVIII.

CITIES AND TOWNS.	Including deaths under one year.						Deducting all who died under one year.					
	No. of Male Decedents	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Deaths.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
Brantford .....	78	37.6	65	34.0	143	35.8	64	45.7	51	43.1	115	44.4
Walkerton .....	19	18.7	13	19.8	32	19.3	9	38.5	11	23.2	20	30.8
Ottawa .....	523	17.3	524	18.8	1047	18.1	251	35.3	280	35.2	531	35.2
St. Thomas .....	50	16.1	41	25.0	91	20.6	29	27.4	31	33.2	60	30.3
Windsor .....	58	15.9	58	23.1	116	19.0	33	28.0	43	30.9	76	29.4
Owen Sound .....	41	28.0	27	29.3	68	28.6	31	36.7	23	34.2	54	35.4
Kingston .....	139	34.5	129	29.1	268	31.8	109	47.5	98	39.5	207	43.5
Goderich .....	28	30.4	20	25.0	48	27.7	23	36.7	19	26.9	42	31.8
Belleville .....	99	27.5	95	27.5	194	27.5	80	36.8	71	33.9	151	35.4
Chatham .....	71	29.2	57	24.9	128	27.0	50	41.2	46	36.9	96	39.0
Sarnia .....	25	21.7	22	23.9	47	22.8	17	31.4	16	32.5	33	31.9
Perth .....	26	30.4	20	24.1	46	27.3	18	43.5	17	28.2	35	35.8
Brockville .....	53	20.0	58	32.2	111	26.1	36	30.1	48	38.7	84	34.4
Napance .....	32	27.1	28	33.1	60	30.1	22	39.6	25	37.1	47	38.4
St. Catharines .....	97	28.0	92	32.7	189	30.3	73	38.3	77	39.9	150	39.1
London .....	175	31.3	157	28.6	332	29.9	123	43.5	111	40.4	234	41.9
Cobourg .....	25	33.6	23	47.0	48	40.3	22	38.0	20	53.9	42	45.5
Whitby .....	30	35.0	22	31.0	52	33.0	24	43.5	18	37.7	42	40.6
Woodstock .....	31	38.4	19	27.8	50	33.1	25	47.4	14	37.7	39	42.6
Brampton .....	45	21.0	30	36.5	75	29.7	25	37.0	28	39.1	53	38.0
Stratford .....	35	28.4	41	28.7	76	28.5	28	35.3	29	45.7	57	40.5
Peterborough .....	60	32.8	49	31.6	109	32.2	46	42.5	42	39.0	88	40.7
Pictou .....	31	30.3	36	34.8	67	32.6	27	34.7	33	38.0	60	36.4
Pembroke .....	19	26.1	21	16.4	40	21.2	14	35.0	13	26.0	27	30.5
Barrie .....	27	23.0	30	39.1	57	36.0	18	34.0	25	46.5	43	40.2
Cornwall .....	28	22.3	34	28.8	62	26.0	24	26.0	28	33.4	52	29.7
Lindsay .....	30	21.2	31	28.4	61	24.8	24	34.6	28	31.3	52	33.0
Berlin .....	43	38.9	25	24.9	68	31.9	33	50.4	13	47.0	46	48.7
Guelph .....	92	30.9	83	28.8	175	28.3	64	44.4	63	37.0	127	40.7
Hamilton .....	370	25.2	352	37.2	722	31.2	249	37.2	255	35.4	504	36.3
Toronto .....	1101	24.2	1054	25.1	2155	24.6	689	40.0	699	38.1	1388	39.1
	3481	27.2	3256	28.9	6737	28.1	2280	38.1	2275	36.7	4555	37.4

TABLE XIX.  
Quarterly Return of Deaths in 1884.

QUARTERS.	Males.	Females.	Total.	Per cent. of the whole.
Quarter ending March 31st.....	2860	2776	5636	25.9
" June 30th .....	2676	2541	5217	24.0
" September 30th.....	2889	2610	5499	25.4
" December 31st.....	2866	2484	5350	24.7
Totals .....	11291	10411	21702	100.0

Monthly return of Deaths, arranged according to Numbers.

MONTHS.	Males.	MONTHS.	Females.	MONTHS.	Totals.
March .....	1070	April .....	1032	March .....	2065
September .....	1035	March .....	995	April .....	2038
December .....	1017	January .....	913	September .....	1947
April .....	1006	September .....	912	December .....	1852
August .....	999	February .....	868	August .....	1844
October .....	966	July .....	853	January .....	1843
January .....	930	August .....	845	October .....	1808
November .....	883	October .....	842	February .....	1728
May .....	860	December .....	835	July .....	1708
February .....	860	November .....	807	November .....	1690
July .....	855	May .....	785	May .....	1645
June .....	810	June .....	724	June .....	1534
Totals.....	11291		10411		21702

TABLE XX.  
Nationalities of Deceaseds over Sixty Years of Age.

	English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Unknown.	Total.
Deaths between 60 and 70....	329	488	237	358	75	71	14	2	8	35	1617
" 70 " 80....	465	662	326	480	159	103	17	2	4	33	2251
" 80 " 90....	258	440	273	184	122	50	12	3	14	11	1367
" 90 " 100....	42	68	59	35	19	9	6	.....	.....	2	240
" 100 " upw'ds	1	14	3	1	5	.....	1	.....	.....	1	36
Total Deaths over 60....	1095	1672	898	1058	380	233	50	7	26	82	5501

## TABLE XXI.

LIST OF CENTENARIANS, 1884.

No.	Name.	Sex.	Occupation.	Where Born.	Age at Death.	Where Died.	Cause of Death.
1	Bridget Cassidy	F.	Farmer	Ireland	100	Greenock, Bruce County	Old age.
2	Henry Lyphth	M.	Widow	Penn., U. S.	101	Colchester, Essex	"
3	America Ann Jacobs	F.	Farmer	Virginia, U. S.	108	Windsor, "	General debility.
4	Dennis Crammy	M.	Farmer	Queens' Co., Ireland	102	Cayuga, Ialdinaud	Heart disease.
5	John Good	"	Labourer	Ireland	112	Augusta, Leeds	Old age.
6	Robert Capstone	"	Farmer	"	104	Osgoode, "	Debility.
7	Hill McCulloch	"	Labourer	"	107	Merriton, Lincoln	Old age.
8	Richard Brown	"	Jockey and V. S.	Baltimore, U. S.	105	Niagara, "	"
9	Thomas Westgate	"	Farmer	Mayo, Ireland	102	Warwick, Lambton	"
10	Elizabeth McDonald	F.	"	Scotland	100	West Zorra, Oxford	"
11	Daniel Sheehan	M.	School Teacher	Ireland	104	Douro, Peterboro'	"
12	Margaret McMahon	F.	None	"	103	N. Marysburgh, P. E.	"
13	Archibald McLaurin	M.	Farmer	Scotland	100	Lochiel, Stormont	"
14	Rose Pointer	F.	"	Quebec	100	Charlottetown	"
15	Daniels	"	Farmer's wife	"	105	Roxborough, "	"
16	Mary McDonald	"	Married	Scotland	100	Mariposa, Victoria	"
17	Peter Daly, Sr.	M.	Farmer	Ireland	100	Nichol, Wellington	Senile gangrene.
18	Michael Flahiff	"	"	"	103	Arthur, "	General decay.
19	Andrew Daragh	"	Gentleman	"	100	Guelph, "	Old age.
20	Mary McCleary	F.	Servant	England	101	March, Carlton	"
21	Joseph Stanzel	M.	Farmer	France	100	Goulbourne, "	"
22	Anelia Lucy	F.	Widow	Virginia, U. S.	100	Raleigh, Kent	"
23	Elizabeth Bartlett	"	Widow	Ireland	100	Chatham, "	"
24	Alice Lahey	"	"	"	100	Loughboro, Frontenac	"
25	Ellen Madden	"	"	"	102	Pittsburgh, "	"
26	Elizabeth McGaghran	"	"	"	102	Bromley, Renfrew	General debility.

## DEATHS.

The number of deaths registered in 1884 was 21,702, being one in 88.6 or 11.2 per 1,000 of the population.

The mortality amongst males was 11,291; of females, 10,411; the former being equal to one in 86.4 or 11.5 per 1,000 of the males living, and the latter to one in 90.9 or 10.6 per 1,000 of the females living.

The death rate, 11.2 per 1,000, was somewhat over the average rate for the preceding four years.

Eleven Counties return a death rate above the average, and twenty-eight below it.

The following six Counties returned the highest death rate, viz: Carleton (19.8), York (18.1), Wentworth (17.0), Essex (14.4), Lincoln (13.8), and Prince Edward (13.7); and the following six Counties, the Counties the lowest, viz: Grey (7.0), Bruce (7.3), Perth (7.7), Huron (8.0), Elgin (8.2), and Renfrew (8.3).

TABLE shewing the Death Rate per 1,000 of population, in each County of the Province, for four years; also average for that time.

COUNTIES.	1881.	1882.	1883.	1884.	Average for the four years.
Algoma .....	5.9	6.7	6.7	9.5	7.2
Brant .....	12.9	10.4	11.3	11.4	11.5
Bruce .....	8.5	8.1	7.4	7.3	7.8
Carleton .....	17.9	23.6	23.0	19.8	21.1
Dufferin .....	8.4	9.1	8.4	9.1	8.7
Elgin .....	9.3	7.5	7.7	8.2	8.2
Essex .....	18.8	14.5	12.6	14.4	15.1
Frontenac .....	14.2	14.8	15.8	12.9	14.4
Grey .....	6.9	8.3	6.4	7.0	7.1
Haldimand .....	12.4	9.2	7.5	8.7	9.4
Halton .....	12.5	11.7	9.4	10.9	11.1
Hastings .....	11.5	10.6	10.4	13.0	11.4
Huron .....	10.0	8.9	8.2	8.0	8.8
Kent .....	10.6	10.0	9.2	9.9	9.9
Lanbton .....	10.4	8.2	8.1	10.4	9.2
Lanark .....	8.1	7.2	7.5	9.4	8.0
Leeds and Grenville .....	11.4	10.7	9.4	9.1	10.1
Lennox and Addington .....	10.7	10.0	9.8	8.7	9.8
Lincoln .....	14.3	12.6	12.7	13.8	13.4
Middlesex .....	16.2	11.8	10.4	12.2	12.6
Muskoka and Parry Sound .....	8.5	10.5	9.4	8.6	9.2
Norfolk .....	11.7	10.2	8.8	9.2	10.0
Northumberland and Durham .....	9.7	9.0	8.9	9.5	9.2
Ontario .....	11.9	10.2	11.8	11.1	11.2
Oxford .....	11.3	12.0	11.2	10.3	11.2
Peel .....	10.7	12.8	10.0	11.5	11.2
Perth .....	10.5	9.5	8.2	7.7	9.0
Peterboro' .....	11.4	10.4	11.8	10.9	11.1
Prescott and Russell .....	9.9	11.4	10.2	11.1	10.6
Prince Edward .....	12.3	16.5	11.9	13.7	13.6
Renfrew .....	8.4	8.1	7.9	8.3	8.2
Simcoe .....	8.3	8.3	8.1	8.5	8.3
Stormont, Dundas and Glengarry .....	9.5	8.2	7.2	8.8	8.4
Victoria .....	8.9	9.5	10.3	10.4	9.8
Waterloo .....	13.9	13.5	11.5	10.9	12.4
Welland .....	12.8	12.1	10.0	10.4	11.3
Wellington .....	12.0	10.9	10.8	10.8	11.1
Wentworth .....	17.1	15.9	18.1	17.0	17.0
York .....	16.4	16.1	17.8	18.1	17.1
	11.8	11.3	10.9	11.2	11.3



TABLE shewing the Death Rate to 1,000 of population, during the last four years, in the ten Cities,

CITIES.	1881.	1882.	1883.	1884.	Average for the four years.
Toronto .....	19.5	20.0	21.3	20.4	20.6
Hamilton .....	18.0	17.7	20.9	18.4	18.8
Ottawa .....	30.7	44.9	39.4	34.0	37.2
London .....	18.9	16.0	13.3	15.8	16.0
Kingston .....	20.0	22.2	25.1	17.5	21.2
Brantford .....	18.4	16.2	13.5	12.0	15.0
St. Thomas .....	11.8	9.8	8.4	8.4	9.6
Guelph .....	18.5	17.0	14.7	17.1	16.8
St. Catharines .....	20.2	16.2	16.5	19.0	18.0
Belleville .....	17.7	18.0	16.8	20.0	18.1
Average for each year .....	19.3	19.8	18.9	18.2	19.1

The average death rate for the whole Province for the last four years was, 11.3 per 1,000 of the population. It was the same in 1882—in 1881 it was 11.8. In the other two years, 1883 and 1884, the ratio was 10.9 and 11.2 per 1,000 respectively.

In 25 counties the death rate has decreased since 1881, but the number of deaths returned for that year was the highest of any since the Registration Act came into force.

The greatest variations in the death rate during these four years, were in the following counties: Carleton, a variation of 5.7 per 1,000; Essex, 6.2 per 1,000; Middlesex, 5.8 per 1,000; Haldimand, 5; Prince Edward, 4.6; Waterloo, Algoma, Frontenac, Halton and Norfolk, 3 per 1,000 each. In the majority of the remaining counties the variation only averaged 2 per 1,000, and in a few counties less than 1 per 1,000.

The total mortality in the cities and principal towns in 1884, was comparatively larger than in the whole Province. The total number of deaths in those places was 6,737, one in every 53.8, or 18.5 per 1,000 of the population.

The ten cities alone returned 5,316 deaths, one in every 49.6, or 20.1 per 1,000 of the living, and the principal towns returned 1,421 deaths, one in every 69.6, or 14.3 per 1,000 of the estimated population.

The average death rate in the cities for the last four years, was 19.1 per 1,000 of the population. Considerable variation is found in this rate during these years, particularly in the following cities: In Brantford the rate varied from 18.4 per 1,000 in 1881, to 13.5 in 1883. In London, from 18.9 per 1,000 in 1883, to 13.3 in 1881. In Belleville, from 16.8 per 1,000 in 1883, to 20.0 per 1,000 in 1884.

#### DEATHS BY AGES.

(See General Table. Appendix, Page cxxvi. See Table xvi.)

There was an increase in the number of deaths under one year in 1884, over 1883 of 360, or 7.3 per cent. Between the ages of one and five years there was a slight decrease

The total deaths under five years, however, shew an increase of 302, or 4.2 per cent.

The average percentage of deaths under one year during the last four years, was 23.3; the highest was 24.1 in 1884, and the lowest 22.3 in 1882, so that the variation was not very great.

During these four years 87,372 persons died, of whom 30,688, or 35.1 per cent., were under five years of age; the highest rate, 37.6 per cent., was in 1881, and the lowest, 33.7, in 1883; a variation of nearly four per cent.

The number of those dying over 70 years of age has increased, shewing that the length of life in this Province is not decreasing.

#### AVERAGE AGE.

(See Tables xvii. and xviii.)

The average age of all who died in 1884, was 33 years; of males 33.3 years, and of females 32.5 years, a difference of .8 years between the sexes. Deducting all who died

under one year, the average was increased to 41 years; of males to 43.6, and of females to 39.8 years, shewing a much greater difference between the ages of deduction is made.

The average length of life of both sexes during the last four years was 30.3 years; males, 30.6; and of females, 30 years. Deducting those who died under one year, then, the average for the whole was 39.9 years; for males 40.2 years, and for females 37.6 years. The mortality of children under one year is always larger in cities and towns than in the rural districts, therefore the average length of life in those found to be comparatively shorter.

The average length of life in the cities and towns was 28.1 years, nearly five years shorter than the average for the whole Province; when, however, those dying under one year are deducted, the average age increases more than when the same deduction was made for the whole Province.

After separating the returns of deaths from the cities and towns from those for the whole Province, it is found that the average length of life is as follows: In the cities and towns the average age was, as already stated, 28.1 years; in the remaining parts of the Province it was 34.4 years, a difference of 6.3 years in favour of the length of life in the rural districts.

#### DEATHS AT DIFFERENT SEASONS OF THE YEAR, MONTHLY AND QUARTERLY.

March is generally the most prolific month of the year for births, and in 1884 it had the largest death rate. The births registered in March numbered 4,163, or 9.3 per cent. of all the births, and the deaths in the same month were 2,065, or 9.05 per cent. of all. The death rate was nearly as high in April, 2,038, or 9.3 per cent., but the births were not equally so. March is the most fatal month for males, and April for females. In June the mortality was least for both sexes.

The first quarter returned the highest number of deaths, and the second the lowest; there was a difference of 419 deaths between the two quarters.

During the last four years the first quarter has always returned the highest number of deaths, the other quarters varying every year.

The deaths in the first six months of the year generally exceed those of the second. In 1883 there were 1,299 more deaths in the first half year than in the second. In 1884 there were only four more, therefore the mortality in the latter six months of 1884 was greater than the second half year of 1883.

#### NATIONALITY OF DECEDENTS OVER SIXTY YEARS OF AGE.

There was an increase in the number of deaths recorded in 1884 over 1883, and, in conjunction therewith, in the number of those dying over sixty years of age, Table xx., shows that 5,501 died over that age in 1884, an increase of 564 over the number returned in 1883. Of these 5,501 deaths of persons over sixty years of age, 1,672, or 30.3 per cent. were Irish, 1,095, or 20 per cent. were English; 1,058, or 19.3 per cent. were Canadians; 898, or 16.3 per cent. were Scotch; 380, or 7 per cent. were American; 233, or 4.2 per cent. were German; 50, or .9 per cent. were French; 26, or .5 per cent. were of other countries; and of 82, or 1.5 per cent. the nationality was not given.

#### CENTENARIANS.

(See Table xxi.)

Thirty-five persons were reported in 1883 as having reached the age of one hundred years and over at the time of their death. In 1884, 26 were so registered; one of them, John Good, was reported as having died at the age of 112 years, an extended length of life seldom reached. There is, however, no doubt that a large number live to advanced ages in this Province, probably as large a percentage as in any country. The birth-place of fourteen of these centenarians was given as Ireland, three as Scotland, five as the United States, one each in England, France and Canada, and of one the place of birth was not returned.

TABLE XXII.

Ten Highest Causes of Death, with their percentage of the whole number of Deaths from specified causes, for the years 1877, 1878, 1879, 1880, 1881, 1882, 1883 and 1884.

1877.				1878.				1879.				1880.			
Whole number of Deaths from specified causes.....				Whole number of Deaths from specified causes .....				Whole number of Deaths from specified causes.....				Whole number of Deaths from specified causes.....			
DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.	
Phthisis.....	2157	11.2		Phthisis.....	1999	11.8		Phthisis.....	2065	12.2		Phthisis.....	1254	11.2	
Old Age.....	1661	8.6		Old Age.....	1722	10.2		Old Age.....	1749	10.3		Old Age.....	1658	8.6	
Infantile Debility.....	1164	6.0		Infantile Debility.....	1100	6.5		Infantile Debility.....	935	5.6		Infantile Debility.....	1300	6.7	
Pneumonia.....	1050	5.4		Diphtheria.....	986	5.8		Pneumonia.....	942	5.5		Pneumonia.....	1257	6.5	
Diphtheria.....	964	5.0		Pneumonia.....	826	4.9		Heart Disease.....	784	4.6		Diphtheria.....	822	4.2	
Scarlet Fever.....	717	3.7		Heart Disease.....	621	3.6		Diphtheria.....	574	3.4		Heart Disease.....	750	3.0	
Heart Disease.....	697	3.6		Convulsions.....	454	2.1		Convulsions.....	445	2.6		Convulsions.....	518	2.7	
Diarrhoea.....	666	3.4		Enteritis.....	417	2.4		Dropsy.....	400	2.3		Bronchitis.....	438	2.3	
Convulsions.....	573	2.9		Diarrhoea.....	401	2.3		Enteritis.....	393	2.3		Group.....	429	2.2	
Enteritis.....	497	2.5		Typhoid Fever.....	379	2.1		Diarrhoea.....	340	2.0		Congestion of Lungs.....	419	2.1	



TABLE XXII—Continued

1881.				1882.				1883.				1884.			
Whole number of Deaths from specified causes.....				21,997				Whole number of Deaths from specified causes.....				Whole number of Deaths from specified causes.....			
DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.	21,149
Phthisis.....	2397	10.8		Phthisis.....	2464	11.6		Phthisis.....	2500	12.3		Phthisis.....	2347	11.1	
Old Age.....	1972	8.9		Anaemia.....	1895	8.9		Old Age.....	1731	8.5		Old Age.....	2065	9.7	
Infantile Debility.....	1481	6.7		Old Age.....	1841	8.7		Anaemia.....	1600	7.8		Anaemia.....	1697	8.0	
Diphtheria.....	1171	5.3		Pneumonia.....	1322	6.2		Pneumonia.....	1335	6.5		Pneumonia.....	1255	5.9	
Pneumonia.....	1137	5.1		Diphtheria.....	1239	5.8		Heart Disease.....	921	4.5		Heart Disease.....	929	4.3	
Heart Disease.....	886	4.0		Heart Disease.....	753	3.5		Diphtheria.....	709	3.5		Diphtheria.....	668	3.1	
Diarrhoea.....	818	3.7		Typhoid Fever.....	555	2.6		Convulsions.....	548	2.7		Paralysis.....	535	2.5	
Typhoid Fever.....	616	2.8		Scarlatina.....	543	2.5		Bronchitis.....	497	2.4		Diarrhoea.....	531	2.5	
Croup.....	533	2.4		Diarrhoea.....	497	2.3		Diarrhoea.....	471	2.3		Convulsions.....	527	2.4	
Convulsions.....	509	2.3		Convulsions.....	492	2.3		Typhoid Fever.....	469	2.2		Enteritis.....	512	2.4	



TABLE XXIII.—Shewing the Population and Deaths in each County ; also the ten

COUNTIES.	Population by Census.	Total No. of Deaths.	Ratio per 1,000 of the Population.	PHTHISIS.			OLD AGE.			ANÆMIA.		
				No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.
Algoma and Thunder Bay...	20320	193	9.3	22	11.4	1.07	4	2.0	0.2	23	12.0	1.1
Braut...	33869	388	11.4	35	9.0	1.1	40	10.3	1.1	21	5.0	0.6
Bruce...	64774	476	7.3	65	13.7	1.0	61	12.8	0.9	45	9.0	0.7
Carleton...	64103	1270	19.8	124	9.7	1.9	102	8.0	1.5	183	14.4	2.8
Dufferin...	20536	187	9.1	17	9.0	0.8	26	13.8	1.2	27	14.5	1.3
Elgin...	42361	351	8.2	44	12.5	1.03	31	8.8	0.7	16	5.0	0.3
Essex...	46559	673	14.4	65	9.6	1.3	44	6.5	0.9	108	16.0	2.3
Frontenac...	42555	553	12.9	61	11.0	1.4	64	11.5	1.5	32	5.8	0.7
Grey...	70528	494	7.0	46	9.3	0.6	58	11.7	0.8	50	10.1	0.7
Haldimand...	24991	223	8.7	27	12.1	1.8	24	10.7	1.0	16	7.1	0.6
Halton...	21919	241	10.9	19	7.9	0.7	38	15.7	1.7	14	5.8	0.6
Hastings...	55192	721	13.0	83	11.5	1.5	58	8.0	1.5	52	7.2	0.9
Huron...	76525	615	8.0	65	10.5	0.8	63	10.2	0.8	57	9.2	0.7
Kent...	54335	551	10.0	68	12.3	1.2	47	8.6	0.9	35	6.3	0.6
Lambton...	52034	544	10.4	54	10.0	1.03	26	4.7	0.5	28	5.1	0.5
Lanark...	33975	320	9.4	40	12.4	1.1	48	15.0	1.4	26	8.1	0.8
Leeds and Grenville...	60164	550	9.1	69	12.5	1.1	73	13.2	1.2	32	5.9	0.5
Lennox and Addington...	26484	232	8.7	27	11.6	1.02	32	13.8	1.2	26	11.2	1.0
Lincoln...	31563	437	13.8	58	13.2	1.8	44	10.0	1.4	32	7.3	1.0
Middlesex...	93081	1149	12.2	107	9.3	1.1	101	9.0	1.08	73	6.3	0.7
Muskoka and Parry Sound...	27204	235	8.6	13	5.5	0.4	16	6.8	0.6	25	10.6	0.9
Norfolk...	33527	309	9.2	32	10.3	0.9	35	11.3	1.0	17	5.5	0.5
Northumberland and Durham...	77390	742	9.5	96	12.9	1.2	98	13.2	1.2	31	4.1	0.4
Ontario...	48812	542	11.1	76	14.0	1.5	68	12.5	1.4	30	5.5	0.6
Oxford...	50159	517	10.3	47	9.0	0.9	60	11.6	1.1	28	5.4	0.5
Peel...	26175	301	11.5	38	12.6	1.4	33	10.9	1.2	10	3.3	0.4
Perth...	53686	416	7.7	49	11.7	0.9	59	14.1	1.1	17	4.08	0.3
Peterborough...	34648	380	10.9	37	9.7	1.07	45	9.2	1.0	24	6.3	0.7
Prescott and Russell...	38022	435	11.4	41	9.4	1.07	32	7.3	0.8	91	20.9	2.3
Prince Edward...	21045	290	13.7	36	12.4	1.7	32	11.0	1.5	6	2.0	0.3
Renfrew...	40246	338	8.3	30	9.0	0.7	33	9.8	0.8	44	1.3	1.1
Simcoe...	74903	642	8.5	64	10.0	0.8	52	8.1	0.7	54	8.4	0.7
Stormont, Dundas and Glengarry...	66017	582	8.8	103	17.7	1.5	85	14.6	1.3	58	10.0	0.8
Victoria...	35163	368	10.4	34	9.2	0.9	44	12.0	1.2	15	4.0	0.4
Waterloo...	42735	470	10.9	50	10.6	1.1	52	11.0	1.2	26	5.5	0.6
Welland...	31771	332	10.4	35	10.5	1.1	38	11.4	1.2	11	3.3	0.3
Wellington...	66189	715	10.8	83	11.6	1.2	71	10.0	1.07	36	5.0	0.5
Wentworth...	66952	1143	17.0	129	11.2	1.9	71	6.2	1.06	72	6.3	1.08
York...	153098	2777	18.1	258	9.3	1.6	167	6.0	1.08	206	7.4	1.3
Total	1923610	21702	11.28	2347	10.8	1.2	2065	9.5	1.07	1697	7.8	0.8

highest Causes of Death, with their per centage and rates to Population in 1884.

PNEUMONIA.			HEART DISEASE.			DIPHTHERIA.			PARALYSIS.			DIARRHŒA.			CONVULSIONS.			ENTERITIS.		
No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.	No. of Deaths.	Per Cent.	Ratio to Population.
6	3.0	0.3	4	2.07	0.2	5	2.6	0.2	2	1.0	0.1	7	3.6	0.3	3	1.5	0.1	4	2.0	0.2
47	12.1	1.4	18	4.6	0.5	15	3.8	0.4	10	2.6	0.3	6	1.5	0.2	5	1.3	0.1	14	3.6	0.4
35	7.3	0.5	17	3.5	0.2	4	0.8	0.06	16	3.3	0.2	5	1.0	0.08	11	2.3	0.2	10	2.1	0.1
46	3.6	0.7	43	3.4	0.7	13	1.0	0.2	26	2.0	0.4	68	5.3	1.05	20	1.5	0.3	40	3.2	0.6
9	4.8	0.4	5	2.6	0.2	4	2.1	0.2	4	2.1	0.2	2	0.5	0.05	5	2.7	0.3	4	2.1	0.2
29	8.2	0.7	16	4.5	0.4	5	1.4	0.1	15	4.2	0.3	2	0.5	0.05	10	3.0	0.2	9	2.6	0.2
20	3.0	0.4	17	2.5	0.3	71	10.5	1.5	12	1.7	0.2	20	3.0	0.4	8	1.2	0.2	12	1.7	0.3
28	5.0	0.6	34	6.1	0.8	14	2.5	0.3	21	3.8	0.5	10	1.9	0.2	9	1.6	0.2	12	2.1	0.3
22	4.4	0.2	18	3.6	0.2	15	3.0	0.4	3	0.6	0.04	9	1.8	0.1	10	2.0	0.1	11	2.2	0.1
15	7.0	0.6	17	8.0	0.7	1	0.4	0.04	8	3.5	0.3	4	1.8	0.2	3	1.3	0.1	5	2.2	0.2
9	3.7	0.4	12	5.0	0.6	7	2.9	0.3	5	2.0	0.2	4	1.6	0.2	7	2.9	0.3	3	1.2	0.1
37	5.1	0.7	18	2.5	0.3	20	2.7	0.3	16	2.2	0.3	20	2.7	0.3	11	1.5	0.2	10	1.3	0.2
26	4.2	0.3	30	5.0	0.4	10	1.6	0.1	14	2.2	0.2	11	1.7	0.1	15	2.4	0.2	15	2.4	0.2
33	6.0	0.6	22	4.0	0.4	15	2.7	0.3	16	2.9	0.3	14	2.5	0.2	7	1.2	0.1	15	2.7	0.3
53	9.7	1.01	19	3.4	0.3	8	1.4	0.1	9	1.6	0.2	17	3.0	0.3	10	1.8	0.2	21	4.0	0.4
16	5.0	0.5	22	7.0	0.6	30	9.3	0.9	8	2.5	0.2	9	2.8	0.2	1	0.3	0.02	6	1.8	0.2
33	6.0	0.5	20	3.6	0.3	66	12.0	1.1	13	2.3	0.2	6	1.1	0.1	7	1.2	0.1	11	2.0	0.1
9	3.8	0.4	5	2.1	0.2	9	3.8	0.4	13	5.6	0.5	3	1.3	0.1	1	0.4	0.04	4	1.7	0.1
24	5.4	0.7	21	4.8	0.6	6	1.3	0.2	10	2.2	0.3	5	1.1	0.1	11	2.5	0.3	3	0.6	0.1
98	8.5	1.05	54	4.7	0.5	13	1.1	0.1	26	2.3	0.2	35	3.0	0.3	26	2.2	0.3	39	3.4	0.4
18	7.6	0.6	10	4.2	0.4	5	2.1	0.2	4	1.7	0.1	7	3.0	0.2	12	5.1	0.4	9	4.0	0.3
30	9.0	0.9	9	2.9	0.3	.....	.....	.....	8	2.6	0.2	4	1.3	0.1	7	2.2	0.2	11	3.5	0.3
37	5.0	0.5	34	4.5	0.4	20	2.7	0.2	34	4.6	0.4	22	2.9	0.3	15	2.0	0.2	23	3.1	0.5
30	5.5	0.6	19	3.5	0.4	21	4.0	0.5	12	2.2	0.3	8	1.4	0.1	14	2.6	0.3	20	3.7	0.2
49	9.4	0.9	27	5.2	0.5	8	1.5	0.1	20	3.7	0.4	7	1.3	0.1	14	2.7	0.3	17	3.2	0.3
13	4.3	0.5	10	3.3	0.4	11	3.6	0.4	7	2.3	0.2	3	1.0	0.1	8	2.6	0.3	4	1.3	0.1
25	6.0	0.4	19	4.5	0.3	3	0.7	0.5	6	1.4	0.1	7	1.6	0.1	11	2.6	0.2	13	3.1	0.2
25	6.5	0.7	22	6.0	0.6	8	2.1	0.2	13	3.4	0.4	7	1.9	0.2	9	2.4	0.2	14	3.6	0.3
19	4.3	0.5	11	2.5	0.3	18	4.0	0.5	7	1.6	0.2	6	1.3	0.1	12	2.7	0.3	3	0.7	0.1
3	1.03	0.14	16	5.5	0.8	4	1.3	0.2	6	2.1	0.3	4	1.3	0.2	6	2.0	0.3	6	2.1	0.2
6	1.7	0.15	12	3.5	0.3	21	6.2	0.5	7	2.0	0.2	8	2.3	0.2	5	1.5	0.1	8	2.3	0.2
26	4.05	0.3	24	3.7	0.3	28	4.3	0.4	13	2.1	0.1	24	3.7	0.3	29	4.5	0.4	18	2.8	0.2
21	3.6	0.3	15	2.5	0.2	17	3.0	0.2	12	2.0	0.2	13	2.2	0.2	4	0.7	0.06	13	2.2	0.2
26	7.06	0.7	20	5.4	0.5	30	8.1	0.9	7	1.8	0.2	7	1.9	0.2	4	1.1	0.1	14	3.8	0.4
22	4.6	0.5	20	4.2	0.4	5	1.0	0.1	13	2.7	0.3	8	1.7	0.2	20	4.2	0.5	17	3.6	0.4
30	9.0	0.9	15	4.5	0.5	9	2.7	0.3	10	3.0	0.3	3	0.8	0.1	8	2.4	0.2	6	1.8	0.2
44	6.1	0.6	35	4.8	0.5	12	1.6	0.2	20	2.8	0.3	9	1.2	0.1	17	2.3	0.2	17	2.3	0.2
71	6.2	1.06	67	5.8	1.0	63	5.5	0.9	26	2.2	0.4	32	2.4	0.5	30	2.6	0.4	21	1.8	0.3
165	6.0	1.07	132	4.7	0.8	54	1.9	0.3	63	2.2	0.4	97	3.4	0.6	122	5.6	0.8	30	1.1	0.2
1255	5.7	0.65	929	4.2	0.48	668	3.07	0.34	535	2.4	0.27	531	2.4	0.26	527	2.4	0.23	512	2.3	0.2

TABLE XXIV.—

CITIES.	Population according to Assessors' returns for 1884.	Total No. of Deaths.		PHTHISIS.			ANÆMIA.			OLD AGE.		
				Ratio to 1000 of the population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.
Toronto.....	105211	2155	20.4	189	8.7	1.8	179	8.3	1.7	100	4.6	.9
Hamilton.....	39216	722	18.4	78	10.8	2.0	52	7.2	1.3	17	2.3	.4
Ottawa.....	30791	1047	34.4	100	9.5	3.2	162	15.4	5.2	54	5.1	1.7
London.....	20970	332	15.8	29	8.7	1.3	12	3.6	.5	18	5.4	.9
Kingston.....	15297	268	17.5	28	10.4	1.8	18	6.8	1.1	20	7.4	1.3
Brantford.....	11833	143	12.7	10	7.0	.9	10	7.0	.9	19	13.2	1.6
St. Thomas.....	10811	91	8.4	8	8.8	.8	6	6.6	.5	3	3.3	.3
Guelph.....	10190	175	17.1	21	12.0	2.0	7	4.0	.6	21	12.0	2.0
St. Catharines.....	9931	189	19.0	28	14.8	2.8	12	6.3	1.2	9	4.7	.9
Belleville.....	9742	194	20.0	22	11.3	2.2	7	3.6	.7	15	7.7	1.5
	263992	5316	20.1	513	9.6	1.9	465	8.7	1.7	276	5.2	1.0

TABLE XXV.—

PRINCIPAL TOWNS.	Deaths from all causes.	PHTHISIS.		Old Age.		ANÆMIA.	
		No. of Deaths.	Per cent.	No. of Deaths.	Per cent.	No. of Deaths.	Per cent.
Walkerton.....	32	3	9.3	2	6.1	2	6.1
Windsor.....	116	8	7.0	7	6.0	18	15.4
Owen Sound.....	68	3	4.4	5	7.3	6	8.8
Goderich.....	48	3	6.0	4	8.0		
Chatham.....	128	25	19.5	8	6.2		1.4
Sarnia.....	47	7	15.0	2	4.0	2	4.2
Perth.....	46	8	17.4	5	10.8	2	6.5
Brockville.....	111	10	9.0	12	10.8	3	6.3
Napanee.....	60	8	13.3	5	8.2	7	11.6
Cobourg.....	48	5	10.4	5	10.4		
Whitby.....	52	11	21.1	6	11.5	4	7.7
Woodstock.....	50	8	16.0	5	10.0	3	6.0
Brampton.....	75	12	16.0	4	5.3	3	4.0
Stratford.....	76	18	23.6	6	8.0	10	13.1
Peterboro.....	109	10	9.1	9	8.2	4	3.6
Pictou.....	67	10	14.9	3	4.4		
Pembroke.....	40	2	5.0			1	2.5
Barrie.....	57	6	10.5	3	5.2	4	7.0
Cornwall.....	62	7	11.2	6	9.6	4	6.4
Lindsay.....	61	10	16.5	4	6.5	1	1.6
Berlin.....	68	2	3.0	17	25.0	10	14.7
	1421	176	12.3	118	8.3	91	6.4

## CITIES.

PNEUMONIA.			HEART DISEASE.			DIARRHŒA.			CONVULSIONS.			CHOLERA INFANTUM.			TYPHOID FEVER.			BRONCHITIS.		
Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.	Number.	Per cent.	Ratio per 1000 of population.
128	6.0	1.2	100	4.6	.9	85	3.9	.8	109	5.0	1.0	67	3.1	.6	67	3.1	.6	75	3.4	.7
38	5.2	.9	33	4.5	.8	23	3.2	.6	18	2.5	.4	16	2.2	.4	15	2.1	.4	19	2.6	.4
38	3.6	1.2	32	3.0	1.0	66	6.3	2.1	18	1.7	.6	27	2.5	.8	16	1.5	.5	14	1.3	.4
30	9.0	1.4	14	4.2	.7	12	3.6	.5	15	4.5	.7	11	3.3	.5	13	4.0	.5	11	3.2	.5
16	6.6	1.0	18	6.7	1.1	6	2.2	.4	3	1.1	.2	1	4	.06	6	2.2	.4	5	1.8	.3
25	17.4	2.1	6	4.2	.5	2	1.4	.1	1	.7	.08	3	2.0	.2	4	2.8	.3	3	2.1	.2
12	13.2	1.1	5	5.5	.4	4	2.2	.3	4	4.4	.4	9	10.0	.8	6	6.5	.5	1	1.1	.1
8	4.5	.7	5	2.8	.5	4	2.2	.3	2	1.1	.2	1	5	...	6	3.4	.5	3	1.7	.2
11	6.0	1.1	13	7.0	1.3	3	1.6	.3	6	3.0	.6	5	2.6	.5	11	5.8	1.1	3	1.6	.3
6	3.0	.6	7	3.6	.7	2	1.0	.2	1	.5	.1	14	7.2	1.4	3	1.5	.3	1	.5	.0
312	5.8	1.1	233	4.3	.8	203	3.8	.7	177	3.3	.7	154	2.8	.6	147	2.7	.5	135	2.5	.5

## PRINCIPAL TOWNS.

DIPHTHERIA.		PNEUMONIA.		HEART DISEASE.		DIARRHŒA.		CONVULSIONS.		TYPHOID FEVER.		CHOLERA INFANTUM.	
No. of Deaths.	Per cent.	No. of Deaths.	Per cent.	No. of Deaths.	Per cent.	No. of Deaths.	Per cent.	No. of Deaths.	Per cent.	No. of Deaths.	Per cent.	No. of Deaths.	Per cent.
2	6.2	2	6.1	3	2.5	1	3.1	1	3.1	2	1.7	4	3.4
11	9.4	2	1.7	5	7.3	4	3.4	4	3.4	2	3.0	1	1.4
		1	1.4	3	6.2	1	1.4	2	4.1	2	3.0	1	1.4
		5	10.4	3	6.2	3	2.3	3	2.3	1	.7	3	2.3
9	7.0	9	7.0	4	3.1	3	2.3	3	2.3	1	.7	3	2.3
3	6.4	1	2.1	1	2.0	3	6.3	1	2.1			1	2.0
		4	8.7	1	2.1	1	2.1	1	2.1				
13	11.7	8	7.2	1	.9	6	5.4	3	2.7	5	4.5	3	2.7
1	1.6	1	1.6	1	1.6	2	3.3	1	1.6				
7	14.5			1	2.0			2	4.1				
1	2.0	3	5.7	3	5.7					1	2.0	1	1.9
		4	8.0	6	12.0	2	4.0	1	2.0	1	2.0	2	4.0
4	5.3	6	8.0	2	2.6			1	1.3	1	1.3	4	5.3
1	1.3	1	1.3	1	1.3			1	1.3	1	1.3		
2	1.8	9	8.2	10	9.1	3	2.7	4	3.7	5	4.5	1	.9
				4	5.9	1	1.4	5	7.4			1	1.5
		1	2.5	2	5.0	6	15.0					2	5.0
1	1.7	1	1.7			5	8.7	3	5.2	3	5.2		
7	11.2	1	1.6	1	1.6	1	1.6	1	1.6	3	5.0		
13	21.3	1	1.6	4	6.5			1	1.6				
1	1.4	1	1.4	2	2.9					3	4.4	2	3.0
76	5.3	61	4.3	55	3.8	39	2.6	34	2.4	28	2.0	25	1.7



## DEATH WAVES—1881, 1882, 1883 AND 1884.

(See Diagram No. 1.)

This diagram gives a concise view of the increase and decrease of the mortality in the Province through the different months of the year for each of the last four years.

The two particular features noticeable are the uniform high point of mortality in each year in the month of March, and also the uniform low point in June.

## DEATH WAVE IN 1884.

The two high points of mortality during the year were, as usual, in March and September, and the two low points in June and November. In noticing the wave from its commencement in January, it will be seen that the mortality in that month was 1,843, a little above the average monthly rate—1,808. In February the wave descends, as it did in the corresponding month in 1883, but not to so low a point; as there was one day more in February in 1884, being leap year. March finds the wave at the highest point, which, however, was not so high as in 1882 or 1883. The descent of the wave in April was very little, as there were only 27 deaths less than in March, therefore March and April together may be taken as the highest points of the death wave in the year. A very rapid descent, however, took place through May and June, and in the latter month the lowest point of mortality in the year was reached, lower than the wave descended in the same month either in 1881, 1882 or 1883. The wave then ascends gradually through July, August and September, reaching the second highest point in the last month, September; it then descends similarly to the waves in preceding years through October, and in November falls to the second lowest point. This month invariably exhibits a low mortality. A considerable rise in the wave was observable in December. The deductions to be made from the variations of different waves of mortality in the last four years as shewn by the diagram are, that December, January and February are moderately healthy months, being slightly below the average monthly mortality; while March and April, being greatly above the average, are the most unhealthy. May, August and September are somewhat above the average mortality, while June, July, October and November are much below, and may therefore be considered the healthiest months of the year.

## CLASSIFIED CAUSES OF DEATH.

(See Appendix, page xxxv.)

The following table shews the names of the different classes, also the number of deaths in each class with percentages:

CLASSES.	Deaths in 1884.	Percentage to whole number of deaths.	Deaths to 1,000 of population.
Class I.—Zymotic diseases .....	3888	17.9	2.0
Class II.—Constitutional diseases.....	5513	25.4	2.8
Class III.—Local diseases.....	7506	34.6	3.9
Class IV.—Developmental diseases .....	3464	16.0	1.8
Class V.—Violent deaths .....	778	3.6	0.4
Cause not specified .....	553	2.5	0.3
Total .....	21702	100.0	11.2

# No. 1.

## DEATH WAVE IN THE YEARS 1881, 1882, 1883 AND 1884.

DEATH WAVE.  
1881.

No. of Deaths.  
22,021

DEATH WAVE.  
1882.  
+++++

No. of Deaths.  
21,800

DEATH WAVE.  
1883.

No. of Deaths.  
21,049

DEATH WAVE.  
1884.  
- - - - -

No. of Deaths.  
21,702






DIAGRAM SHEWING THE MORTALITY IN THE FIVE CLASSES OF




# DISEASES IN EACH MONTH AND EACH PERIOD OF LIFE IN 1884.





# No. 3.

## DIAGRAM SHEWING THE MORTALITY FROM FIVE DISEASES BY MONTHS FOR THE YEARS 1883 AND 1884.



## EXPLANATION OF THE DIFFERENT CLASSES.

Class I.—Zymotic diseases, a term proposed by Dr. Farr, is usually employed as synonymous with preventible, and includes all those diseases such as Measles, Scarlatina, Diphtheria, Dysentery, Cholera Infantum, Bilious, Typhoid and Typhus fevers and Smallpox, which occur as endemics or epidemics.

Class II.—Constitutional diseases include Anæmia, Cancer, Rheumatism, Dropsy, Gout, Abscess, Hydrocephalus, Scrofula, and Phthisis or Consumption.

Class III.—Local diseases include all those diseases in which the functions of particular organs of the system are disturbed, such as Epilepsy, Apoplexy, Convulsions, Paralysis, Insanity, Heart Disease, Congestion of the Lungs, Bronchitis, Pleurisy, Pneumonia, Disease of the Stomach, Liver and Kidneys, etc.

Class IV.—Developmental diseases are those incidental to women, children, and old people.

Class V.—Deaths by violence or those which are caused by wounds, burns, drowning, poison, hanging, suicide, murder, etc.

## CLASS I.—ZYMOTIC DISEASES.

The deaths from the diseases in this class numbered 3,888, or 17.9 per cent. of the total deaths, about the same as in 1883. Chief among them was Diphtheria, 668 deaths having been caused by it, a slight decrease from 1883, both in number and percentage.

The counties particularly afflicted with this disease were Essex, which returned 71 deaths, or 10.5 per cent. of all the deaths in that county; Leeds and Grenville (united), returned 66 deaths, or 12 per cent.; Lanark 30 deaths, or 9.3 per cent.; Victoria 30, or 8.1 per cent.; Wentworth 63, or 5.5 per cent.; and Renfrew 21, or 6.2 per cent.

In the counties of Leeds and Grenville (united), Renfrew, Essex and Lanark, this disease, seems to prevail to a large extent every year. Each of them had a large ratio of deaths to population from Diphtheria.

The following counties shew a large falling off in the number of deaths from this cause, owing it is believed, to the adoption of preventible measures so strongly recommended by the Provincial Board of Health.

## DIPHTHERIA.

COUNTIES.	1883.		1884.		Decrease.	
	No. of Deaths.	Per Cent.	No. of Deaths.	Per Cent.	No of Deaths.	Per Cent.
Brant.....	29	7.6	15	3.8	14	3.8
Bruce.....	13	2.7	4	0.8	9	1.9
Carleton.....	46	3.1	13	1.0	33	2.1
Huron.....	33	5.2	10	1.6	23	3.6
Norfolk.....	7	2.3			7	2.3
Oxford.....	34	6.1	8	1.5	26	4.6
Perth.....	11	2.5	3	0.7	8	1.8
Prescott and Russell.....	26	6.6	18	4.0	8	2.6
Waterloo.....	14	2.8	5	1.0	9	1.8
Wellington.....	22	3.1	12	1.6	10	1.5
York.....	85	3.1	54	1.9	31	1.2
CITIES.						
Toronto.....	58	2.8	27	1.2	31	1.6
Ottawa.....	30	3.6	7	0.6	23	3.0
Brantford.....	18	11.3	7	4.8	11	6.5

Diphtheria does not appear on the List of ten highest causes of death in the cities, although it is sixth in the similar list for the Province.

The percentage of deaths from this cause was much less in the cities than in the whole Province; in the former it was only 2.1 per cent., in the latter 3.07. The ratio to population was, however, slightly higher in the cities than in the Province.

In the principal towns Diphtheria was more prevalent than in the cities, possibly owing to their sanitary conditions not being so good. The number of deaths from all causes in these towns was 1,421, of which 76, or 5.3 per cent. were from Diphtheria.

It was quite epidemic in the following towns, viz.: Lindsay, 13 deaths, or 21.3 per cent.; Brockville, 13 deaths, or 11.7 per cent.; Cobourg, 7 deaths, or 14.5 per cent.; Cornwall, 7 deaths, or 11.2 per cent.; Windsor, 11 deaths, or 9.4 per cent.; Chatham, 9 deaths, or 7 per cent. On the other hand, in the following towns no deaths were returned from Diphtheria, viz.: Owen Sound, Goderich, Perth, Woodstock, Picton and Pembroke.

The three months of the year, viz., October, November and December, returned 273, or 40 per cent. of all the deaths from Diphtheria, while the three months, May, June and July, returned only 89, or 13 per cent.

Only 51 deaths were of persons over 15 years, the remaining 617 died under that age, chiefly between one and five years of age, so that the disease may be classed as one belonging to infancy.

### FEVERS.

The mortality from the different kinds of fever in 1884 was 1125, being 39 more than in 1883.

#### TYPHOID FEVER.

Comparing the mortality from this fever in the different divisions of the Province, it is found that in the whole Province there were 492 deaths, being 2.2 per cent. of the total deaths, and, .25 per 1,000 of the population. In the cities the deaths from Typhoid Fever were 147, or 2.7 per cent. of the deaths in those places, and .5 per 1,000 of the population. In the towns there were 28 deaths from this cause, not quite 2 per cent., and .28 per 1,000 of their population. In the rural districts there were 317 deaths from this disease, 2.1 per cent., and .2 per 1,000 of their population. Therefore, this fever was more prevalent in the cities than in the rural districts during the year 1884.

There was a small increase in the number of deaths from it in 1884, but owing to the increase in the number of deaths in the whole Province the percentage was about the same as in 1883.

October was the most fatal month for this fever, and June the least so. More died from this cause between 20 and 30 years than at any other period of life.

#### SCARLET FEVER.

The returns show a decrease of 23 deaths from Scarlet Fever. One hundred and five, or 27 per cent. of the 382 deaths occurred in April and May. In former years March was the most fatal month. The returns also shew that 50 children died from Scarlet Fever under the age of one, and 177 between one and five years, together nearly sixty per cent. of all, under five years of age.

#### DIARRHOEA.

There were 531 deaths from Diarrhoea, 299 males and 232 females. It stands eighth in the list of the ten highest causes of death, in place of ninth as in 1883. The percentage for the Province was 2.4, the ratio to population .26. In the cities it was 3.8 per cent. and ratio, .7 per 1,000 of the population. In the principal towns it was 2.7 per cent. with a ratio of .3. In the rural districts the percentage was only 1.8, and the ratio, .18; therefore, this disease may be considered as principally confined to cities and towns. The months of July, August and September invariably return the highest death rate from Diarrhoea. A large majority of the deaths were of children under one year. The city of Ottawa returns the highest percentage of the cities, and the towns of Pembroke, Barrie and Sarnia, the highest percentage of the towns.



## CHOLERA INFANTUM.

This disease of infancy shows an increase of 110 deaths over 1883. The only cause that can be assigned for this increase, is, that the total number of deaths have also increased. The three months—July, August and September—which were so fatal from this cause in 1883, were equally so in 1884. The Table shews that 326, or 77 per cent. died during these three months.

## CROUP.

For several years it has been the practice in compiling the Tables of the Annual Report, to enter under (Cynanche, Croup) all those deaths reported as caused by "Diphtheric Croup." It has now been thought advisable that as these cases are so nearly allied to Diphtheria, they should be entered under that heading; therefore, an apparent decrease of 106 in the number of deaths from "Croup" appears in the Table. October, December and February were the most fatal months for this disease, and May, June and August the least so.

## SMALLPOX.

This loathsome disease was prevalent in 1884, the returns shewing that 63 deaths were registered as having been caused by it.

It appears to have broken out in the northern part of the County of Hastings, but through the prompt and vigorous action of the Provincial and Local Boards of Health, it was chiefly confined to that locality.

According to the report of the Provincial Board of Health, there were 202 cases of this disease in the township of Hungerford, and 45 deaths; and 8 more deaths in an adjacent township. The disease appears to have been brought into the county by an immigrant boy, and the cause of its spreading was principally owing to the inhabitants having in many cases neglected vaccination. The necessity for compulsory vaccination is so well advocated by the Board, and the reasons given are so plainly pointed out, that an extract from them is here given:

"Through the absence of any statutory provisions making vaccination compulsory. "there is rapidly growing up over the whole Province a young population, amounting, in "the case which has been illustrated by these statistics, to 80 per cent. of all under 20 "years of age who are unvaccinated, and who in a very few years, if the same disregard "is shown, will amount to 75 per cent. of the whole population. As the population "becomes more centralized and our cities increase, they will become like those European "cities from which, during the past year this Province has received the first cases of six "outbreaks of Smallpox. What, amongst an unvaccinated population, the mortality "which prevailed in Hungerford in this class, viz., 33 per cent., would mean, should an "outbreak similar to that of Hungerford once get beyond our control, may well make us "pause to consider. The remedy is found in a statutory provision making the proof of "successful vaccination a condition of entrance to our public schools. As, however, "there would be between 1 and 5 years a large percentage of unprotected children, "it would seem that thoroughness points us to the system by which England has reduced "the annual number of children under one year remaining unvaccinated to 5 per cent., "and proved in 1881 its efficacy in saving life by shewing that while the vaccinated shew "to the unvaccinated as 19:1, the deaths from smallpox amongst all this army of "vaccinated children was only 1."

Ten more cases were reported in other parts of the Province. The cities of Toronto and Ottawa each returned one death from this cause, as did also the town of Berlin. The other cities and towns were exempt.

There was an outbreak of this disease in 1880, when it carried off 143 persons; it was, however, chiefly confined to the city of Ottawa, which reported 97 deaths. The counties of Prescott and Russell united, returned 18 and the counties of Kent and York each returned 5 deaths respectively.



## CLASS II.

## CONSTITUTIONAL DISEASES.

The number of deaths registered in this class was 5,513; of males 2,559, and of females 2,954. In 1883 the number was 5,511 only, a difference of 2 between the two years.

## PHTHISIS, OR CONSUMPTION.

For many years each Annual Report has recorded an increase in the number of deaths from Phthisis, but a gratifying change was observable in 1884, the returns shewing a decrease of 153 notwithstanding that the total number of deaths in the Province had increased, which, if taken into account, would make the decrease relatively larger. A comparison of the percentages and ratios in the two years shews this. In 1883 the deaths from Phthisis were 11.9 per cent. of all, and the ratio to population 1.3 per 1,000; in 1884 they were only 10.8 per cent. and a ratio of 1.2 per 1,000, a decrease of 1.1 per cent. and .1 per 1,000 in the ratio. Still the mortality in 1884 was large, no less than 2,347 deaths being returned from this cause.

In 27 counties there was a falling off in the deaths from Phthisis; and in the counties where there was an increase it was generally small.

In 1883, the cities returned 627 deaths, 11.4 per cent., or 2.6 per 1,000 of their population from Phthisis. In 1884 only 513 were returned, a percentage of 9.6. and ratio 1.9, shewing a decrease of 114 deaths, or 1.8 per cent.

In the principal towns the average death rate from this cause was high, 12.3 per cent., but the ratio was lower than in the cities, 1.7 per 1,000.

In the rural districts the deaths were 1,658, being 11 per cent. of all the deaths, and 1.06 per 1,000 of their population. The month of April was again the most fatal month for those afflicted with this disease, and September the most favourable.

Diagram No. 3 plainly points out the variations of the deaths from this disease during the several months of the year.

The deaths of 1,496 persons are recorded as having died from Phthisis between 20 and 50 years, 63 per cent. of all who died from it; the period between 20 and 30 years, alone, returned 780 deaths, nearly one-third of the whole number.

The remarks made on Consumption by the State Registrar of New Hampshire in his Annual Report for 1883, appear to be so applicable to this Province that they are here quoted:

"Consumption is a silent foe which insidiously invades every community, and gathers its victims largely from the ranks of those who have not yet reached the meridian of life. If 2,347 human beings were annually killed upon the railroads of our Province, the Legislature would promptly prohibit the running of trains. If a contagious disease were annually imported into the Province that swept from existence 2,347 living souls, the Province would protect every rod of her frontier by a cordon that would require an army of 10,000 able men, and the expense would be of secondary account. If 2,347 citizens of Ontario were annually carried to eternity through an epidemic that did its fearful work in a few days, panics and demoralization would follow, business would be stagnated, and a general exodus from the Province would be the result. But the spectacle is different. These 2,347 souls drop into the sea of eternity as silently as the leaf falls upon the bosom of the lake, and the ripples made reach not the public, and fall lighter upon the friends because expected. But these deaths, the majority of them, in the light of modern study and research, are as needless as deaths from other preventible diseases. The opinion is entertained by eminent physicians and sanitarians, who have carefully considered all the factors that bear upon this disease, that it may be to a very large extent avoided. Without any hereditary tendency, the occurrence of Consumption must be from a violation of some of the laws of physical life for which the individual is responsible. With a hereditary

“family tendency to this disease, the individual has a warning that should lead to the adoption of such habits of life as will tend to maintain the system in the best possible state of existence. To this end it becomes a duty, not only of physicians, but of the public, to consider seriously this alarming subject.”

Substituting 2 347, the number of deaths from Consumption in Ontario, for 827, the deaths from it in New Hampshire, the force of these remarks will be more plainly seen.

The deaths from Anæmia, Rheumatism and Hydrocephalus in 1884 were about the same as in 1883. The mortality from Cancer and Dropsy still continue to increase from year to year, although not to a very great extent. The increase in 1884 was of the former 19, and of the latter 27.

### CLASS III.

#### LOCAL DISEASES.

The diseases of this class may be viewed under the same divisions as in the last Report, viz.: First, those affecting the nervous system. Second, those of the circulatory system. Third, those of the lungs and throat. Fourth, those of the digestive organs.

#### 1st.—NERVOUS DISEASES—APOPLEXY, CONVULSIONS AND BRAIN DISEASES.

The number of deaths from Apoplexy and Convulsions was 893, a decrease of 56 from 1883. Those who died from Apoplexy were generally of middle or advanced age, while those who died from Convulsions were of children under five years of age.

The deaths from the many different affections of the brain, such as Epilepsy, Paralysis, Necrencephalus, Insanity, Meningitis, etc., have with the exception of the last mentioned increased considerably during 1884, especially Paralysis.

That the progress of civilization with its attendant excitement, rush and business anxiety, has largely caused the increase of Apoplexy and diseases of the brain, cannot be doubted when the returns of deaths from these causes are found to have increased steadily and regularly every year during the last four years.

The deaths of the insane are not all registered as caused by Insanity, but from some disease which was the immediate cause of death; therefore, it is impossible to ascertain from the returns whether Insanity is on the increase in this Province; it is believed, from the Reports of Inspector of Asylums, however, that it is more prevalent than in former years.

Paralysis has increased so as to entitle it to be placed seventh in the List of ten highest causes of death.

#### DISEASES OF THE CIRCULATORY SYSTEM—HEART DISEASE.

Heart Disease again stands fifth in the list of ten highest causes of death in the whole Province, and also in the cities, and sixth in the towns, with very nearly the same number of deaths and percentage as in 1883. It appears to have been most prevalent in the counties of Haldimand, Lanark, Peterborough, Wentworth, Prince Edward and Frontenac; their percentage averaged 6.4 per cent., whereas the average percentage of deaths from Heart Disease for the whole Province was 4.2 per cent. of the total deaths from all causes.

The city of St. Catharines returns the highest death rate of the ten cities from this disease, 7.0 per cent. and a ratio of 1.3 per 1,000 of its population. Kingston also returns a high rate, 6.7 per cent. with a ratio of 1.1 per 1,000. The lowest return from any city comes from Guelph, 2.8 per cent. or .5 per 1,000.

The towns of Peterboro', Owen Sound, Lindsay and Goderich, returned a high death rate from Heart Disease, all of them being above 6 per cent.

In Woodstock it reached 12 per cent., but with the exception of Peterboro' the ratio to population was low, not 1 per 1,000.

February and March were the most fatal months of the year, and the periods of life between 60 and 80 years were similarly so.

## DISEASES OF THE THROAT AND LUNGS—PNEUMONIA AND BRONCHITIS.

These two are the principal diseases of this order. The deaths from them numbered 1,681 in 1884, a decrease of 151 from 1883. From Consumption more females than males died. From Pneumonia the deaths of males exceeded those of females.

The spring months of the year are also as fatal to those afflicted with these diseases as Consumption and similarly the majority of the deaths are at the same periods of life, viz., between 20 and 50 years, although more died from Pneumonia and Bronchitis over that age than from Consumption. Pneumonia stands fourth in the list of ten highest causes of deaths in the Province, and also in the cities and towns, but Bronchitis only appears in the list for the cities, and then in the tenth place there. In 1883 it was eighth in the list for the Province.

## DISEASES OF THE STOMACH.

Enteritis, Peritonitis, Dyspepsia and Gastritis, are the principal diseases of the Stomach. The deaths from them were 863, an increase of 115, chiefly in the deaths from Enteritis. Enteritis has not appeared in the list of the highest causes of death since 1879 until 1884, when it takes the tenth place.

## DISEASES OF THE URINARY ORGANS, AND LIVER.

The deaths from these diseases do not generally vary much in number from year to year, but in 1884 there appears to have been an exceptional increase in Nephria and Nephritis (diseases of the kidneys), 51 more deaths having been recorded from these two diseases.

The deaths from Hepatitis (inflammation of the liver) were about the same as in 1883.

## CLASS IV

### DEVELOPMENTAL DISEASES.

Old Age still maintains its position as the second highest cause of death in the Province, and third in the cities and towns. In 1883, the deaths recorded from Old Age were 1,731; in 1884 there were 2,065 so recorded, an increase of 334.

Comparing the deaths from Old Age in the Province with the cities and towns, the following results appear: For the whole Province the death rate was 9.5 per cent. or 1.07 per 1,000 of the population. For the cities it was 5.2 per cent. or 1.0 per 1,000. For the towns 8.3 per cent. or 1.1 per 1,000. For the rural districts 11.1 per cent. or 1.13 per 1,000 of the population.

It would appear, then, from these data, that although the percentage was much larger in the rural districts than in the cities and towns, yet the ratio to population was about the same as the towns but larger than the cities; it may, therefore, be concluded that the prospects of living to old age are greater in the rural districts than in the cities.

The other diseases included in this class besides Old Age are Dentitio (teething), Still Birth, Premature Birth, diseases of women, such as Child Birth, etc., but they do not present any particular features calling for special remark.

## CLASS V.

### VIOLENT DEATHS.

There was a slight increase in the deaths in this class. Deaths from accidents are of various kinds, but principally from wounds. Of the 778 deaths from violence 285 were from that cause, 86 were killed by cars, 4 more than in 1883, but the number was small when compared with other countries; 170 were drowned, and 74 died from burns and scalds; suicides increased from 33 in 1883 to 53 in 1884, an increase not desirable to record.

More minute details as to the number, causes of death, age and sex of all returned as having died in this Province during the year 1884, will be found by referring to the Tables in the Appendix. They have been carefully prepared from data derived from the returns received from the Registration Divisions of the whole Province.



TABLE XXVI.  
DEATHS BY OCCUPATIONS.  
Over the Average Age, - - - - 57.7.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
		Years.			Years.
Gentlemen .....	221	70.0	Provincial Land Surveyors ....	9	65.1
Weavers .....	34	69.4	Farmers .....	2666	63.6
Volunteers, Soldiers and Pensioners .....	43	69.2	Gardeners .....	40	60.7
Coopers .....	23	67.7	Masons .....	26	60.0
Clergymen .....	45	65.5	Public Officials .....	84	59.8
Millwrights .....	6	63.9	Tailors .....	70	58.8
			Shoemakers .....	80	58.5

UNDER the Average Age.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
		Years.			Years.
Hunters and Fisherman .....	8	57.6	Plasterers .....	7	45.3
Blacksmiths .....	64	57.6	Artists .....	6	45.1
Physicians .....	29	56.5	Printers .....	12	45.0
Millers .....	32	55.0	Cooks .....	5	45.0
Bricklayers .....	9	55.0	Cabinet-makers .....	23	44.0
Builders and Contractors .....	19	54.1	Musicians .....	4	42.7
Merchants .....	133	54.1	Tinsmiths .....	16	42.5
Butchers .....	31	53.7	Lawyers .....	17	42.5
Carpenters .....	182	53.4	Bankers .....	5	42.2
Carriage and Wagon-makers .....	26	53.4	Miners .....	8	41.8
Sailors .....	31	52.9	Barbers .....	13	41.3
Tavern-keepers .....	53	51.9	Brewers and Distillers .....	8	41.3
Tanners and Curriers .....	10	51.8	Brickmakers .....	2	41.0
Pedlars .....	13	51.8	Servants, Females .....	53	41.0
Labourers .....	921	51.6	Book-keepers and Clerks .....	94	39.3
Moulders .....	20	51.0	Railway Employees .....	56	38.5
Manufacturers .....	39	50.1	Dentists .....	8	39.0
Saddlers and Harness-makers .....	23	50.0	Stone-cutters .....	13	38.2
Teachers (Males) .....	36	50.0	Teachers (Females) .....	21	38.1
Teamsters .....	36	48.5	Machinists .....	26	38.0
Other Mechanics .....	58	46.8	Lumbermen .....	15	37.3
Engineers .....	30	46.3	Milliners and Dress-makers .....	28	35.8
Editors .....	4	46.0	Seamstresses .....	31	35.0
Painters .....	39	45.8	Tobacconists and Cigar-makers .....	9	35.0
Watchmakers and Jewellers .....	11	45.6	Chemists and Druggists .....	7	34.5
Bakers and Confectioners .....	16	45.5	Telegraph Operators .....	11	26.6
Agents .....	44	45.3			



TABLE XXVII.

A STATISTICAL CLASSIFICATION of the number of Deaths of persons whose Occupations were specified, giving the Number, Average and Aggregate Ages.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASSES AND OCCUPATIONS.....	5773	332917	Years. 57.7
1. CULTIVATORS OF THE SOIL.....	2706	172054	63.5
2. MECHANICS.....	922	48781	52.9
3. LABOURERS.....	970	49947	51.4
4. MERCHANTS, FINANCIERS, AGENTS, ETC.....	401	18902	47.0
5. PROFESSIONAL MEN.....	514	31325	61.0
6. OTHER EMPLOYMENTS.....	138	7234	52.4
7. FEMALES AT WORK.....	122	4674	39.0
CLASS I.—CULTIVATION OF THE SOIL.....	2706	172054	63.5
Farmers.....	2666	169627	63.6
Gardeners.....	40	2427	60.7
CLASS II.—MECHANICS.....	922	48781	52.9
Blacksmiths.....	64	3685	57.6
Brickmakers.....	2	82	41.0
Brewers and Distillers.....	8	330	41.3
Bricklayers.....	9	500	55.0
Barbers.....	13	537	41.3
Butchers.....	31	1664	53.7
Bakers, Confectioners, Etc.....	16	728	45.5
Carpenters.....	182	9731	53.4
Cabinetmakers.....	23	1013	44.0
Coopers.....	23	1557	67.7
Cooks.....	5	224	45.0
Contractors and Builders.....	19	1031	54.3
Masons.....	26	1566	60.0
Machinists.....	26	984	38.0
Moulders.....	20	1020	51.0
Millers.....	32	1755	55.0
Millwrights.....	6	383	63.9
Miners.....	8	335	41.8
Other Mechanics.....	58	2717	46.8
Painters.....	39	1785	45.8
Printers.....	12	541	45.0
Plasterers.....	7	317	45.3
Stonecutters.....	13	497	38.2
Shoemakers.....	80	4682	58.5
Saddlers and Harnessmakers.....	23	1152	50.0
Tinsmiths.....	16	680	42.5
Tobacconists and Cigarmakers.....	9	315	35.0
Tailors.....	70	4119	58.8
Tanners and Curriers.....	10	518	51.8
Undertakers.....	1	83	83.0
Watchmakers and Jewellers.....	11	502	45.6
Weavers.....	34	2360	69.4
Carriage and Waggonmakers.....	26	1388	53.4

TABLE XXVII—Continued.

OCCUPANTS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASS III.—LABOURERS .....	970	49947	51.4
Labourers .....	921	47528	51.6
Pedlars .....	13	673	51.8
Teamsters .....	36	1746	48.5
CLASS IV.—MERCHANTS, ETC .....	401	18902	47.0
Agents .....	44	1994	45.3
Book-keepers, Salesmen and Clerks .....	94	3700	39.3
Bankers .....	5	211	42.2
Chemists and Druggists .....	7	241	34.5
Manufacturers .....	39	1956	50.1
Merchants .....	133	7198	54.1
Tavern-keepers .....	53	2750	51.9
Telegraph Operators .....	11	293	26.6
Lumbermen .....	15	559	37.3
CLASS V.—PROFESSIONAL MEN .....	514	31325	61.0
Artists .....	6	271	45.3
Clergymen .....	45	2947	65.5
Dentists .....	8	311	39.0
Engineers .....	30	1388	46.3
Editors .....	4	184	46.0
Lawyers .....	17	725	42.5
Musicians .....	4	171	42.7
Physicians .....	29	1639	56.5
Public Officials .....	84	5020	59.8
Provincial Land Surveyors .....	9	586	65.1
Teachers, Male .....	36	1802	50.0
" Female .....	21	803	38.1
Gentlemen .....	221	15478	70.0
CLASS VI.—OTHER EMPLOYMENTS .....	138	7234	52.4
Hunters and Fishermen .....	8	461	57.6
Railroad Employees .....	56	2155	38.5
Sailors .....	31	1640	52.9
Volunteers, Soldiers and Pensioners .....	43	2978	69.2
CLASS VII.—FEMALES AT WORK .....	122	4674	39.0
Domestic Servants .....	63	2583	41.0
Milliners and Dressmakers .....	28	1004	35.8
Seamstresses .....	31	1087	35.0

## DEATHS BY OCCUPATIONS.

*See General Table (Appendix Page clxxxii.)*

This Table contains the occupations at the time of death of 9,597 persons out of the 21,702 who died in 1884.

Their average age was 57.7 years; in 1883 it was 56.2 years; therefore, there was an increase in the length of their lives in 1884 of 1.5 years.

*(See Table xxvi.)*

Eliminating "Farmers' Wives," "Housewives," and "Occupations Unknown," there remains 5,773 actual workers to be noticed. They are divided into 66 different occupations. The number of deaths in 13 of them was over the average age, while 53 were below it.

*(See Table xxvii.)*

## STATISTICAL CLASSIFICATION.

In this Table the various occupations are divided into seven classes, grouping together all whose employments are of a similar kind.

## CLASS I.

## CULTIVATORS OF THE SOIL.

All the workers of the soil may be classified under Farmers and Gardeners. Their average age was 63.5 years, which, although it is not so high as some other occupations, yet if their numbers, 2,706, nearly 50 per cent. of all, be taken into account, their average age was relatively equal to any other occupation.

## CLASS II.

## MECHANICS.

The deaths of 922 persons who during their life followed some mechanical trade were registered in 1884, a decrease of 49 from 1883. The decrease was chiefly amongst the brickmakers, cabinetmakers, printers, plasterers, stonecutters and shoemakers. The deaths registered under "Other Mechanics" were also less in consequence of the mechanical trade of the deceased being more specifically given. The deaths in the other mechanical trades were more numerous by 69 than in 1883, particularly amongst tailors. The average age of all the mechanics whose deaths were registered in 1884 was 52.9 years, an increase of 1.4 years. Weavers' average age was 69.4, being next to gentlemen the longest lived of any occupation. Millwrights, coopers and masons, also, died at an average age above sixty, viz., 63.7 years, but there were not many who died while following these occupations.

The four occupations, carpenters, shoemakers, blacksmiths and tailors, together reported nearly the same number of deaths as in 1883. Their average age was 56.1 years, and 396 of these mechanics are reported as having died in 1884. Tailors' and shoemakers' average age was 58 years, shewing that they are long lived considering the nature of their occupation.

Amongst those mechanics whose average age was low, the following may be specified: Tobacconists, 35 years; machinists and stonecutters, 38 years each at time of death; brickmakers, brewers, barbers, miners, each 41 years, and tinsmiths 42 years.

## CLASS III.

## LABOURERS.

Under this head are classed those who had no trade or profession. Only three occupations are included, labourers, pedlars and teamsters. Their deaths numbered 970 and their average age was 51.4 years.

## CLASS IV.

## MERCHANTS, ETC.

In this class 401 deaths were recorded at an average age of 47.0 years. It includes ten different occupations, and the difference in their average ages was very marked. Merchants lived to an average age of 54 years, while telegraph operators only averaged 26 years, a difference of 28 years between the length of life in the two occupations.

The book-keepers, clerks and salesmen who died in 1884 lived longer than those who died in 1883 by six years, but there were not so many deaths among them as in that year.

The average age at death of tavern-keepers also increased from 47.9 years to 51.9 years, but only 53 of them died in 1884, while in 1883 the deaths of 77 of them were recorded. There was, however, a decrease of deaths in the whole class of 31.

## CLASS V.

## PROFESSIONAL MEN, ETC.

Gentlemen are generally those who have retired from the cares and worries of life, and therefore are shielded to a great extent from the many diseases incidental to active working life. It is not, therefore, surprising to find that their average age at death, 70 years, was the highest.

The three professions, divinity, law and medicine, together returned the deaths of 91 of their members, 10 less than in 1883; their average age was 58.3 years; in 1883 it was only 52.3 years, so that taken together their length of life appears to have increased, but if the ages at death of these professional men are viewed separately, then considerable difference in their length of life will appear. Thus, clergymen lived to an average age of 65 years, while lawyers only reached the age of 42.5 years. Physicians were between the two, with an average age of 56.5 years. Provincial land surveyors appeared to have lived to nearly the same age as clergymen, but only 9 of them died in 1884. Their occupation being chiefly out of doors, tends to lengthen life.

Teachers seem to be gaining every year in their length of life; this, no doubt, is owing in a great measure to the improvement in the school houses, both as regards their ventilation and sanitary condition. Male teachers remain longer in the profession than females, therefore their average age at death was greater than that of females. In 1884 the average age of male teachers was 50 years, of females 38 years.

## CLASS VI.

## OTHER EMPLOYMENTS.

About the same number of deaths were registered of those employed in connection with railways. All engaged in railway work incur more or less risk; at the same time, many accidents may be traced to carelessness on the part of those injured; long continuance in dangerous employments begets recklessness and loss of precaution against danger. Fifty-six railway employees died in 1884, at an average age of 38 years.

The usual number of deaths of volunteers, soldiers and pensioners were recorded in 1884. They were principally the deaths of pensioners of the British army. Their average age was nearly 70 years.

## CLASS VII.

## FEMALES AT WORK.

Very little change appears amongst these workers. The returns from the three occupations included in this class were very nearly the same as in 1883. In 1884 there were 122 deaths at an average age of 39 years; in 1883, 130 of these females died at an average age of 39.1 years. The average age at death of domestic servants has increased, while that of milliners and dressmakers have decreased.



In numerous instances Division Registrars exhibit great carelessness in making their entries in the schedules. The writing is almost illegible, and many items of information required by the Act omitted. I would, therefore, call their attention to the following extract from a Circular of Instructions issued from this Department some time ago:

“ Division Registrars are requested to remember that the original forms will be bound into books to be kept in the office of the Registrar General, and care, therefore, must be taken that they are neatly filled in with writing as small as is consistent with clearness and legibility, and that they are in no way mutilated or disfigured ; and it is further absolutely necessary that they in every case, see that the whole of the information required by the Act to be given is obtained. It should also be borne in mind that there is no context to assist the eye, and that the legibility of the name depends solely on the actual formation of each letter composing it. What is called running hand, or one decorated with unnecessary flourishes, is fatal to the accurate indexing or transcription of proper names.”

These remarks apply with equal force to many clergymen and medical men when filling up returns for transmission to Division Registrars.

In conclusion, I may add that it is intended in the next Annual Report, unless great improvement is found in the Schedules, to call special attention to those municipalities in which the best and worst work is done. By this means those Division Registrars who endeavour to properly perform their duty in this matter will receive the credit justly due to them, while those who do not do so, will, it is hoped, be stimulated to pay more attention to their duties.

I have the honour to be,

Sir,

Your obedient servant,

H. S. CREWE,

*Inspector.*

---

# APPENDIX.

---



---

## BIRTHS.

---



TABLE A.—BIRTHS BY MONTHS, 1884.

COUNTIES.	MONTHS.												Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.					
Algonia and Thunder Bay :	18	18	17	19	27	17	25	16	15	18	12	12	214				
	Males.....	13	16	19	20	20	18	19	22	18	14	13	210			2	2
	Females.....															2	3
Total.....	31	34	36	37	47	37	43	35	37	36	26	25	424	3		4	5
Brant :	25	26	44	29	42	28	26	31	33	34	26	25	369			6	1
	Males.....	27	26	33	29	27	27	27	28	35	25	33	343			2	1
	Females.....																
Total.....	52	52	77	58	68	55	53	58	61	69	51	58	712	7		8	2
Bruce :	63	70	85	66	51	52	69	64	54	57	58	70	759			6	3
	Males.....	62	71	72	50	72	53	51	63	55	49	45	705			5	3
	Females.....																
Total.....	125	141	157	116	123	114	122	115	117	112	107	115	1464	16	1	11	6
Carleton :	87	84	81	76	57	73	102	86	66	70	66	101	949			79	6
	Males.....	81	64	81	67	65	84	72	55	71	66	67	846			90	6
	Females.....																
Total.....	168	148	162	149	124	138	186	158	121	141	132	168	1795	19		169	12
Dufferin :	21	25	19	20	23	17	25	22	28	28	15	22	265			1	1
	Males.....	20	21	20	15	14	17	20	17	11	26	11	213			1	2
	Females.....																
Total.....	41	46	39	41	38	31	42	42	45	39	41	33	478	5		2	3
Elgin :	37	35	48	49	31	30	32	36	32	45	39	25	439			3	2
	Males.....	32	38	36	35	25	19	30	28	34	29	24	364			4	2
	Females.....																
Total.....	69	73	84	84	56	49	62	70	60	79	68	49	808	10		7	4

Essex :	Males	58	53	71	70	58	71	66	57	64	63	38	49	718	.....	4	3
	Females	53	49	72	60	51	60	53	68	70	39	58	56	689	.....	5	3
	Total	111	102	143	130	109	131	119	125	134	102	96	105	1407	17	9	6
Frontenac :	Males	30	37	34	31	39	31	31	44	34	45	35	44	435	.....	2	3
	Females	29	32	46	31	30	33	37	34	38	27	33	32	402	.....	2	3
	Total	59	69	80	62	69	64	68	78	72	72	68	76	837	5	4	6
Grey :	Males	54	64	65	56	65	59	68	67	71	57	48	65	739	.....	3	10
	Females	54	62	65	75	55	60	52	45	50	54	35	38	645	.....	3	3
	Total	108	126	130	131	120	119	120	112	121	111	83	103	1384	5	6	13
Haldimand :	Males	27	18	26	34	26	28	24	16	28	16	19	22	284	.....	1	1
	Females	18	19	24	17	28	22	15	19	26	19	21	21	249	.....	2	1
	Total	45	37	50	51	54	50	39	35	54	35	40	43	533	5	3	2
Halton :	Males	20	19	19	17	18	23	20	32	21	12	13	19	233	.....	4	1
	Females	20	19	24	21	19	23	25	26	26	21	21	30	275	.....	1	1
	Total	40	38	43	38	37	46	45	58	47	33	34	49	508	3	5	2
Hastings :	Males	43	49	63	43	53	35	46	51	46	44	47	48	568	.....	4	3
	Females	41	41	50	48	42	43	45	59	42	44	50	53	558	.....	6	2
	Total	84	90	113	91	95	78	91	110	88	88	97	101	1126	12	10	5
Huron :	Males	69	71	73	64	63	51	64	65	74	69	64	68	795	.....	8	4
	Females	55	76	70	74	67	61	64	62	70	66	65	49	779	.....	3	4
	Total	124	147	143	138	130	112	128	127	144	135	129	117	1574	12	11	8
Kent :	Males	48	46	59	42	39	55	49	59	47	43	35	49	571	.....	3	2
	Females	47	53	50	45	44	51	46	53	41	26	43	28	527	.....	1	2
	Total	95	99	109	87	83	106	95	112	88	69	78	77	1098	4	4	4

TABLE A.—BIRTHS BY MONTHS, 1884—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Lanarkshire:																	
Males .....	51	57	55	48	43	49	53	47	50	53	47	40	593	.....	.....	3	3
Females .....	34	46	43	41	46	43	51	35	58	56	40	33	526	.....	.....	2	2
Total .....	85	103	98	89	89	92	104	82	108	109	87	73	1119	7	.....	5	5
Lanark:																	
Males .....	30	37	38	30	43	35	41	39	26	29	31	33	412	.....	.....	5	1
Females .....	31	35	33	31	42	34	21	35	43	24	20	26	375	.....	.....	1	1
Total .....	61	72	71	61	85	69	62	74	69	53	51	59	787	3	1	6	2
Leeds and Grenville:																	
Males .....	39	42	39	40	30	41	50	38	42	43	42	27	473	.....	.....	3	4
Females .....	37	48	50	55	50	32	42	50	32	40	43	23	502	.....	.....	7	2
Total .....	76	90	89	95	80	73	92	88	74	83	85	50	975	11	.....	10	6
Lennox and Addington:																	
Males .....	23	20	17	18	21	20	18	19	13	24	17	21	231	.....	.....	1	1
Females .....	16	19	17	17	21	15	20	17	20	23	14	18	217	.....	.....	1	1
Total .....	39	39	34	35	42	35	38	36	33	47	31	39	448	6	.....	2	2
Lincoln:																	
Males .....	28	31	35	26	32	26	25	34	34	28	24	20	343	.....	.....	5	1
Females .....	26	24	25	31	28	26	32	34	32	38	21	19	336	.....	.....	2	1
Total .....	54	55	60	57	60	52	57	68	66	66	45	39	679	9	.....	7	2
Middlesex:																	
Males .....	82	89	97	86	72	76	93	96	95	98	71	77	1032	.....	.....	10	2
Females .....	84	69	84	93	78	87	71	92	109	71	85	81	1004	.....	.....	10	3
Total .....	166	158	181	179	150	163	164	188	204	169	156	158	2036	15	.....	20	5

Muskoka and Parry Sound:	Males	35	39	43	45	41	35	45	29	38	35	37	457	1	1
	Females	29	38	31	42	38	34	43	44	40	31	41	437	1	2
	Total	64	77	74	87	79	69	88	73	78	66	78	894	2	3
Norfolk:	Males	29	49	33	30	37	40	28	34	28	24	28	388	6	2
	Females	30	35	36	32	27	25	32	29	35	30	28	373	1	1
	Total	59	84	69	62	64	65	60	63	63	54	56	761	7	3
Northumberland and Durham:	Males	77	55	61	57	58	52	68	64	69	54	59	734	5	2
	Females	57	54	60	59	52	48	55	73	60	62	63	698	5	1
	Total	134	109	121	116	110	100	123	137	129	116	122	1432	10	3
Ontario:	Males	60	50	55	49	65	42	42	48	49	40	45	595	4	2
	Females	37	40	46	40	53	45	47	43	47	46	34	525	3	1
	Total	97	90	102	89	118	87	89	91	96	86	79	1120	7	3
Oxford:	Males	54	49	39	57	33	51	71	59	41	37	40	578	6	2
	Females	54	50	28	49	42	50	41	51	39	31	44	520	7	2
	Total	108	99	67	106	75	101	112	110	80	68	84	1098	13	4
Peel:	Males	28	23	34	23	27	26	29	35	22	21	17	312	2	2
	Females	25	26	19	19	16	23	29	24	24	38	23	286	3	1
	Total	53	49	54	42	43	49	58	59	46	59	40	598	5	3
Perth:	Males	60	54	41	50	37	38	55	49	44	53	45	587	2	2
	Females	48	49	45	48	31	36	47	44	47	34	50	520	6	1
	Total	108	103	86	98	68	74	102	93	91	87	95	1107	8	3
Peterborough:	Males	33	40	47	32	34	36	35	41	28	34	33	438	6	3
	Females	29	30	40	40	36	35	40	40	28	38	30	418	2	2
	Total	62	70	87	72	70	71	75	81	56	72	63	856	8	5



TABLE A.—BIRTHS BY MONTHS, 1884—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Prescott and Russell:																	
Males .....	53	50	99	66	67	63	55	78	65	42	59	70	767			5	1
Females .....	57	48	62	61	59	53	63	47	61	70	56	59	716			4	1
Total .....	110	118	161	127	126	116	118	125	126	112	115	129	1483	15		9	2
Prince Edward:																	
Males .....	20	16	19	18	14	19	24	11	22	12	19	13	207			2	1
Females .....	24	17	17	17	16	7	17	15	16	20	14	16	196			5	1
Total .....	44	33	36	35	30	26	41	26	38	32	33	29	403	5		7	2
Renfrew:																	
Males .....	43	49	75	60	51	60	56	42	43	40	45	41	605			5	1
Females .....	55	50	59	58	56	45	63	45	50	34	27	38	580			10	1
Total .....	98	99	134	118	107	105	119	87	93	74	72	79	1185	11		15	2
Simcoe:																	
Males .....	66	61	69	53	68	56	66	62	74	68	56	64	763			3	3
Females .....	48	59	73	59	74	48	58	56	69	56	60	50	710			4	6
Total .....	114	120	142	112	142	104	124	118	143	124	116	114	1473	12		7	9
Stormont, Dundas and Glengarry:																	
Males .....	39	60	55	52	40	44	39	50	58	34	51	56	578			2	
Females .....	39	45	63	45	61	39	40	53	61	50	51	44	591			2	
Total .....	78	105	118	97	101	83	79	103	119	84	102	100	1169	11	1	4	
Victoria:																	
Males .....	41	36	34	26	37	41	45	29	35	32	42	28	426			3	1
Females .....	36	32	43	37	34	35	30	40	34	41	28	30	420			1	2
Total .....	77	68	77	63	71	76	75	69	69	73	70	58	846	9	1	4	3

Waterloo:	65	48	49	53	57	44	70	71	58	54	61	52	682	.....	.....	8	4
Males	46	49	53	62	47	43	48	60	73	64	78	61	684	.....	.....	13	4
Females	111	97	102	115	104	87	118	131	131	118	139	113	1366	11	.....	21	8
Total																	
Welland:																	
Males	23	33	39	41	27	20	31	23	26	33	35	25	356	.....	.....	1	1
Females	28	31	33	27	25	34	28	34	30	30	18	31	349	.....	.....	3	1
Total	51	64	72	68	52	54	59	57	56	63	53	56	705	2	1	4	2
Wellington:																	
Males	74	60	80	70	76	74	61	77	66	63	63	58	822	.....	.....	3	2
Females	54	59	53	52	65	55	53	68	65	56	47	59	686	.....	.....	3	1
Total	128	119	133	122	141	129	114	145	131	119	110	117	1508	14	2	6	3
Wentworth:																	
Males	77	71	94	77	69	61	65	66	85	83	92	87	927	.....	.....	22	4
Females	76	62	81	65	71	62	76	85	69	83	79	74	883	.....	.....	34	4
Total	153	133	175	142	140	123	141	151	154	166	171	161	1810	9	.....	56	8
York:																	
Males	193	185	234	186	185	172	194	205	228	230	184	154	2350	.....	.....	87	5
Females	174	176	195	183	170	167	180	201	180	188	182	157	2153	.....	.....	61	3
Total	367	361	429	369	355	339	374	406	408	418	366	311	4503	40	1	148	8
Total Males	1923	1894	2210	1919	1867	1803	1953	2006	1992	1886	1752	1789	22994	.....	.....	326	94
Total Females	1726	1785	1953	1838	1833	1680	1755	1890	1926	1784	1708	1632	21510	.....	.....	318	81
Grand Total	3649	3679	4163	3757	3700	3483	3708	3896	3918	3670	3460	3421	44504	382	8	644	175

H. S. CREWE,

*Inspector.*

TABLE A.—BIRTHS BY MONTHS, 1884—CITIES.

CITIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of twins.	Triplets.	Illegitimate.	Still Born.
Toronto:																	
Males .....	123	122	151	122	131	106	127	148	155	136	135	98	1554	33	.....	77	6
Females .....	117	113	134	124	111	125	128	128	110	135	115	92	1442	25	.....	58	4
Total .....	240	235	285	246	242	231	255	276	265	271	260	190	2996	29 pairs.	.....	135	10
Hamilton:																	
Males .....	49	46	59	52	44	37	34	36	51	58	56	60	582	11	.....	20	3
Females .....	43	38	51	32	35	42	45	55	40	40	42	50	513	7	.....	28	2
Total .....	92	84	110	84	79	79	79	91	91	98	98	110	1095	9 pairs.	.....	48	5
Ottawa:																	
Males .....	54	52	39	44	20	36	70	56	47	44	43	66	571	11	.....	31	3
Females .....	47	33	36	33	19	28	60	43	30	47	39	38	453	9	.....	40	4
Total .....	101	85	75	77	39	64	130	99	77	91	82	104	1024	10 pairs.	.....	71	7
London:																	
Males .....	23	23	21	25	17	17	13	23	24	16	15	19	236	1	.....	5	1
Females .....	22	14	26	23	20	18	10	21	25	16	25	20	240	3	.....	5	1
Total .....	45	37	47	48	37	35	23	44	49	32	40	39	476	2 pairs.	.....	10	2
St. Catharines:																	
Males .....	3	4	12	6	10	10	9	11	9	12	6	4	96	3	.....	1	1
Females .....	9	7	3	12	5	8	11	13	8	13	3	7	99	1	.....	1	1
Total .....	12	11	15	18	15	18	20	24	17	25	9	11	195	2 pairs.	.....	2	2
Kingston:																	
Males .....	13	15	16	15	19	17	7	17	14	12	13	22	180	4	.....	1	1
Females .....	16	14	15	11	18	12	19	18	21	8	14	20	186	2	.....	1	2
Total .....	29	29	31	26	37	29	26	35	35	20	27	42	366	3 pairs.	.....	2	3

Belleville:	9	8	11	7	9	8	6	7	7	5	10	4	91	3	.....	1	3
Males .....	12	10	12	6	5	6	5	11	4	6	11	9	97	3	.....	1	5
Females .....																	
Total .....	21	18	23	13	14	14	11	18	11	11	21	13	188	3 pairs.	.....	2	8
Brantford:																	
Males .....	13	7	18	9	24	5	8	13	13	12	16	7	145	4	.....	4	.....
Females .....	10	7	15	12	4	15	15	8	6	10	11	12	125	4	.....	1	.....
Total .....	23	14	33	21	28	20	23	21	19	22	27	19	270	4 pairs.	.....	5	.....
Guelph:																	
Males .....	14	10	15	12	14	14	14	14	10	15	20	13	165	2	.....	2	4
Females .....	7	12	13	20	13	15	11	9	16	11	8	11	146	2	.....	1	3
Total .....	21	22	28	32	27	29	25	23	26	26	28	24	311	2 pairs.	.....	3	7
St. Thomas:																	
Males .....	12	13	14	20	7	7	13	14	13	19	9	12	153	4	.....	.....	.....
Females .....	6	9	8	16	3	7	8	13	5	8	9	10	102	2	.....	.....	.....
Total .....	18	22	22	36	10	14	21	27	18	27	18	22	255	3 pairs.	.....	.....	.....
Total Males .....	313	300	356	312	295	257	301	339	343	329	323	305	3773	76	.....	142	22
" Females .....	289	257	313	289	233	276	312	319	265	294	257	269	3403	58	.....	136	22
Grand Total .....	602	557	669	601	528	533	613	658	608	623	610	574	7176	67 pairs.	.....	278	44

H. S. CREWE,  
*Inspector.*





---

# MARRIAGES.

---

TABLE B.—MARRIAGES BY DENOMINATIONS, 1884.

The following Table shows the number of Marriages returned as having been solemnized during the year 1884, the religious denomination of the parties married, and whether by license or banns.

COUNTIES.	Religious Denomination of Bride and Bridegroom.											Total.	How Married.			Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.		License.	Banns.	Not Stated.			
Algoma and Thunder Bay :	33	36	47	39	3	.....	8	.....	3	.....	.....	4	173	.....	.....	.....	.....	.....
	Males.....	39	52	41	3	.....	6	.....	3	.....	.....	3	173	.....	.....	.....	.....	.....
	Females.....	24	39	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total .....	57	75	99	80	8	.....	14	.....	6	.....	.....	7	346	149	24	173	20	15
Brant :	53	45	84	18	.....	6	4	1	.....	.....	8	3	257	.....	.....	.....	.....	.....
	Males.....	34	112	16	41	5	1	.....	.....	.....	3	1	257	.....	.....	.....	.....	.....
	Females.....	44	34	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total .....	97	79	196	34	76	11	5	1	.....	.....	11	4	514	245	9	257	31	15
Bruce :	40	160	112	50	12	1	5	14	.....	4	2	2	402	.....	.....	.....	.....	.....
	Males.....	37	143	128	15	3	9	11	.....	2	1	1	402	.....	.....	.....	.....	.....
	Females.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total .....	77	303	240	102	27	4	14	25	.....	6	3	3	804	330	65	402	38	18
Carleton :	101	68	97	224	8	2	12	.....	.....	.....	3	.....	515	.....	.....	.....	.....	.....
	Males.....	85	76	105	12	3	13	.....	.....	.....	3	.....	515	.....	.....	.....	.....	.....
	Females.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total .....	186	144	202	442	20	5	25	.....	.....	.....	6	.....	1030	331	183	515	45	32

[illegible]



TABLE B.—MARRIAGES BY DENOMINATIONS, 1884—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.											Total.	How Married.			Total Marriages.	Widowers.	Widows.	
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.		No Denomination given.	License.	Banns.				Not stated.
Hastings:																			
Males .....	73	77	257	67	9	3	2	.....	.....	.....	4	11	503	.....	.....	.....	.....		
Females .....	82	64	274	64	9	2	.....	.....	.....	.....	2	6	503	.....	.....	.....	.....		
Total .....	155	141	531	131	18	5	2	.....	.....	.....	6	17	1006	448	50	5	27		
Huron:																			
Males .....	57	136	172	12	5	3	17	10	.....	2	6	4	424	.....	.....	.....	.....		
Females .....	45	129	192	14	4	5	16	13	.....	1	4	1	424	.....	.....	.....	.....		
Total .....	102	265	364	26	9	8	33	23	.....	3	10	5	848	395	25	4	17		
Kent:																			
Males .....	65	69	165	63	32	1	.....	1	.....	.....	5	6	407	.....	.....	.....	.....		
Females .....	66	56	173	67	32	2	.....	.....	.....	.....	6	5	407	.....	.....	.....	.....		
Total .....	131	125	338	130	64	3	.....	1	.....	.....	11	11	814	350	55	2	27		
Lambton:																			
Males .....	45	55	122	12	23	4	1	1	.....	.....	3	2	268	.....	.....	.....	.....		
Females .....	48	55	121	13	23	2	1	1	.....	.....	3	1	268	.....	.....	.....	.....		
Total .....	93	110	243	25	46	6	2	2	.....	.....	6	3	536	250	16	2	14		

[illegible]

TABLE B.—MARRIAGES BY DENOMINATIONS, 1884—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										How Married.				Total.	No Denomination given.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.	License.	Banns.	Not stated.				
Northumberland and Durham :																		
Males.....	76	104	281	47	16	6					9	548						
Females.....	72	112	284	49	15	6					5	548						
Total.....	148	216	565	96	31	12					14	1096	504	44		548	26	
Ontario :																		
Males.....	36	56	143	15	11	2			2	2	3	277						
Females.....	25	53	163	15	8	2					3	277						
Total.....	61	109	306	30	19	4			2	2	6	554	269	8		277	14	
Oxford :																		
Males.....	54	64	138	9	44	12	2	2		2	12	347						
Females.....	48	70	128	10	59	9		4		3	10	347						
Total.....	102	134	266	19	103	21	2	6		5	22	694	336	10	1	347	13	
Peel :																		
Males.....	29	43	66	1	6	1						148						
Females.....	27	41	68	1	10						1	148						
Total.....	56	84	134	2	16	1					1	296	144		4	148	6	

[illegible]



TABLE B.—MARRIAGES BY DENOMINATIONS, 1884—*Concluded.*

COUNTIES.	Religious Denomination of Bride and Bridegroom.											No denomination given.	How Married.				Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other denominations.		License.	Banns.	Not stated.	Total.			
Victoria:																			
Males.....	38	50	111	37	5	2					3				246				
Females.....	31	58	110	37	8						2				246				
Total.....	69	108	221	74	13	2					5		219	27	492	246	37	16	
Waterloo:																			
Males.....	25	65	59	53	17	2	63	11		47	10	17			369				
Females.....	21	70	56	55	18	3	63	16		43	10	14			369				
Total.....	46	135	115	108	35	5	126	27		90	20	31	204	105	738	369	23	11	
Welland:																			
Males.....	37	31	92	16	5		11	4		4	16	5			221				
Females.....	43	20	100	15	10		7	3		1	17	5			221				
Total.....	80	51	192	31	15		18	7		5	33	10	201	20	442	221	24	16	
Wellington:																			
Males.....	36	115	136	30	15	3	3				9				347				
Females.....	45	102	139	36	17	7	2				8				347				
Total.....	81	217	265	66	32	10	5				17		320	27	694	347	40	24	

Wentworth:		Males.		Females.		Total		Males.		Females.		Total		Males.		Females.		Total	
1870	1880	1870	1880	1870	1880	1870	1880	1870	1880	1870	1880	1870	1880	1870	1880	1870	1880	1870	1880
121	96	216	74	19	5	4	.....	3	6	3	547	.....	.....	.....	.....	.....	.....	.....	.....
119	74	235	77	22	4	4	.....	3	6	3	547	.....	.....	.....	.....	.....	.....	.....	.....
230	170	451	151	41	9	8	.....	6	12	6	1094	494	47	6	547	62	34	.....	.....
Total																			
York:																			
451	267	517	127	48	31	13	.....	2	4	32	18	1510	.....	.....	.....	.....	.....	.....	.....
449	244	539	147	45	34	6	.....	1	2	25	18	1510	.....	.....	.....	.....	.....	.....	.....
900	511	1056	274	93	65	19	.....	3	6	57	36	3090	1443	67	1510	182	107	.....	.....
Total																			
2374	2806	4994	1914	606	154	237	82	8	198	161	13646	.....	.....	.....	.....	.....	.....	.....	.....
2263	2690	5217	1976	685	140	237	88	5	138	121	13646	.....	.....	.....	.....	.....	.....	.....	.....
4637	5496	10211	3890	1291	294	504	170	13	356	282	27292	12023	1557	65	13646	1503	728	.....	.....
Grand Total																			

H. S. CREWE,  
*Inspector.*



---

## TABLE C.

---

MARRIAGES BY MONTHS.

---



TABLE C.—MARRIAGES BY MONTHS, 1884.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No date given.	Total number of Couples married.
Algoma and Thunder Bay..	11	8	7	4	14	16	24	14	27	20	18	10	.....	173
Brant .....	22	20	20	14	16	28	28	11	27	29	20	22	.....	257
Bruce .....	32	43	40	46	24	33	32	14	20	36	30	52	.....	402
Carleton .....	33	32	27	63	40	51	44	34	53	54	49	31	4	515
Dufferin .....	20	14	20	12	7	5	8	7	5	12	15	16	1	142
Elgin .....	40	30	31	22	14	22	28	23	28	29	28	40	2	337
Essex .....	30	24	12	31	32	27	29	26	26	30	40	30	.....	337
Frontenac .....	26	21	18	22	12	33	19	20	30	22	34	41	7	305
Grey .....	50	44	41	26	19	33	16	19	26	42	24	60	.....	400
Haldimand .....	14	12	17	14	5	14	8	8	20	20	12	24	.....	168
Halton .....	14	11	13	8	7	7	10	3	4	18	13	17	3	128
Hastings .....	42	45	37	39	29	49	36	29	30	55	53	53	6	503
Huron .....	45	37	44	30	33	32	22	9	24	47	24	74	3	424
Kent .....	40	34	30	33	25	28	22	14	27	49	48	57	.....	407
Lanark .....	27	19	22	20	25	14	11	14	24	24	32	36	.....	268
Lanark .....	22	16	12	31	14	19	17	13	20	33	23	26	.....	246
Leeds and Grenville .....	42	35	38	37	23	33	19	14	32	41	34	52	.....	400

Lennox and Addington	20	25	22	12	11	17	10	9	19	17	21	24	3	210
Lincoln	16	10	16	10	15	22	14	12	11	21	21	21	1	190
Middlesex	60	46	43	40	29	48	38	26	48	80	52	88	1	599
Muskoka and Parry Sound	13	14	14	19	12	9	13	13	18	20	10	18	.....	172
Norfolk	22	16	13	21	13	14	10	14	19	36	21	23	.....	222
Northumberland and Durham	59	45	64	52	28	26	36	34	39	45	54	65	1	548
Ontario	42	22	16	20	23	13	17	13	17	27	26	41	.....	277
Oxford	30	44	29	22	20	24	23	16	38	38	23	40	.....	347
Peel	13	16	11	12	9	7	11	7	12	19	14	15	2	148
Perth	44	35	34	28	25	20	16	13	20	30	31	41	1	338
Peterboro'	19	17	17	25	14	19	13	7	20	32	33	37	1	254
Prescott and Russell	17	24	7	15	11	15	22	26	31	30	22	7	3	230
Prince Edward	17	14	12	7	7	7	12	8	19	19	12	27	1	162
Renfrew	12	22	21	27	23	32	30	34	36	35	25	24	.....	321
Simcoe	68	50	41	36	40	35	47	22	48	49	41	58	3	538
Stormont, Dundas and Glengarry	55	45	37	34	23	23	35	23	40	54	37	29	3	438
Victoria	21	22	35	23	13	20	13	14	17	22	16	29	1	246
Waterloo	33	41	40	39	25	27	20	10	24	25	40	44	1	369
Welland	16	8	16	11	21	26	17	10	16	30	19	31	.....	221
Wellington	32	35	35	32	19	24	22	19	22	37	36	34	.....	347
Wentworth	45	30	41	45	25	59	40	26	46	60	64	64	2	547
York	107	99	97	127	110	135	129	107	164	150	141	142	2	1510
Total	1271	1124	1090	1109	855	1066	961	735	1147	1437	1256	1543	52	13046

H. S. CREWE,  
*Inspector.*

TABLE D.—MARRIAGES BY AGES, 1884.

COUNTIES.	AGES.											Total.				
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.		70 and under 75.	75 and under 80.	Over 80.	Ages not given.
<b>Algoma and Thunder Bay :</b>																
Males .....	1	61	63	22	8	3	3	1	.....	.....	.....	.....	.....	.....	11	173
Females .....	43	84	24	5	4	1	1	.....	.....	1	.....	.....	.....	.....	10	173
Total .....	44	145	87	27	12	4	4	1	.....	1	.....	.....	.....	.....	21	346
<b>Brant :</b>																
Males .....	3	93	98	28	4	9	6	6	4	3	3	.....	.....	.....	.....	257
Females .....	42	122	62	8	9	7	3	1	1	1	1	.....	.....	.....	.....	257
Total .....	45	215	160	36	13	16	9	7	5	4	4	.....	.....	.....	.....	514
<b>Bruce :</b>																
Males .....	4	130	159	62	25	10	5	1	3	1	2	.....	.....	.....	.....	402
Females .....	68	225	70	23	8	5	.....	1	2	.....	.....	.....	.....	.....	.....	402
Total .....	72	355	229	85	33	15	5	2	5	1	2	.....	.....	.....	.....	804
<b>Carleton :</b>																
Males .....	8	171	162	75	29	25	13	4	12	3	2	.....	2	1	8	515
Females .....	93	226	100	43	16	11	9	6	1	.....	1	1	.....	.....	8	515
Total .....	101	397	262	118	45	36	22	10	13	3	3	1	2	1	16	1030
<b>Dufferin :</b>																
Males .....	.....	45	57	21	11	4	2	.....	.....	.....	2	.....	.....	.....	.....	142
Females .....	23	79	27	5	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	142
Total .....	23	124	84	26	15	6	3	1	.....	.....	2	.....	.....	.....	.....	284
<b>Elgin :</b>																
Males .....	8	136	112	41	18	9	5	2	1	2	1	1	.....	.....	1	337
Females .....	83	166	50	11	18	4	.....	.....	3	1	.....	.....	.....	.....	1	337
Total .....	91	302	162	52	36	13	5	2	4	3	1	1	.....	.....	2	674

Essex :	Males .....	158	100	34	13	9	5	1	4	3	1	1	2	337
	Females .....	161	36	13	7	3	2	1		1			1	337
	Total .....	319	136	47	20	12	7	2	4	4	1	1	3	674
Frontenac :	Males .....	128	106	38	10	9	4	2	2	1			1	305
	Females .....	149	56	22	6	2	1							305
	Total .....	277	162	60	16	11	5	2	2	1			1	610
Grey :	Males .....	125	168	56	20	8	9	6	3	1	1	1		400
	Females .....	216	74	16	3	6	5			2				400
	Total .....	341	242	72	23	14	14	6	3	3	1	1		800
Haldimand :	Males .....	63	59	19	9	6	4	1	2	5				168
	Females .....	92	28	10	3	3	3	1	1					168
	Total .....	155	87	29	12	9	7	2	3	5				336
Halton :	Males .....	44	51	13	9	4	2	2			1	1		128
	Females .....	65	29	9	2		3			1	1			128
	Total .....	109	80	22	11	4	5	2		1	2	1		256
Hastings :	Males .....	193	179	59	26	13	9	7	3	1		1	10	503
	Females .....	252	79	28	13	3	3		2				10	503
	Total .....	445	258	87	39	16	12	7	5	1		1	20	1006
Huron :	Males .....	149	158	53	28	16	4	6	3	1		1	3	424
	Females .....	241	77	24	4	6		1	1				4	424
	Total .....	390	235	77	32	22	4	7	4	1		1	7	848
Kent :	Males .....	141	154	47	18	12	11	8	2		1	1	7	407
	Females .....	179	76	23	10	9	2		3	2			8	407
	Total .....	320	230	70	28	21	13	8	0	2		1	15	814



TABLE D.—MARRIAGES BY AGES, 1884—Continued.

COUNTIES.																
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	80 and over.	Ages not given.	Total.
Lambton :																
Males .....	3	98	107	29	14	5	3	2	2	1	1	2			1	268
Females .....	65	132	48	11	4	1	2	1	1		1				2	268
Total .....	68	230	155	40	18	6	5	3	3	1	2	2			3	536
Lanark :																
Males .....	1	74	82	47	8	6	5	1		2	1				19	246
Females .....	32	97	72	13	7	3	2			1					19	246
Total .....	33	171	154	60	15	9	7	1		3	1				38	492
Leeds and Grenville :																
Males .....	6	138	136	61	27	6	8	2	5	1	1	2		1	6	400
Females .....	73	188	86	26	5	6	5	1		1		1			8	400
Total .....	79	326	222	87	32	12	13	3	5	2	1	3		1	14	800
Lennox and Addington :																
Males .....	5	87	65	25	6	5	6	5	1	3	1			1		210
Females .....	56	102	25	9	5	5	4		1	2					1	210
Total .....	61	189	90	34	11	10	10	5	2	5	1			1	1	420
Lincoln :																
Males .....	1	70	66	19	10	10	2	8	2	1	1					190
Females .....	31	103	33	7	6	7	1	1		1						190
Total .....	32	173	99	26	16	17	3	9	2	2	1					380
Middlesex :																
Males .....	4	213	210	72	45	17	13	15	3	4	1	1			1	599
Females .....	97	295	136	35	8	14	8	1	2	2					1	599
Total .....	101	508	346	107	53	31	21	16	5	6	1	1			2	1198

Muskoka and Parry Sound :		2	77	54	24	5	6	1	2	.....	1	.....	.....	.....	.....	172
Males .....		55	88	12	6	4	2	2	3	.....	.....	.....	.....	.....	.....	172
Females .....		57	105	66	30	9	8	3	5	.....	1	.....	.....	.....	.....	344
Total .....																
Norfolk :																
Males .....		8	95	71	22	10	3	5	3	3	1	.....	.....	.....	.....	222
Females .....		60	109	30	9	5	1	3	1	3	1	.....	.....	.....	.....	222
Total .....		68	204	101	31	15	4	8	4	6	1	.....	.....	.....	.....	444
Northumberland and Durham :																
Males .....		5	203	200	67	30	11	10	6	4	3	1	.....	1	.....	7
Females .....		92	263	122	28	9	6	13	3	1	2	.....	.....	.....	8	548
Total .....		97	466	322	95	39	17	23	9	5	5	1	.....	1	.....	1096
Ontario :																
Males .....		1	118	89	30	7	6	5	4	2	3	.....	.....	.....	.....	277
Females .....		53	135	42	19	8	2	3	3	.....	1	.....	.....	.....	.....	277
Total .....		54	253	131	49	15	8	8	7	2	4	1	.....	2	.....	554
Oxford :																
Males .....		2	133	125	42	14	11	5	4	6	.....	4	.....	.....	1	347
Females .....		72	181	56	22	6	4	1	3	1	.....	.....	.....	.....	.....	347
Total .....		74	314	181	64	20	15	6	7	7	.....	4	.....	.....	1	694
Peel :																
Males .....		.....	47	62	22	9	2	3	.....	1	.....	.....	.....	.....	.....	148
Females .....		22	82	33	4	5	.....	.....	.....	1	.....	.....	.....	.....	.....	148
Total .....		22	129	95	26	14	2	3	.....	2	.....	3	.....	.....	.....	296
Perth :																
Males .....		2	110	137	53	21	7	4	3	.....	1	.....	.....	.....	.....	338
Females .....		45	184	74	21	7	2	2	2	.....	.....	.....	.....	.....	1	338
Total .....		47	294	211	74	28	9	6	5	.....	1	.....	.....	.....	1	676
Peterborough :																
Males .....		1	80	90	36	26	11	4	2	2	1	.....	.....	.....	.....	254
Females .....		34	120	58	15	10	5	1	1	.....	.....	.....	.....	.....	.....	254
Total .....		35	210	148	51	36	16	5	3	2	1	.....	.....	.....	.....	508

TABLE D. MARRIAGES BY AGES, 1884—Concluded.

COUNTIES.	AGES.														Total.	
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	80 and over.		Ages not given.
Prescott and Russell :																
Males.....	4	117	69	23	4	5	2	2	.....	1	1	.....	.....	1	1	230
Females.....	69	122	22	8	2	3	1	1	1	.....	.....	.....	.....	.....	1	230
Total.....	73	239	91	31	6	8	3	3	1	1	1	.....	.....	1	2	460
Prince Edward :																
Males.....	4	72	45	21	9	6	1	1	1	2	.....	.....	.....	.....	.....	162
Females.....	37	73	32	11	5	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	162
Total.....	41	145	77	32	14	6	5	1	1	2	.....	.....	.....	.....	.....	324
Renfrew :																
Males.....	2	99	128	51	14	12	4	3	3	1	1	.....	.....	.....	3	321
Females.....	83	152	50	18	9	5	1	.....	.....	.....	1	.....	.....	.....	2	321
Total.....	85	251	178	69	23	17	5	3	3	1	2	.....	.....	.....	5	642
Simcoe :																
Males.....	3	198	192	81	30	7	12	7	3	2	2	1	.....	.....	.....	538
Females.....	126	265	101	22	11	5	4	3	1	.....	.....	.....	.....	.....	.....	538
Total.....	129	463	293	103	41	12	16	10	4	2	2	1	.....	.....	.....	1076
Stormont, Dundas and Glengarry :																
Males.....	6	172	146	49	21	23	7	5	3	2	.....	.....	.....	.....	4	438
Females.....	90	228	82	16	8	2	3	.....	.....	.....	.....	.....	.....	.....	9	438
Total.....	96	400	228	65	29	25	10	5	3	2	.....	.....	.....	.....	13	876
Victoria :																
Males.....	2	95	81	29	16	8	3	3	5	2	2	.....	.....	.....	.....	246
Females.....	49	127	40	14	8	5	1	1	.....	1	.....	.....	.....	.....	.....	246
Total.....	51	222	121	43	24	13	4	4	5	3	2	.....	.....	.....	.....	492







---

---

## DEATHS.

---

---

TABLE E.—

Distinguishing by Months, by Ages, by Sex and by Diseases, the Registered Number

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
CLASS I. ZYMOTIC DISEASES, <i>Zymotici</i> .													
ORDER I. MIASMATIC DISEASES, <i>Miasmatici</i> .													
Anthrax (Carbuncle).....M	1												1
“ “ “.....F		1											1
Total .....	1	1											2
Cholera Infantum .....		1	3	5	3	7	31	70	81	29	11	5	246
“ “ “.....F	1		1	4	4	3	27	57	60	16	3		176
Total .....	1	1	4	9	7	10	58	127	141	45	14	5	422
Cholera Morbus .....			1	1	2		1	6	3	5	2		21
“ “ “.....F		1		1	1		2	5	6	4		1	21
Total .....		1	1	2	3		3	11	9	9	2	1	42
Cynanche Trachealis (Membranous Croup) M	12	19	14	8	6	8	7	8	10	19	12	27	150
“ “ “.....F	15	14	14	18	2	2	6		6	12	10	12	111
Total .....	27	33	28	26	8	10	13	8	16	31	22	39	261
Diarrhœa Acuta (Acute Diarrhœa).....M	8	2	5	8	12	12	39	65	81	33	10	10	285
“ “ “.....F	6	1	5	7	9	11	26	46	67	28	6	6	218
Total .....	14	3	10	15	21	23	65	111	148	61	16	16	503
Diarrhœa Chronica (Chronic Diarrhœa).....M				2				3	4	2	1	2	14
“ “ “.....F			2	2		1	1	4	3			1	14
Total .....			2	4		1	1	7	7	2	1	3	28
Dysentery Acuta (Acute Dysentery) ....M	1	2	2	2	1	7	7	14	17	13	4	3	73
“ “ “.....F	1		3	1	2	2	4	8	12	6	7	3	49
Total .....	2	2	5	3	3	9	11	22	29	19	11	6	122
Diphtheria .....	31	17	28	25	12	12	19	17	29	41	43	49	323
“ “ “.....F	33	23	29	32	15	17	14	17	25	44	48	48	345
Total .....	64	40	57	57	27	29	33	34	54	85	91	97	668
Erysipelas .....	7	10	5	8	10	6	5	4	1	6	1	6	69
“ “ “.....F	8	2	10	10	4	2	3	5	4	2	1	2	53
Total .....	15	12	15	18	14	8	8	9	5	8	2	8	122

## DEATHS.

of Deaths from various specified Causes (arranged in Classes) during the year 1884.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Males.....										1			
Females.....								1					
Total.....								1		1			
Males.....	202	44											
Females.....	148	28											
Total.....	350	72											
Males.....	1	1	2			1	5	1	5	3	1		1
Females.....	1	2				1	3	2	3	3	3	2	1
Total.....	2	3	2			2	8	3	8	6	4	2	2
Males.....	53	73	19	4						1			
Females.....	32	60	15	3			1						
Total.....	85	133	34	7			1			1			
Males.....	190	56	4	2			2	4	2	4	12	6	1
Females.....	153	31	4			1	4	2	1	5	8	5	2
Total.....	343	87	8	2		1	6	6	3	9	20	11	3
Males.....	1					1		2	1	1	6	2	
Females.....	3	2					2		2	2	1	1	1
Total.....	4	2				1	2	2	3	3	7	3	1
Males.....	29	21	3			2	3	2	1	5	3	3	
Females.....	22	11				1	1		1	2	6		5
Total.....	51	32	3			3	4	2	2	7	9	3	6
Males.....	44	134	86	35	9	7		2				1	5
Females.....	23	120	114	54	21	8		3					2
Total.....	67	254	200	89	30	15		5				1	7
Males.....	16	2		2	1	2	3	7	6	7	11	10	2
Females.....	12	7			2	3	6	6	5	6	3	1	1
Total.....	28	9		2	3	5	9	13	11	13	14	11	3



TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Enterocolitis.....M										2		
“.....F												
Total .....										2		
Febris Biliosa (Bilious Fever).....M	3		3	1		1	3	1	3	1		16
“.....F	1	1	1		2		3	2	3		1	15
Total .....	4	1	4	1	2	1	6	3	6	1	1	31
Febris Cerebro-Spinalis (Spinal Fever).....M	4	9	8	3	4	6	5	6	4	8	4	7
“.....F	6	5	7	4	4	6	8	2	7	4	3	5
Total .....	10	14	15	7	8	12	13	8	11	12	7	12
Febris Congestiva (Congestive Fever).....M								1				1
“.....F						1	1					2
Total.....						1	1	1				4
Febris Intermittens (Intermittent Fever).....M	3	2	4	2	1		2	5	1	4	4	4
“.....F	1	1	2	1	2		2		3	2	2	1
Total .....	4	3	6	3	3		4	5	4	6	6	5
Febris Remittens (Remittent Fever).....M	1	2	4	2	1	1	1	3	1		1	1
“.....F	2		3	2	2		2	1	1	1	1	
Total .....	3	2	7	4	3	1	3	4	2	1	2	1
Febris Typhoides (Typhoid Fever).....M	31	10	17	13	14	12	14	23	34	46	28	28
“.....F	16	14	11	13	17	11	10	18	26	32	35	19
Total .....	47	24	28	26	31	23	24	41	60	78	63	47
Febris Typhus (Typhus Fever).....M			2						1			1
“.....F				1								1
Total .....			2	1					1			2
Influenza.....M	1	2	5	2	1		1		3	1		1
“.....F	3	1	4	2	1	2	2			1	3	1
Total .....	4	3	9	4	2	2	3		3	2	3	2
Morbilli (Measles).....M	3	4	4	9	9	2	3	2	1	2	1	1
“.....F	1	7	5	10	9	4		2			2	4
Total .....	4	11	9	19	18	6	3	4	1	2	1	5

## DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....	1	...	...	...	...	...	...	...	...	...	...	...	...	2
Females.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total.....	1	...	...	...	...	...	...	...	...	...	...	...	...	2
Males.....	1	1	2	1	1	...	1	4	1	...	3	...	...	16
Females.....	...	...	2	...	3	2	1	1	2	2	...	1	...	15
Total.....	1	1	4	1	4	2	2	5	3	2	3	1	...	31
Males.....	18	25	12	7	4	1	1	...	...	...	...	...	...	68
Females.....	15	23	10	2	3	5	...	1	...	1	...	...	...	61
Total.....	33	48	22	9	7	6	1	1	...	1	...	...	...	129
Males.....	...	1	...	...	1	...	...	...	...	...	...	...	...	2
Females.....	...	...	...	...	...	1	...	...	1	...	...	...	...	2
Total.....	...	1	...	...	1	1	...	...	1	...	...	...	...	4
Males.....	9	8	2	1	2	4	...	1	...	3	2	...	...	32
Females.....	3	3	5	...	1	1	1	1	1	1	...	...	...	17
Total.....	12	11	7	1	3	5	1	2	1	4	2	...	...	49
Males.....	3	6	3	1	1	1	1	...	...	...	1	...	...	18
Females.....	1	4	3	...	2	2	...	1	...	1	1	...	...	15
Total.....	4	10	6	1	3	3	1	1	...	1	2	...	...	33
Males.....	7	14	10	10	33	95	34	19	18	9	3	2	...	16
Females.....	8	12	17	18	34	52	30	11	11	11	2	3	...	13
Total.....	15	26	27	28	67	147	64	30	29	20	5	5	...	29
Males.....	...	...	...	...	2	2	...	...	...	...	...	...	...	4
Females.....	1	...	...	...	...	...	...	...	...	...	...	...	...	1
Total.....	1	...	...	...	2	2	...	...	...	...	...	...	...	5
Males.....	6	3	1	...	1	1	...	...	...	3	1	...	...	17
Females.....	7	3	1	...	3	1	1	1	...	1	1	...	...	20
Total.....	13	6	2	...	4	2	1	1	...	4	2	...	...	37
Males.....	10	21	5	2	2	1	...	...	...	...	...	...	...	41
Females.....	9	11	7	1	7	1	1	2	...	...	...	...	...	40
Total.....	19	32	12	3	9	2	1	2	...	...	...	...	...	81



## DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males .....		6												6
Females .....	1	1		1										3
Total .....	1	7		1										9
Males .....	53	21	4	1				1						80
Females .....	45	25	1	2							1			74
Total .....	98	46	5	3				1			1			154
Males .....	6	3	1	4	2	4	4	8	8	4	5	2		54
Females .....	2	2	1	2	1	14	14	4	2	3	4			54
Total .....	8	5	2	6	3	18	18	12	10	7	9	2		108
Males .....	25	83	41	13	10	10	2	1			1			186
Females .....	25	94	40	17	6	5	1							196
Total .....	50	177	81	30	16	15	3	1			1			382
Males .....		4	2			1			1					8
Females .....	1	1							3					5
Total .....	1	5	2			1			4					13
Males .....	5	5	4	1	4	8	4	4		1				38
Females .....	1	1	4	7		6	1	1		1		1		25
Total .....	6	6	8	8	4	14	5	5		2		1		63
Males .....		1			1	1		2						7
Females .....	7						1							8
Total .....	7	1			1	1	1	2						15
Males .....						1	5	1	9	6	1			25
Females .....						1	2	5		1				9
Total .....						2	7	6	9	7	1			34



TABLE E.—

CAUSE OF DEATH.	MONTHS.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Bronchocele .....	M													
“ .....	F											1	1	
Total .....												1	1	
Purpura .....	M		1			1		1			1		5	
“ .....	F	1	1					1				1	4	
Total .....	1		2			1		2			1	2	9	
Rachitis (Rickets) .....	M													
“ .....	F			1				1					2	
Total .....				1				1					2	
Scurvy .....	M	1		1	1	1			1		2		7	
“ .....	F			1							1		2	
Total .....	1			2	1	1			1		3		9	
ORDER 4. PARASITIC DISEASES. <i>Parasitici</i> .														
Aphthæ (Thrush) .....	M		1		4	1	2		1	6	5	2	22	
“ .....	F	1		1				1		3	4	4	14	
Total .....	1	1	1	4	1	2	1	1	9	9	6		36	
Tænia Solium (Tape Worm) .....	M													
“ .....	F													
Total .....														
Vermes (Worms) .....	M			2	1	1	1	1	1	1			9	
“ .....	F	2	1		1	1		2	1	1		2	11	
Total .....	2	1	2	2	2	1	3	2	2	1	2		20	
Total Zymotic Diseases .....	M	145	109	151	145	124	104	158	256	300	242	179	186	2099
“ .....	F	129	100	139	157	109	82	135	201	248	182	164	143	1789
Total .....		274	209	290	302	233	186	293	457	548	424	343	329	3888

## DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males .....															
Females.....							1								1
Total .....							1								1
Males .....															
Females.....	3 2	1 1								1		1			5 4
Total .....	5	2								1	1				9
Males .....															
Females.....		2													2
Total .....		2													2
Males .....															
Females.....	4 1		1			1		1		1					7 2
Total .....	5		1			1	1			1					9
Males .....															
Females.....															
Total .....															
Males .....															
Females.....	21 12		2											1	22 14
Total .....	33	2												1	36
Males .....															
Females.....															
Total .....															
Males .....															
Females.....															
Total .....															
Males .....															
Females.....	3 3	4 13	1 3							1					9 20
Total .....	3	13	3							1					
Males .....															
Females.....	711 535	538 455	203 226	84 107	74 83	144 105	65 72	59 42	53 32	50 40	50 31	26 14	1 3	41 44	2099 1789
Total .....	1246	993	429	191	157	249	137	101	85	90	81	40	4	85	3888

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS II. CONSTITUTIONAL DISEASES, <i>Cachectici</i> .													
ORDER 1. DIATHETIC DISEASES. <i>Diathetici</i> .													
Anæmia.....M	69	62	95	72	57	44	82	100	102	81	62	50	876
“.....F	58	58	79	70	49	49	90	85	92	70	59	62	821
Total.....	127	120	174	142	106	93	172	185	194	151	121	112	1697
Anasarca (General Dropsy).....M	13	21	10	23	7	9	19	11	18	18	9	15	173
“.....F	20	24	18	28	10	7	24	22	22	12	22	19	228
Total.....	33	45	28	51	17	16	43	33	40	30	31	34	401
Asthma (Spasmodic Asthma).....M	4	6	5	2	5	4	4	1	5	3	4	5	48
“.....F	3	6	3	1	4	1	2	4	1	....	4	2	31
Total.....	7	12	8	3	9	5	6	5	6	3	8	7	79
Carcinoma (Cancer).....M	13	17	22	17	13	18	6	11	23	14	16	17	187
“.....F	26	29	23	17	21	19	14	14	21	11	21	19	235
Total.....	39	46	45	34	34	37	20	25	44	25	37	36	422
Leucocythæmia.....M													
“.....F					1	1					1		3
Total.....					1	1					1		3
Mortification.....M	3	2	5	1	2	2	1	1	1	....	2	....	20
“.....F	2	....	....	1	....	1	1	....	1	....	1	1	8
Total.....	5	2	5	2	2	3	2	1	2	....	3	1	28
Noma (Canker).....M									1		1		2
“.....F				1		2						1	4
Total.....				1		2			1		1	1	6
Rheumatic Gout.....M			1	1						1			3
“.....F													
Total.....			1	1						1			3
Rheumatism.....M	4	8	5	6	7	4	5	10	4	2	4	13	72
“.....F	9	15	4	8	5	2	4	8	2	8	2	5	72
Total.....	13	23	9	14	12	6	9	18	6	10	6	18	144

## DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males.....	701	81	11	5	3	10	5	10	13	27	3	.....	.....	7	876
Females.....	597	94	5	5	8	16	21	13	25	33	.....	.....	.....	4	821
Total.....	1298	175	16	10	11	26	26	23	38	60	3	.....	.....	11	1697
Males.....	7	2	4	2	3	6	11	14	15	35	69	.....	.....	5	173
Females.....	5	8	5	5	9	12	15	29	30	48	62	.....	.....	.....	228
Total.....	12	10	9	7	12	18	26	43	45	83	131	.....	.....	5	401
Males.....	1	2	1	.....	.....	.....	2	4	7	13	15	2	.....	1	48
Females.....	.....	1	1	1	.....	.....	2	2	3	8	5	6	.....	2	31
Total.....	1	3	2	1	.....	.....	4	6	10	21	20	8	.....	3	79
Males.....	.....	.....	.....	.....	.....	3	3	13	48	50	48	16	.....	6	187
Females.....	.....	1	.....	3	2	8	15	43	59	49	40	7	.....	8	235
Total.....	.....	1	.....	3	2	11	18	56	107	99	88	23	.....	14	422
Males.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	3
Total.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	3
Males.....	.....	1	.....	.....	.....	1	.....	1	1	4	5	4	.....	3	20
Females.....	.....	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	1	8
Total.....	.....	1	.....	.....	.....	1	1	2	3	6	6	4	.....	4	28
Males.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
Females.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	4
Total.....	3	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	6
Males.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	3
Females.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	3
Males.....	2	1	5	6	8	5	3	7	10	12	7	4	.....	2	72
Females.....	2	4	2	3	7	8	8	7	9	11	10	1	.....	.....	72
Total.....	4	5	7	9	15	13	11	14	19	23	17	5	.....	2	144



TABLE E.—

CAUSE OF DEATH.	MONTHS.													Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
ORDER 2. TUBERCULAR DISEASES. <i>Phthisici.</i>														
Hydrocephalus .....	M	6	4	6	12	6	10	10	19	11	10	7	11	112
“ .....	F	4	4	7	7	10	11	13	11	12	10	10	3	102
Total .....		10	8	13	19	16	21	23	30	23	20	17	14	214
Tubercular Meningitis .....	M	.....	1	4	5	12	3	3	4	1	4	.....	4	41
“ .....	F	4	3	4	6	4	5	5	3	5	4	4	1	48
Total .....		4	4	8	11	16	8	8	7	6	8	4	5	89
Morbus Coxarius (Hip Disease) .....	M	.....	.....	1	1	1	.....	1	2	.....	1	.....	.....	7
“ .....	F	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	3
Total .....		.....	1	1	1	1	.....	3	2	.....	1	.....	.....	10
Phthisis Pulmonalis (Consumption) .....	M	91	94	88	113	87	83	69	76	56	70	79	80	986
“ .....	F	137	107	106	153	110	103	115	89	100	111	111	119	1361
Total .....		228	201	194	266	197	186	184	165	156	181	190	199	2347
Scrofula .....	M	.....	1	.....	3	1	3	2	7	.....	2	1	3	23
“ .....	F	.....	1	1	.....	4	4	6	3	.....	1	2	1	23
Total .....		.....	2	1	3	5	7	8	10	.....	3	3	4	46
Tabes Mesenterica .....	M	.....	.....	.....	.....	1	.....	4	3	.....	.....	.....	1	9
“ .....	F	1	2	2	2	2	.....	1	2	3	.....	.....	.....	15
Total .....		1	2	2	2	3	.....	5	5	3	.....	.....	1	24
Total Constitutional Diseases .....	M	203	216	242	256	199	180	206	245	222	206	185	199	2559
“ .....	F	264	250	247	294	220	205	277	241	259	227	237	233	2954
Total .....		467	466	489	550	419	385	483	486	481	433	422	432	5513
CLASS III. LOCAL DISEASES.														
<i>Monorganici.</i>														
ORDER I. DISEASES OF THE NERVOUS SYSTEM. <i>Cephalici.</i>														
Apoplexia (Apoplexy) .....	M	23	14	21	26	14	19	18	15	11	12	13	18	204
“ .....	F	16	13	17	11	14	17	16	10	11	12	13	12	162
Total .....		39	27	38	37	28	36	34	25	22	24	26	30	366
Atropia Musculorum Ingravicens .....	M	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	3
“ .....	F	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	2
Total .....		.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	2	5

DEATHS—Continued.

SEX.	AGES.													
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
														Total.
Males .....	79	24	6	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1
Females .....	81	15	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Total .....	160	39	10	2	.....	.....	.....	.....	.....	2	.....	.....	.....	1
Males .....	18	6	3	1	.....	5	3	3	.....	.....	.....	.....	.....	2
Females .....	10	11	2	5	3	7	3	3	.....	1	.....	.....	.....	3
Total .....	28	17	5	6	3	12	6	6	.....	1	.....	.....	.....	5
Males .....	.....	1	1	1	1	1	.....	1	1	.....	.....	.....	.....	7
Females .....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	3
Total .....	.....	1	2	1	1	1	.....	1	2	.....	1	.....	.....	10
Males .....	35	17	11	14	70	313	175	115	94	73	25	6	.....	38
Females .....	31	35	8	35	160	467	280	146	80	44	24	1	.....	50
Total .....	66	52	19	49	230	780	455	261	174	117	49	7	.....	88
Males .....	8	8	1	.....	.....	4	.....	1	.....	.....	1	.....	.....	23
Females .....	11	8	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1
Total .....	19	16	2	.....	.....	4	1	1	1	.....	1	.....	.....	1
Males .....	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
Females .....	6	4	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	1
Total .....	14	5	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	1
Males .....	860	144	43	30	85	348	202	169	190	216	174	33	.....	65
Females .....	745	181	30	58	190	520	349	246	210	197	143	15	.....	70
Total .....	1605	325	73	88	275	868	551	415	400	413	317	48	.....	135
Males .....	7	1	3	.....	2	10	13	25	28	48	41	14	3	9
Females .....	4	1	.....	.....	3	9	7	23	24	29	45	10	2	5
Total .....	11	2	3	.....	5	19	20	48	52	77	86	24	5	14
Males .....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1
Females .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
Total .....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	2

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Chorea (St. Vitus' Dance).....M				2							1		3
.....F	1			1	2	1		1					6
Total .....	1			3	2	1		1			1		9
Convulsions .....	23	26	30	29	21	29	27	27	38	21	11	28	309
.....F	22	18	20	17	16	21	21	19	22	17	7	18	218
Total .....	44	44	50	46	37	50	48	46	60	38	18	46	527
Encephalitis(Inflammation of the Brain) ..M	12	7	16	13	14	6	12	16	21	14	11	10	152
.....F	14	13	9	10	11	10	12	19	18	14	12	7	149
Total .....	26	20	25	23	25	16	24	35	39	28	23	17	301
Epilepsy .....	5	2	3	3	3	5	4	2	2	6	5	5	45
.....F	3	2	5	5	4	3	3	4	3	4	3	6	45
Total .....	8	4	8	8	7	8	7	6	5	10	8	11	90
Hemiplegia .....		1	1	1			1						4
.....F	1	2	1					1	1				6
Total .....	1	3	2	1			1	1	1				10
Insanity .....	4	1	4	2	1	2	1	2	2	2	1	3	25
.....F	1	1	1	5	1			1		2	1	1	14
Total .....	5	2	5	7	2	2	1	3	2	4	2	4	39
Insolatio (Sunstroke).....M						1	1	3					5
.....F							1		1				2
Total .....						1	2	3	1				7
Meningitis .....	8	13	9	11	12	5	6	7	15	14	14	16	130
.....F	6	5	14	10	10	8	11	13	13	7	5	3	105
Total .....	14	18	23	21	22	13	17	20	28	21	19	19	235
Myelitis (Inflammation of Spinal Cord) ..M		2	4	1		1	4		2	1	2	2	19
.....F		2	4		1	2	3	1	3	1	4	3	24
Total .....		4	8	1	1	3	7	1	5	2	6	5	43
Necrencephalus (Softening of Brain) ....M	3	3	2	4	4	1	5	5	4	1	6	2	40
.....F	2	2	3	2	6	2	2	2	1	1			23
Total .....	5	5	5	6	10	3	7	7	5	2	6	2	63

DEATHS—Continued.

SEX.	AGES.													
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males.....			1						1	1				3
Females.....		2		2				1						1
Total.....		2	1	2				1	1	1				1
Males.....	223	75	6			1	2			1				1
Females.....	146	50	8		2	7	2	1						2
Total.....	369	125	14		2	8	4	1		1				3
Males.....	65	35	8	6	4	6	5	4	10	3	4			2
Females.....	46	46	14	6	7	8	8	5	1	6				2
Total.....	111	81	22	12	11	14	13	9	11	9	4			4
Males.....			3	1	2	7	9	6	5	4	6	1		1
Females.....		1	2	4	6	10	8	7	2		4			1
Total.....		1	5	5	8	17	17	13	7	4	10	1		2
Males.....									1	1			1	1
Females.....						1	1		2		2			
Total.....						1	1		3	1	2	1		1
Males.....						3	2	5	7	5	1			2
Females.....						1	4	4	2	1	1			1
Total.....						4	6	9	9	6	2			3
Males.....						1	1	1	1					1
Females.....		1		1										
Total.....		1		1		1	1	1	1					1
Males.....	35	30	11	3	7	11	10	6	4	2	5			6
Females.....	21	22	11	5	9	10	4	9	7	3	2	2		130
Total.....	56	52	22	8	16	21	14	15	11	5	7	2		6
Males.....	2	2		2	2		2	2	2	2	1	1		1
Females.....	2		2	4	2		5	4	1	3	1			24
Total.....	4	2	2	6	4		7	6	3	5	2	1		1
Males.....	1	1				2		4	2	10	15	2		3
Females.....	1	2			1		2		3	9	3	1	1	23
Total.....	2	3			1	2	2	4	5	19	18	3	1	3



TABLE E.—

CAUSE OF DEATH.		MONTHS.												Total.
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Paralysis .....	M	27	17	32	23	20	22	23	26	27	31	21	30	299
“ .....	F	26	24	21	18	13	14	18	21	12	32	18	19	236
Total .....		53	41	53	41	33	36	41	47	39	63	39	49	535
Paraplegia (Palsy of Lower Extremities) ..	M									1			1	2
“ .....	F											1		1
Total .....										1		1	1	3
Tetanus (Lockjaw) .....	M	1	1	1		1	1	1		2	2	2		12
“ .....	F				1		1							2
Total .....		1	1	1	1	1	2	1		2	2	2		14
Neuralgia .....	M	1		2				1	1	1			1	7
“ .....	F					1	1						1	3
Total .....		1		2		1	1	1	1	1			2	10
ORDER 2. DISEASES OF THE CIRCULATORY SYSTEM— <i>Cardiac</i> .														
Aneurism .....	M					1	1						1	3
“ .....	F									1				1
Total .....						1	1			1			1	4
Angina Pectoris .....	M	1		1	1		1		1		1			6
“ .....	F					1		1						2
Total .....		1		1	1	1	1	1	1		1			8
Atrophica Cordis .....	M		1									1	1	3
“ .....	F		1			2			1			1		5
Total .....			2			2			1			2	1	8
Carditis (Inflammation of Heart) .....	M			2	2			1						5
“ .....	F	1	1	2								2		6
Total .....		1	1	4	2			1				2		11
Degeneratio Cordis— (Fatty Degeneration of Heart) .....	M		1				2							3
“ .....	F	1					1							2
Total .....		1	1				3							5

## DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males .....	4	3	1	2	3	3	14	20	28	72	90	51	6	2	299
Females .....	2	4	1	3	1	6	8	15	24	52	69	43	2	6	236
Total .....	6	7	2	5	4	9	22	35	52	124	159	94	8	8	535
Males .....							1	1							2
Females .....								1							1
Total .....							1	2							3
Males .....			1	1	3	4		1		1	1				12
Females .....		1						1							2
Total .....		1	1	1	3	4		2		1	1				14
Males .....							1		2	2	2				7
Females .....							1	1	1						3
Total .....							2	1	3	2	2				10
Males .....									2		1				3
Females .....									1						1
Total .....									3		1				4
Males .....							2	1		1	1		1		6
Females .....			1							1					2
Total .....			1				2	1		2	1		1		8
Males .....								1			2				3
Females .....				1		1		1			1	1			5
Total .....				1		1		2			3	1			8
Males .....	1				1	2			1						5
Females .....				1	1	1				1	2				6
Total .....	1			1	2	3			1	1	2				11
Males .....							1			1		1			3
Females .....								1							2
Total .....							1	1		1		1			5

TABLE E.—

CAUSE OF DEATH.	MONTHS.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Endocarditis .....	M				1	1		1					3	
“ .....	F	1		2									3	
Total .....		1		2	1	1		1					6	
Hydrops Pericardii (Dropsy of Heart) .....	M	5	1	3		1		1	3	1	5	1	21	
“ .....	F	3	1	3	2	3	1		1	2	1	2	21	
Total .....		8	2	6	2	4	1	1	5	2	7	3	42	
Hypertrophia Cordis (Enlarge't of Heart) .....	M					1		2		1	1		5	
“ .....	F			1			1	1	2	2	1	2	10	
Total .....				1		1	1	3	2	3	2	2	15	
Valvular Disease of Heart .....	M	43	45	44	49	37	38	35	30	31	38	42	54	486
“ .....	F	38	43	58	36	41	37	19	32	31	39	36	33	443
Total .....		81	88	102	85	78	75	54	62	62	77	78	87	929
Pericarditis .....	M			1		1	1			1			5	
“ .....	F	1		4			1						6	
Total .....		1		5		1	2	1		1			11	
Phlebitis .....	M													
“ .....	F	2									1		3	
Total .....		2									1		3	
Syncope .....	M				2	1	1		1	2	1	1	9	
“ .....	F			3	2		2						7	
Total .....				3	2	2	3	1	1	2	1	1	16	
ORDER 3. DISEASES OF THE RESPIRATORY SYSTEM— <i>Pneumonic.</i>														
Apoplexia Pulmonalis (Congest'n of Lungs) .....	M	20	21	35	27	19	14	7	6	7	9	12	18	195
“ .....	F	21	24	24	25	16	15	13	12	4	6	11	16	187
Total .....		41	45	59	52	35	29	20	18	11	15	23	34	382
Bronchitis .....	M	17	15	23	35	28	12	13	10	10	15	15	21	214
“ .....	F	15	20	21	24	18	26	17	13	14	9	15	20	212
Total .....		32	35	44	59	46	38	30	23	24	24	30	41	426

## DEATHS—Continued.

SEX.	SEX.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males.....						3									3
Females.....						1		1		1					3
Total.....						4		1		1					6
Males.....			1		1	1		2	1	8	3	1	1	2	21
Females.....			1		1	1	3	2	2	7	3	1			21
Total.....			2		2	2	3	4	3	15	6	2	1	2	42
Males.....									1	2	1			1	5
Females.....			1			1	1	1	2	2	2				10
Total.....			1			1	1	1	3	4	3			1	15
Males.....	22	3	8	7	10	26	33	44	68	114	111	25		15	486
Females.....	13	11	8	9	11	45	42	43	70	87	72	16		16	443
Total.....	35	14	16	16	21	71	75	87	138	201	183	41		31	929
Males.....			1			1	1	1		1					5
Females.....				1		2	3								6
Total.....			1	1		3	4	1		1					11
Males.....															
Females.....							2	1							3
Total.....							2	1							3
Males.....								1	2	1	3	1		1	9
Females.....					2	1			2	2					7
Total.....					2	1		1	4	3	3	1		1	16
Males.....															
Females.....															
Total.....															
Males.....	62	27	6	3	5	14	3	13	6	20	20	12		4	195
Females.....	38	36	4	4	5	16	14	13	11	17	18	6		5	187
Total.....	100	63	10	7	10	30	17	26	17	37	38	18		9	382
Males.....	93	36	4	3	2	4	5	6	8	15	17	11	2	8	214
Females.....	78	42	4	2	1	3	8	2	10	21	21	13		7	212
Total.....	171	78	8	5	3	7	13	8	18	36	38	24	2	15	426



TABLE E.—

		MONTHS.												
CAUSE OF DEATH.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Emphysema.....	M	1		1			1		1					4
".....	F	1	1											2
Total.....		2	1	1			1		1					6
Empyema.....	M		1											1
".....	F													
Total.....			1											1
Hydro-thorax (Dropsy of Chest).....	M	2				1								3
".....	F												1	1
Total.....		2				1							1	4
Laryngitis (Inflammation of Larynx).....	M	2	2	2			2	2		1	1	3	2	17
".....	F	1		1	2				1	2	2		2	11
Total.....		3	2	3	2		2	2	1	3	3	3	4	28
Pleuritis (Pleurisy).....	M	1	2	2	1	5		2	2	1	3		3	22
".....	F	1	3			3	1	1		2		2	3	16
Total.....		2	5	2	1	8	1	3	2	3	3	2	6	38
Pneumonia (Inflammation of Lungs).....	M	70	61	81	85	56	56	45	33	23	40	68	69	690
".....	F	69	60	85	79	42	31	31	24	29	33	40	42	565
Total.....		139	124	166	164	98	87	76	57	52	73	108	111	1255
ORDER 4. DISEASES OF THE DIGESTIVE ORGANS— <i>Enterici</i> .														
Ascites.....	M		1		1		2				1			5
".....	F	2				1								3
Total.....		2	1		1	1	2				1			8
Chololithus.....	M												1	1
".....	F													
Total.....													1	1
Cirrhosis of Liver.....	M	4	2	4	3	2	2	2	2	2	5	3	3	34
".....	F	2	1		2				1	1				7
Total.....		6	3	4	5	2	2	2	3	3	5	3	3	41

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males .....	1					1	1					1			4
Females .....					1					1					2
Total .....	1				1	1	1			1		1			6
Males .....						1									1
Females .....															
Total .....						1									1
Males .....							1	1				1			3
Females .....					1										1
Total .....					1		1	1			1				4
Males .....	2	2	3	1	1	2	1		2	1	1			1	17
Females .....	2	2	2		1	3						1			11
Total .....	4	4	5	1	2	5	1		2	1	1	1		1	28
Males .....	1			1	3	3	3	2	5	2	2				22
Females .....		1	1		1	2		2	1	3	3	1		1	16
Total .....	1	1	1	2	3	5	3	4	6	5	5	1		1	38
Males .....	181	77	26	10	15	55	51	63	58	59	58	15	2	20	690
Females .....	107	78	22	16	29	58	54	47	34	47	45	14		14	565
Total .....	288	155	48	26	44	113	105	110	92	106	103	29	2	34	1255
Males .....						1		1	1		2				5
Females .....										3					3
Total .....						1		1	1	3	2				8
Males .....									1						1
Females .....															
Total .....									1						1
Males .....				2		2	5	7	7	8	1			2	34
Females .....			1					3	1	1		1			7
Total .....			1	2		2	5	10	8	9	1	1		2	41

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Colic.....M							1	1				1	3
“.....F	1								1	1			3
Total .....	1						1	1	1	1		1	6
Dyspepsia.....M	4	3	3	3	3	8	2	4	2	4	3	5	44
“.....F	1	1	2	3	1	2	4	2	2	3	2	1	24
Total .....	5	4	5	6	4	10	6	6	4	7	5	6	68
Enteritis (Inflammation of the Bowels) ..M	18	25	22	21	22	20	20	25	31	27	19	20	270
“.....F	19	17	22	23	18	21	21	16	33	23	14	15	242
Total .....	37	42	44	44	40	41	41	41	64	50	33	35	512
Fistula.....M									1				1
“.....F													
Total .....									1				1
Gastritis (Inflammation of Stomach) .....M	6	8	7	3	3	3	7	9	4	10	9	1	70
“.....F	8	4	9	9	5	6	7	6	4	5	2	3	68
Total .....	14	12	16	12	8	9	14	15	8	15	11	4	138
Hæmatemesis.....M	3		3				1		2	2	1	1	13
“.....F	1	3	1	4			1	1	1	2	1	2	17
Total .....	4	3	4	4			2	1	3	4	2	3	30
Hæmorrhoids (Piles).....M		1		1					1		1		4
“.....F													
Total .....		1		1					1		1		4
Hepatitis (Inflammation of Liver) .....M	6	8	10	11	8	8	8	10	9	9	8	12	107
“.....F	7	8	10	5	3	10	10	10	5	9	15	6	98
Total .....	13	16	20	16	11	18	18	20	14	18	23	18	205
Hernia (Rupture).....M	1	3	3		1		2	2	4	1	3	1	21
“.....F	1	2	1	1			2		1	4	1	4	17
Total .....	2	5	4	1	1		4	2	5	5	4	5	38
Icterus (Jaundice).....M	5	3	3	1	4	3	2	3	7	1	1	4	37
“.....F	3	3	2	2	3	2	1	5	1	5	2	1	30
Total .....	8	6	5	3	7	5	3	8	8	6	3	5	67

## DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....	1						1				1			3
Females.....	1							1				1		3
Total .....	2						1	1			1	1		6
Males.....	1					1	1	5	6	10	17	1		44
Females.....						1	3		2	9	7	1		24
Total .....	1					2	4	5	8	19	24	2		68
Males.....	83	33	15	17	16	17	16	16	10	27	9			270
Females.....	55	32	13	9	16	27	17	18	12	25	9	4		242
Total .....	138	65	28	26	32	44	33	34	22	52	18	4		512
Males.....											1			1
Females.....														
Total .....											1			1
Males.....	11	4	2		1	7	3	8	10	17	4			70
Females.....	5	3	1	1	2	7	4	8	9	17	3	3		68
Total .....	16	7	3	1	3	14	7	16	19	34	7	3		138
Males.....	1					3	2	1	2	1	3			13
Females.....	3					4	1	3	2	2				17
Total .....	4					7	3	4	4	3	3			30
Males.....							1		1		2			4
Females.....														
Total .....							1		1		2			4
Males.....	6		2	1	1	4	6	15	13	36	15	2		107
Females.....	3	3	1	3		4	8	15	15	24	13	3		98
Total .....	9	3	3	4	1	8	14	30	28	60	28	5		205
Males.....	1		1		1			6	6	3	2	1		21
Females.....	1					2	3	2	3	1	3	1		17
Total .....	2		1		1	2	3	8	9	4	5	2		38
Males.....	12	2					1	2	4	7	8			37
Females.....	7	1				2	2	2	4	2	8	2		30
Total .....	19	3				2	3	4	8	9	16	2		67



TABLE E.—

MONTHS.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Ileus .....	M												
“ .....	F						1						1
Total .....							1						1
Intus-susceptio .....	M		1				1		1				3
“ .....	F	1			1		2			1	1		6
Total .....		1	1		1		3		1	1	1		9
Obstipatio (Constipation) .....	M	2	1	1	1	2				3	4	2	16
“ .....	F	3				1	2	1	1			1	9
Total .....		5	1	1	1	2	2	1	1	3	4	3	25
Peritonitis .....	M	2	8	3	5	9	5	8	9	7	5	7	73
“ .....	F	6	12	10	8	5	7	5	5	1	6	2	72
Total .....		8	20	13	13	14	12	13	14	8	11	9	145
Perforation of Intestine .....	M				1				1			1	3
“ .....	F						1					1	2
Total .....					1		1		1			2	5
Splenitis (Inflammation of Spleen) .....	M							1					1
“ .....	F	1		2					1				4
Total .....		1		2				1	1				5
Stomatitis (Inflammation of Mouth) .....	M						1					1	2
“ .....	F	1		1				1	1	1	1		6
Total .....		1		1			1	1	1	1	1	1	8
Stricture of Intestine .....	M			2									2
“ .....	F		1		1		1						4
Total .....			1	2	1	1	1						6
Ulceration of Intestine .....	M			1		2	1	1		1		1	7
“ .....	F	1				1		2		1		1	6
Total .....		1		1		3	1	1	2	1	1	1	13
Ulcer of Stomach .....	M		3	4	1		2		1	1		2	17
“ .....	F	1	3		5	3		2		1	2	3	20
Total .....		1	6	4	6	3	2	3	1	1	4	6	37

## DEATHS—Continued.

SEX.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Males.....															
Females.....											1				1
Total.....											1				1
Males.....	2							1							3
Females.....	1		1	1		2	1								6
Total.....	3		1	1		2	1	1							9
Males.....	1	1				2			2	2	5	3			16
Females.....							1	3	3	2					9
Total.....	1	1				2	1	3	5	4	5	3			25
Males.....	4	5	7	4	8	14	6	7	7	5	2			4	73
Females.....	5		4	4	11	15	11	10	2	2	2			6	72
Total.....	9	5	11	8	19	29	17	17	9	7	4			10	145
Males.....						1			1	1					3
Females.....		1				1									2
Total.....		1				2			1	1					5
Males.....					1										1
Females.....							1			2	1				4
Total.....					1		1			2	1				5
Males.....	1						1								2
Females.....	4	1				1									6
Total.....	5	1				1	1								8
Males.....					1					1					2
Females.....						1			1	1	1				4
Total.....					1	1			1	2	1				6
Males.....	1	1				1			3					1	7
Females.....	1					2	1			1	1				6
Total.....	2	1				3	1		3	1	1			1	13
Males.....						1	1	3	1	4	3	3		1	17
Females.....	1	2		1		2	4		3	2	5				20
Total.....	1	2		1		3	5	3	4	6	8	3		1	37

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
ORDER 5. DISEASES OF THE URINARY SYSTEM— <i>Nephritici</i> .													
Calculus (Stone).....M	1					1			1				3
.....F				1									1
Total .....	1			1		1			1				4
Cystitis (Inflammation of Bladder).....M	7	5	1	8	2	2	3	2	3	5	2	3	43
.....F		1		1				1	2				5
Total .....	7	6	1	9	2	2	3	3	5	5	2	3	48
Diabetes.....M	5	4	9	3	3	3	4	2	2	4	5	4	48
.....F	2	3	3		4	2		1	4	2		1	22
Total .....	7	7	12	3	7	5	4	3	6	6	5	5	70
Ischuria (Retention of Urine).....M			1	1	1		1		2		2		8
.....F					1								1
Total .....			1	1	2		1		2		2		9
Lithiasis (Gravel).....M		1	2	6	2	1	3		3	1	3	5	27
.....F				1									1
Total .....		1	2	7	2	1	3		3	1	3	5	28
Morbus prostaticus.....M	2	4		1	1	1		1			2	1	13
.....F					1								1
Total .....	2	4		1	2	1		1			2	1	14
Nephria (Bright's Disease).....M	5	6	10	5	5	9	9	8	3	5	2	5	72
.....F	4	5	2	2	5	4	7	5	6	3	4	2	49
Total .....	9	11	12	7	10	13	16	13	9	8	6	7	121
Nephritis (Inflammation of Kidneys).....M	9	7	7	7	13	11	8	6	11	5	9	18	111
.....F	5	4	6	4	7	9	4		3	7	3	6	58
Total .....	14	11	13	11	20	20	12	6	14	12	12	24	169
Stricture of Urethra.....M				1			1						2
.....F													
Total .....				1			1						2

## DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....						1			1	1					3
Females.....									1						1
Total.....						1			2	1					4
Males.....				1		1	1	1	4	10	11	9	3	2	43
Females.....						1	1	1	1					1	5
Total.....				1		2	2	2	5	10	11	9	3	3	48
Males.....			3	5	3	5	10	3	5	2	6	2		4	48
Females.....				1	2	5	3		5	5				1	22
Total.....			3	6	5	10	13	3	10	7	6	2		5	70
Males.....	1				1		1		1		2	2			8
Females.....		1													1
Total.....	1	1			1		1		1		2	2			9
Males.....									2	6	13	5	1		27
Females.....										1					1
Total.....									2	7	13	5	1		28
Males.....			1		1				1	4	6				13
Females.....							1								1
Total.....			1		1		1		1	4	6				14
Males.....		1	1	3	4	5	8	7	10	14	16	2		1	72
Females.....		2	1	3	1	6	7	8	1	7	6	4		3	49
Total.....		3	2	6	5	11	15	15	11	21	22	6		4	121
Males.....	6	3	3	3	2	8	11	8	11	19	25	8		4	111
Females.....	2	7	2	1	3	5	8	6	6	10	6	1		1	58
Total.....	8	10	5	4	5	13	19	14	17	29	31	9		5	169
Males.....									1	1					2
Females.....															
Total.....									1	1					2



TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
ORDER 6. DISEASES OF THE GENERATIVE ORGANS. <i>Genetici.</i>													
Hydrocele .....	M				1						1		2
Hydrops Ovarii (Ovarian Dropsy) .....	F			1									1
Metritis (Inflammation of Womb) .....	F	1			2	1	1		2	2			9
Morbus Uteri (Uterine Disease) .....	F				1			1	1			1	4
Tumor Ovarii (Ovarian Tumor) .....	F	3	2	1	3	2	6	3	2	2	3	6	33
Tumor Uteri (Uterine Tumor) .....	F	5	5	5	2	3	3	2	3	1	3	4	37
ORDER 7. DISEASES OF THE LOCOMOTIVE SYSTEM. <i>Myostici.</i>													
Arthritis (Inflammation of Joints) .....	M							1		1		1	3
“ “ “ .....	F								1		1		2
Total .....								1	1	1	1	1	5
Caries .....	M	2		2	1				1				6
“ “ “ .....	F				1								1
Total .....		2		2	2				1				7
Ostitis (Inflammation of Bones) .....	M										1		1
“ “ “ .....	F			1					1				2
Total .....				1					1		1		3
ORDER 8. DISEASES OF THE INTEGUMENTARY SYSTEM. <i>Chrotici.</i>													
Abscess .....	M	2	6	3	5	3	5	4	4	8	4	10	8
“ “ “ .....	F	2	5	5	7	2	5	5	5	2	4	2	4
Total .....		4	11	8	12	5	10	9	9	10	8	12	110
Phlegmon .....	M												
“ “ “ .....	F			1									1
Total .....				1									2
Total Local Diseases .....	M	350	342	419	405	331	310	302	281	311	309	335	394
“ “ “ .....	F	326	318	381	337	276	275	250	243	250	269	235	257
Total .....		676	660	800	742	607	585	552	524	561	578	570	651

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males .....	1						1								2
Females .....									1						1
Females .....						4	1	1	1			1		1	9
Females .....							1	2			1				4
Females .....					1	3	3	6	8	5	4			3	33
Females .....						9	5	6	8	6	2			1	37
Males .....				1	2										3
Females .....					1	1									2
Total .....				1	3	1									5
Males .....	1				1			1	2	1					6
Females .....							1								1
Total .....	1				1		1	1	2	1					7
Males .....														1	1
Females .....						1	1								2
Total .....						1	1							1	3
Males .....	5	1	1	1	2	11	5	7	10	13	4	2			62
Females .....	7		1		4	9	5	4	3	7	6			2	48
Total .....	12	1	2	1	6	20	10	11	13	20	10	2		2	110
Males .....															
Females .....	1						1								2
Total .....	1						1								2
Males .....	839	343	119	78	106	247	243	309	368	570	545	178	19	125	4089
Females .....	558	353	107	84	124	303	272	285	292	428	373	132	5	161	3417
Total .....	1397	696	226	162	230	550	515	594	660	998	918	310	24	286	7506

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS IV. DEVELOPMENTAL DISEASES. <i>Metamorphici.</i>													
ORDER 1. DEVELOPMENTAL DISEASES OF CHILDREN. <i>Paidici.</i>													
Annus Imperforatus .....	M	2	1						4		1		8
“ .....	F		2		2		1	1			1		7
Total .....		2	3		2		1	1	4		2		15
Atelectasis Pulmonum .....	M	6	4	1		4	4	6	9	11	1	4	50
“ .....	F		1	2	1	1	3	4	3	3	2	1	21
Total .....		6	5	2	2	5	7	10	12	14	3	5	71
Cyanosis .....	M	1	1	2	1	3	3	2		1		1	16
“ .....	F		2	1	2	1	1		1			1	9
Total .....		1	3	3	3	4	4	2	1	1		2	25
Dentitio (Teething) .....	M	2	3	8	1	4	3	2	6	15	13	4	66
“ .....	F	5	3	7	1	2	4	10	5	14	7	3	63
Total .....		7	6	15	2	6	7	12	11	29	20	7	129
Hæmorrhagia Umbilicalis .....	M	1		1		1							3
“ .....	F				1	1	1	1					4
Total .....		1		1	1	2	1	1					7
Preternatural Birth .....	M	1											1
“ .....	F				1			1					2
Total .....		1			1			1					3
Partus Emortuus (Still Birth) .....	M	23	24	29	20	20	22	19	17	20	22	17	258
“ .....	F	16	18	12	12	13	16	20	17	10	13	10	173
Total .....		39	42	41	32	33	38	39	34	30	35	27	431
Partus Intempestivus (Premature Birth) ..	M	16	9	28	12	15	13	11	30	8	13	14	186
“ .....	F	4	10	11	16	12	11	15	13	9	8	12	133
Total .....		20	19	39	28	27	24	26	43	17	21	26	319
Spina Bifida .....	M		3			1			1		1	1	8
“ .....	F		1	1	1	3	1	2	1	1		1	12
Total .....			4	1	1	4	1	2	2	1	1	2	20

## DEATHS—Continued.

[illegible]



TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
<b>ORDER 2. DEVELOPMENTAL DISEASES OF WOMEN.</b>												
Abortion, Miscarriage..... F	.....	.....	2	.....	2	1	1	.....	1	.....	.....	7
Climacteria (Turn of Life)..... F	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2
Eclampsia Parturi— (Convulsions in Child-birth). .... F	1	1	3	1	2	1	1	.....	1	.....	1	12
Febris Puerperalis (Puerperal Fever).... F	11	13	18	16	8	6	6	5	2	5	8	108
Hæmorrhagia post partum (Flooding) .... F	1	1	3	1	1	.....	.....	.....	1	.....	1	10
Mania puerperalis (Puerperal Mania)..... F	3	3	10	4	3	8	1	2	.....	1	1	41
Partus (Child-birth) ..... F	15	25	16	29	16	10	13	10	14	14	17	194
Phlegmasia dolens (Milk Leg)..... F	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	5
<b>ORDER 3. DEVELOPMENTAL DISEASES OF OLD PEOPLE. Geratici.</b>												
Senectus (Old Age)..... M	95	97	125	100	93	75	76	84	63	80	73	1068
..... F	95	99	97	103	70	74	77	59	70	82	84	997
Total.....	190	193	222	203	163	149	153	143	133	162	157	2065
Total Developmental Diseases..... M	147	141	194	135	136	119	115	146	119	141	111	1664
..... F	152	174	185	188	137	134	153	120	127	134	140	1800
Total.....	299	315	379	323	273	253	268	266	246	275	251	3464
<b>CLASS V. VIOLENCE TENDING TO SUDDEN DEATH. Thanatici.</b>												
<b>ORDER 1. ACCIDENT AND NEGLIGENCE.</b>												
Ambusta (Burns and Scalds) ..... M	19	4	4	4	2	1	1	1	2	1	1	44
..... F	5	.....	3	6	1	2	3	3	.....	.....	3	30
Total.....	24	4	7	10	3	3	4	4	2	1	4	74
Amputation..... M	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2
..... F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Total.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2

## DEATHS—Continued.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Females						4	1	2					
Females								2					
Females					3	4	3	1					1
Females					3	47	42	6					10
Females						4	2	1		1			2
Females					3	19	14	3					2
Females					4	103	62	18	1				6
Females						2	2	1					
Males											450	503	115
Females											431	445	121
Total											881	948	236
Males	561	33	2								450	503	115
Females	393	30		1	13	183	126	34	1	1	431	445	121
Total	954	63	2	1	13	183	126	34	1	1	881	948	236
Males	1	15			2	8	5	1	2	2	1		7
Females	2	12	5	1		2	1	1	3		2		1
Total	3	27	5	1	2	10	6	2	5	2	3		8
Males				1		1							
Females													
Total				1		1							

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Concussio .....	M	1	2				1	1	2		3	2	12
“ .....	F			1	1		2	1		2		1	8
Total .....		1	2	1	1		3	2	2	2	3	3	20
Contusion .....	M									1			1
“ .....	F												
Total .....										1			1
Explosion .....	M		1	2					1	5			9
“ .....	F		1										1
Total .....		1	1	2					1	5			10
Fracture .....	M	1	3	1	2	1		2	1	1	1		13
“ .....	F		3		1			1			1	2	8
Total .....		1	6	1	3	1		3	1	1	2	2	21
Gelatio (Freezing) .....	M	2	2									2	6
“ .....	F		1									1	3
Total .....		2	3	1								3	9
Ictus fulminis (Lightning) .....	M				1	2	2						5
“ .....	F							1					1
Total .....					1	2	2	1					6
Suffocation .....	M		1		1	2	2	3	2	1		3	15
“ .....	F	1			1		2		2		1	2	9
Total .....		1	1		2	2	4	3	4	1	1	5	24
Submersio (Drowning) .....	M		2	6	7	12	39	23	13	14	9	11	143
“ .....	F			2	3	4	3	3	4	2		1	23
Total .....			2	8	10	16	42	26	17	16	9	12	166
Venenatio (Poison) .....	M	1		1	2		1	2	3		1	2	13
“ .....	F		1	1		2	2	1	2	1			10
Total .....		1	1	2	2	3	3	5	1	1	2		23
Vulnera (Wounds) .....	M	17	18	24	11	20	20	13	12	28	16	21	225
“ .....	F	6	4	1	4	8	2	2	2	5	2	4	45
Total .....		23	22	25	15	28	22	15	14	33	18	25	270

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males .....		1				1	2		2	3	3				12
Females .....	1	1		1		1		1	2	1					8
Total .....	1	2		1		2	2	1	4	4	3				20
Males .....					1										1
Females .....															
Total .....					1										1
Males .....					1	4	2	1						1	9
Females .....			1												1
Total .....			1		1	4	2	1						1	10
Males .....				1	1	2	2		1		2	2		2	13
Females .....		1							1		2	3		1	8
Total .....		1		1	1	2	2		2		4	5		3	21
Males .....					1	2		1		1	1				6
Females .....	1					1		1							3
Total .....	1				1	3		2		1	1				9
Males .....					1	1		2	1						5
Females .....				1											1
Total .....				1	1	1		2	1						6
Males .....	6	3		1			1	2		1				1	15
Females .....	4	1	1				1	1		1					9
Total .....	10	4	1	1			2	3		2				1	24
Males .....	1	11	26	16	16	32	11	5	9	4	4	2		6	143
Females .....	1	8	2	2	2	2	2	1	1			1		1	23
Total .....	2	19	28	18	18	34	13	6	10	4	4	3		7	166
Males .....			2		1	1	1		4	2	2				13
Females .....	2	1		1		1	2	2						1	10
Total .....	2	1	2	1	1	2	3	2	4	2	2			1	23
Males .....	1	4	9	15	19	46	28	22	26	19	8	5	1	22	225
Females .....		2	4	2	4	4	7	1	7	3	4	6	1		45
Total .....	1	6	13	17	23	50	35	23	33	22	12	11	2	22	270



TABLE E.—

		MONTHS.												
CAUSE OF DEATH.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Killed by Cars	M	15	6	3	6	3	4	6	11	6	4	8	3	75
“ “	F	...	2	...	...	1	...	2	3	...	2	...	1	11
Total		15	8	3	6	4	4	8	14	6	6	8	4	86
ORDER 2. HOMICIDE.														
Murder and Manslaughter	M	...	1	1	...	1	...	...	...	1	...	1	1	6
“ “	F	...	...	...	2	...	...	...	1	...	...	...	...	3
Total		...	1	1	2	1	...	...	1	1	...	1	1	9
ORDER 3. SUICIDE—Autophonici.														
Submersio (Drowning)	M	...	...	...	...	...	...	1	...	1	...	...	...	2
“ “	F	...	...	...	...	...	1	...	...	...	...	1	...	2
Total		...	...	...	...	...	1	1	...	1	...	1	...	4
Suspendium (Hanging)	M	...	3	1	1	3	2	...	3	...	...	4	3	20
“ “	F	...	...	1	...	3	...	1	...	...	...	...	1	6
Total		...	3	2	1	6	2	1	3	...	...	4	4	26
Venenatio (Poison)	M	...	...	...	2	...	...	1	...	...	...	1	1	5
“ “	F	...	...	1	1	...	...	...	1	...	...	...	...	3
Total		...	...	1	3	...	...	1	1	...	...	1	1	8
Vulnera (Wounds)	M	1	1	2	1	...	1	1	2	2	1	...	1	13
“ “	F	...	1	...	...	1	...	...	...	...	...	...	...	2
Total		1	2	2	1	1	1	1	2	2	1	...	1	15
ORDER 4. EXECUTION.														
Suspendium (Hanging)	M	...	...	...	...	...	3	...	...	...	...	...	1	4
“ “	F	...	...	...	...	...	...	...	...	...	...	...	...	...
Total		...	...	...	...	...	3	...	...	...	...	...	1	4
Total Class V.—Violent Deaths	M	57	37	49	37	45	76	53	52	60	49	48	50	613
“ “	F	12	10	13	17	23	10	16	19	10	9	9	17	165
Total		69	47	62	54	68	86	69	71	70	58	57	67	778
Cause not specified	M	28	15	15	28	25	21	21	19	23	19	25	28	267
“ “	F	30	16	30	39	20	18	22	21	18	21	22	29	286
Total		58	31	45	67	45	39	43	40	41	40	47	57	553

DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....				3	10	20	13	5	5	7	4		8	75
Females.....		2				1	4	1		2			1	11
Total.....		2		3	10	21	17	6	5	9	4		9	86
Males.....						1	1	1	2		1			6
Females.....									1		2			3
Total.....						1	1	1	3		3			9
Males.....						1			1					2
Females.....							2							2
Total.....						1	2		1					4
Males.....					1	2	1	4	1	5	2	2	2	20
Females.....						1	3	1	1					6
Total.....					1	3	4	5	2	5	2	2	2	26
Males.....						2			2	1				5
Females.....						2			1					3
Total.....						4			3	1				8
Males.....					1	1	3	3	1	1	2		1	13
Females.....									1				1	2
Total.....					1	1	3	3	2	1	2		2	15
Males.....						1	2		1					4
Females.....														
Total.....						1	2		1					4
Males.....	9	34	37	37	55	126	72	47	58	46	30	11	1	613
Females.....	11	28	13	8	6	15	22	10	18	7	10	10	1	165
Total.....	20	62	50	45	61	141	94	57	76	53	40	21	2	778
Males.....	16	12	13	14	24	28	20	28	34	31	13		34	267
Females.....	4	6	13	13	22	56	34	38	29	31	1		39	286
Total.....	20	18	26	27	46	84	54	66	63	62	14		73	553

TABLE E.—DEATHS BY

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS I.													
Total Zymotic Diseases—Males.....	145	109	151	145	124	104	158	256	300	242	179	186	2099
Females .....	129	100	139	157	109	82	135	201	248	182	164	143	1789
Total.....	274	209	290	302	233	186	293	457	548	424	343	329	3888
CLASS II.													
Total Constitutional Diseases—Males....	203	216	242	256	199	180	206	245	222	206	185	199	2559
Females .....	264	250	247	294	220	205	277	241	259	227	237	233	2954
Total.....	467	466	489	550	419	385	483	486	481	433	422	432	5513
CLASS III.													
Total Local Diseases—Males.....	350	342	419	405	331	310	302	281	311	309	335	394	4089
Females .....	326	318	381	337	276	275	250	243	250	269	235	257	3417
Total.....	676	660	800	742	607	585	552	524	561	578	570	651	7506
CLASS IV.													
Total Developmental Diseases—Males...	147	141	194	135	136	119	115	146	119	141	111	160	1664
Females.....	152	174	185	188	137	134	153	120	127	134	140	156	1800
Total.....	299	315	379	323	273	253	268	266	246	275	251	316	3464
CLASS V.													
Total Violent Deaths—Males .....	57	37	49	37	45	76	53	52	60	49	48	50	613
Females .....	12	10	13	17	23	10	16	19	10	9	9	17	165
Total.....	69	47	62	54	68	86	69	71	70	58	57	67	778
Total Deaths from other Causes and Causes not specified—													
Males.....	28	15	15	28	25	21	21	19	23	19	25	28	267
Females .....	30	16	30	39	20	18	22	21	18	21	22	29	286
Total.....	58	31	45	67	45	39	43	40	41	40	47	57	553
Total—													
Males .....	930	860	1070	1006	860	810	855	999	1035	966	883	1017	11291
Females .....	913	868	995	1032	785	724	853	845	912	842	807	835	10411
Grand Total.....	1843	1728	2065	2038	1645	1534	1708	1844	1947	1808	1690	1852	21702

## CLASSES.—RECAPITULATION.

SEX.	AGES.													
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males .....	711	538	203	84	74	144	65	59	53	50	50	26	1	41
Females .....	585	455	226	107	83	105	72	42	32	40	31	14	3	44
Total .....	1246	993	429	191	157	249	137	101	85	90	81	40	4	85
Males .....	860	144	43	30	85	348	202	169	190	216	174	33	.....	65
Females .....	745	181	30	58	190	520	349	246	210	197	143	15	.....	70
Total .....	1605	325	73	88	275	868	551	415	400	413	317	48	.....	135
Males .....	839	343	119	78	106	247	243	309	368	570	545	178	19	125
Females .....	558	353	107	84	124	303	272	285	292	428	373	132	5	101
Total .....	1397	696	226	162	230	550	515	594	660	998	918	310	24	226
Males .....	561	33	2	.....	.....	.....	.....	.....	.....	.....	450	503	115	.....
Females .....	393	30	.....	1	13	183	126	34	1	1	431	445	121	21
Total .....	954	63	2	1	13	183	126	34	1	1	881	948	236	21
Males .....	9	34	37	37	55	126	72	47	58	46	30	11	1	50
Females .....	11	28	13	8	6	15	22	10	18	7	10	10	1	6
Total .....	20	62	50	45	61	141	94	57	76	53	40	21	2	56
Males .....	16	12	13	14	24	28	20	28	34	31	13	.....	.....	34
Females .....	4	6	13	13	22	56	34	38	29	31	1	.....	.....	39
Total .....	20	18	26	27	46	84	54	66	63	62	14	.....	.....	73
Males .....	2996	1104	417	243	344	893	602	612	703	913	1262	751	136	315
Females .....	2246	1053	389	271	438	1182	875	655	582	704	989	616	130	281
Grand Total .....	5242	2157	806	514	782	2075	1477	1267	1285	1617	2251	1367	266	596

H. S. CREWE,  
*Inspector.*



TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Algoma :									
Males .....	2			6		3		8	
Females .....	1			1		12		2	
Total .....	3			7		5		10	
Brant :									
Males .....	5		1	2	3	8	3	4	
Females .....	5	2	2	4		7	1	7	3
Total .....	10	2	3	6	3	15	4	11	3
Bruce :									
Males .....			5	2	1	3	2	4	1
Females .....	1	1	2	3	1	1	1	4	3
Total .....	1	1	7	5	2	4	3	8	4
Carleton :									
Males .....	16	1	7	40	2	8		11	8
Females .....	15	1	4	28	1	5	1	7	10
Total .....	31	2	11	68	3	13	1	18	18
Dufferin :									
Males .....		1			4	2		2	4
Females .....					1	2	1	1	8
Total .....		1			5	4	1	3	12
Elgin :									
Males .....	14	1	2	1		3	2	9	
Females .....	5		2	1		2	1	4	
Total .....	19	1	4	2		5	3	13	
Essex :									
Males .....	9		9	7	2	38	3	11	12
Females .....	8	1	4	13	2	33	2	11	8
Total .....	17	1	13	20	4	71	5	22	20
Frontenac :									
Males .....	2		9	9	5	6	1	6	
Females .....	1		8	1	2	8	2	3	2
Total .....	3		17	10	7	14	3	9	2
Grey :									
Males .....	2		2	6	1	10	4	3	5
Females .....			1	3	1	5	2	3	4
Total .....	2		3	9	2	15	6	6	9

CAUSES OF DEATHS, 1884.

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
1			1				1	5	27	16			2	
1	2		3					1	13	7		1	1	
2	2		4				1	6	40	23		1	3	
1				1				5	33	6	6		2	1
	1			1					33	15	4		6	1
1	1			2				5	66	21	10		8	2
1	1	2	3	2				2	29	31	7	1	3	3
3		1						2	23	14	9		3	5
4	1	3	3	2				4	52	45	16	1	6	8
2		1	5	4				4	109	85	8	3	6	2
4			2	3	1		1	4	87	98	8	5	12	3
6		1	7	7	1		1	8	196	183	16	8	18	5
1		1		1					16	14	2		2	1
								1	14	13	2		3	
1		1		1				1	30	27	4		5	1
3		5	1						41	8	8		5	
3		8	6	2					34	8	5		7	
6		13	7	2					75	16	13		12	
5	3			1			2	1	103	64	7	2	3	2
2	1		1	2			2	2	92	44	5	1	6	3
7	4		1	3			4	3	195	108	12	3	9	5
3								1	42	20	6		2	1
2		1						1	31	12	5	1	8	2
5		1						2	73	32	11	1	10	3
2		1	5	1	1			4	47	24	6	5	4	4
4	1		4	1				1	30	26	7	3	3	5
6	1	1	9	2	1			5	77	50	13	8	7	9

TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Erecephalitis (Inflammation of Brain).	Epilepsy.
Algoma :									
Males.....	1	13	1		33	1	2	4	
Females.....		9			18		1	1	3
Total.....	1	22	1		51	1	3	5	3
Brampton :									
Males.....	1	18		1	35	6	2	1	1
Females.....		17		2	45	5	3		
Total.....	1	35		3	80	11	5	1	1
Bruce :									
Males.....	2	27		1	75	4	8		1
Females.....	2	38			71	3	3	1	1
Total.....	4	65		1	146	7	11	1	2
Carleton :									
Males.....	41	53	9	2	209	6	12	12	1
Females.....	40	71	8		245	2	8	9	2
Total.....	81	124	17	2	454	8	20	21	3
Dufferin :									
Males.....		7		1	27		1		
Females.....		10		1	29	2	4	3	
Total.....		17		2	56	2	5	3	
Elgin :									
Males.....	1	21	1	1	45	3	7	2	1
Females.....		23			43	3	3	6	1
Total.....	1	44	1	1	88	6	10	8	2
Essex :									
Males.....	2	26	2	1	109	6	5	5	
Females.....	3	39			101	4	3	2	
Total.....	5	65	2	1	210	10	8	7	
Frontenac :									
Males.....	6	27	1	3	66	6	6	2	
Females.....	5	34			67	4	3	6	2
Total.....	11	61	1	3	133	10	9	8	3
Grey :									
Males.....	2	16		1	62	5	5	1	4
Females.....	4	30		1	79	3	5	3	1
Total.....	6	46		2	141	8	10	4	5

CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis. (Inflammation of Abdomen).
2	1	1	1	3	2	3			6		2		1	
			1	1	2						2	1	1	
2	1	1	2	4	4	3			6		4	1	2	
	2		6	7	2	3			28		8	2	1	1
			4	11	2	3			19	1	6	2	1	2
	2		10	18	4	6			47	1	14	4	2	3
	1	1	5	6	3	6			14	2	5	2	3	1
	2	1	11	11	2	2	1		21	1	5	3	4	1
	3	2	16	17	5	8	1		35	3	10	5	7	2
	1	3	13	22	12	9	1	1	26		19	1	2	1
2	3		13	21	16	9	2		20	2	21	4	2	
2	4	3	26	43	28	18	3	1	46	2	40	5	4	1
	1		3	2		1			6	1	3			
	1		1	3	1	1			3		1		3	
	2		4	5	1	2			9	1	4		3	
		2	8	7	4	2			16	1	2	3		
	1	2	7	9	5				13		7	1	3	
	1	4	15	16	9	2			29	1	9	4	3	
		1	7	8	5	6	1	1	11	1	7	2	2	1
	2	1	5	9	1	1			9		5		2	1
	2	2	12	17	6	7	1	1	20	1	12	2	4	2
8	5	1	15	19	5	7	1	1	14	1	8	2	3	1
	5		6	15	5	3	1		14	1	4	1		
8	10	1	21	34	10	10	2	1	28	2	12	3	3	1
1	6			12	4	7		1	11	5	4	1	5	3
			3	6	6	6		1	11	1	7	1		
1	6		3	18	10	13		2	22	6	11	2	5	3



TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitia (Teething).	Partus emortuus (Still Birth).
Algoma:									
Males .....			1			3	33	1	
Females .....						3	16	1	
Total .....			1			6	49	2	
Brant:									
Males .....	1	2	2	2		8	85	1	
Females .....		1	1	3	1	2	67	2	
Total .....	1	3	3	5	1	10	152	3	
Bruce:									
Males .....	3	3	1	1	1	6	77		4
Females .....					1	7	81	1	5
Total .....	3	3	1	1	2	13	158	1	9
Carleton:									
Males .....		1	1	5	2	23	174	22	19
Females .....	1			1	3	13	154	18	15
Total .....	1	1	1	6	5	36	328	40	34
Dufferin:									
Males .....		1	1	3		3	26		2
Females .....			1		1	1	26		1
Total .....		1	2	3	1	4	52		3
Elgin:									
Males .....	2		2	2		1	65		3
Females .....			2			5	68		1
Total .....	2		4	2		6	133		4
Essex:									
Males .....	1	2	2	3	1	10	88		7
Females .....	1		1	1		6	54	1	5
Total .....	2	2	3	4	1	16	142	1	12
Frontenac:									
Males .....	1	1			1	11	120		4
Females .....					2	8	80	4	1
Total .....	1	1			3	19	200	4	5
Grey:									
Males .....			2	3		15	95	1	4
Females .....			1	1	1	11	68	1	2
Total .....			3	4	1	26	163	2	6

CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total Number of Deaths.
Partus Interpestivus (Premature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
4		3		8	18	5				5	28	6	135
2	5	1		9								2	58
6	5	4		17	18	5				5	28	2	193
8		19	1	29	4	2	1	1		5	13	5	200
6	7	21	1	37						1	1	5	188
14	7	40	2	66	4	2	1	1		6	14	10	388
2		32		38	8	1		3		6	18	14	251
	11	29		46	2					1	3	1	225
2	11	61		84	10	1		3		7	21	15	476
8		63	8	120	6			1		11	18	15	649
13	13	39	11	109	2					4	6	20	621
21	13	102	19	229	8			1		15	24	35	1270
		15		17	1					1	2	7	95
	6	11		18						1	1	4	92
	6	26		35	1					2	3	11	187
1		15	1	20	1	2		1		3	7	3	181
	4	16		21		1		1			2	2	170
1	4	31	1	41	1	3		2		3	9	5	351
9		17		33	7	2	1		1	10	21	6	360
3	9	27	2	47	3			1		1	5	14	313
12	9	44	2	80	10	2	1	1	1	11	26	20	673
4		40	3	51	7	2		3		11	23	10	312
6	5	24		40	1	1		2		3	7	16	241
10	5	64	3	91	8	3		5		14	30	26	553
1		31	1	38	6	1			1	4	12	10	264
2	7	27		39		1	1	1		3	6	8	230
3	7	58	1	77	6	2	1	1	1	7	18	18	494

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.		CLASS I.—ZYMOTIC								
		Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Haldimand:										
Males.....				1	3	1	1		4	5
Females.....	2		2	1	1				3	4
Total .....	2		3	4	2	1			7	9
Halton:										
Males.....			2	2		4	1	2	1	
Females .....	1		1	2		3	2	3	3	
Total .....	1		3	4		7	3	5	4	
Hastings:										
Males.....	6		8	14		8	1	2	27	
Females .....	13		2	6		12	1	8	24	
Total .....	19		10	20		20	2	10	51	
Huron:										
Males.....	1		4	4		4	1	8	9	
Females .....	1	3	1	7	3	6	1	3	4	
Total .....	2	3	5	11	3	10	2	11	13	
Kent:										
Males.....	10	1	6	9	2	7	1	7	4	
Females.....	3	1	4	5	2	8		8	5	
Total .....	13	2	10	14	4	15	1	15	9	
Lambton:										
Males.....	6		4	7	7	3	2	7	5	
Females .....	8	1	3	10	1	5	4	5	6	
Total .....	14	1	7	17	8	8	6	12	11	
Lanark:										
Males.....			5	4	4	10		2		
Females .....	3		1	5	2	20	1	1		
Total .....	3		6	9	6	30	1	3		
Leeds and Grenville:										
Males.....	3		6	3		28		6	3	
Females .....	4	1	4	3	3	38		4	11	
Total .....	7	1	10	6	3	66		10	14	
Lennox and Addington:										
Males.....	2			2		3	1	1	13	
Females .....	1		2	1		6	2	2	7	
Total .....	3		2	3		9	3	3	20	

## CAUSES OF DEATHS, 1884—Continued.

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
2		2	5						24	9	4	1	4	1
1		1						1	16	7	5		3	1
3		3	5					1	40	16	9	1	7	2
2				2				2	18	4	1		4	2
2			2				1	1	21	10	5		2	
4			2	2			1	3	39	14	6		6	2
9	2	2	1	2	30		2	2	116	29	8	4	4	5
5	3	3		1	23				101	23	11		9	3
14	5	5	1	3	53		2	2	217	52	19	4	13	8
5	3	1	5	1				3	49	26	7	2	7	3
3	2	1	6	2				1	44	31	10		5	
8	5	2	11	3				4	93	57	17	2	12	3
1			4	3			1	2	58	23	4		6	4
4		3	3	2				1	49	12	5		4	4
5		3	7	5			1	3	107	35	9		10	8
5	1	6	6	1	1		1		62	15	2	2	4	3
5		4	7					3	62	13	4		5	2
10	1	10	13	1	1		1	3	124	28	6	2	9	5
	1	1		1					28	15			4	1
				1					34	11	2		5	
	1	1		2					62	26	2		9	1
2		3	1	1	1				56	20	3	2	4	
3	1	1	1	1					75	12	5	1	4	
5	1	4	2	2					131	32	8	3	8	
3					3		1		30	15	6	1	1	
1	1				1			2	26	11	2		3	2
4	2				4		1	2	56	26	8	1	4	2



TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phtisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Algoma :									
Males .....		10			29	2	2	4	1
Females .....		17			33		1	2	
Total .....		27			62	2	3	6	1
Brant :									
Males .....		6			17	2	4	1	
Females .....	2	13		1	33	2	3	1	1
Total .....	2	19		1	50	4	7	2	1
Bruce :									
Males .....	1	32		2	85	4	5	4	2
Females .....	2	51		2	101	1	6	6	
Total .....	3	83		4	186	5	11	10	2
Carleton :									
Males .....	1	23			69	5	7	5	1
Females .....	1	42		2	91	6	8	4	1
Total .....	2	65		2	160	11	15	9	2
Dufferin :									
Males .....		30		2	69	5	4	9	2
Females .....	1	38	1	2	67	1	3	7	1
Total .....	1	68	1	4	136	6	7	16	3
Elgin :									
Males .....	2	28		4	60	4	4	8	
Females .....	1	26		5	56	6	6	8	2
Total .....	3	54		9	116	10	10	16	2
Essex :									
Males .....	2	13			35	5		3	
Females .....	2	27			47	5	1	1	1
Total .....	4	40			82	10	1	4	1
Frontenac :									
Males .....	4	28		1	62	6	3	4	
Females .....	2	41	1	2	68	2	4	3	3
Total .....	6	69	1	3	130	8	7	7	3
Grey :									
Males .....	2	12			37	1			
Females .....		15	1		34	1	1		
Total .....	2	27	1		71	2	1		

CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Insanity.	Meningitis.	Neurocephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	.....	7	12	1	3	.....	.....	8	1	2	.....	.....	2
.....	1	.....	1	5	4	1	.....	.....	7	.....	3	.....	.....	.....
.....	2	.....	8	17	5	4	.....	.....	15	1	5	.....	.....	2
.....	1	.....	2	4	1	4	.....	.....	5	.....	2	1	3	3
.....	.....	1	3	8	.....	2	.....	.....	4	1	1	1	5	1
.....	1	1	5	12	1	6	.....	.....	9	1	3	2	8	4
.....	2	6	2	8	7	8	2	1	21	.....	1	6	.....	1
.....	1	.....	8	11	4	3	.....	1	16	1	9	3	1	.....
.....	2	7	2	16	18	12	5	1	37	1	10	9	1	1
.....	1	2	1	6	16	8	6	1	12	.....	9	5	2	2
.....	.....	6	8	14	5	6	.....	.....	14	.....	6	1	1	5
.....	1	8	1	14	30	13	12	1	26	.....	15	6	3	7
.....	1	1	2	7	11	7	5	.....	23	1	7	.....	2	3
.....	.....	1	9	11	16	3	1	1	10	2	8	1	.....	.....
.....	1	1	3	16	22	23	8	1	33	3	15	1	2	3
.....	.....	6	4	11	2	3	.....	.....	29	1	13	.....	1	.....
.....	3	.....	5	8	3	11	.....	2	24	1	8	.....	1	1
.....	9	.....	9	19	5	14	.....	2	53	2	21	.....	2	1
.....	1	3	2	10	.....	.....	.....	.....	9	.....	3	2	1	.....
.....	.....	2	5	12	1	2	.....	.....	7	2	3	1	3	1
.....	1	5	.....	8	22	1	2	.....	16	2	6	3	4	1
.....	.....	2	9	8	8	4	.....	1	20	.....	6	5	2	1
.....	1	2	4	12	9	3	.....	.....	13	.....	5	2	3	.....
.....	1	.....	4	13	20	7	.....	1	33	.....	11	7	5	1
.....	.....	1	8	2	4	2	.....	.....	4	1	3	.....	1	.....
.....	.....	.....	5	3	2	.....	.....	.....	5	2	1	1	.....	.....
.....	1	.....	13	5	6	2	.....	.....	9	3	4	1	1	.....

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Haldimand :									
Males.....	2			2	1	4	55	1	1
Females.....		2				1	28		
Total.....	2	2		2	1	5	83	1	1
Halton :									
Males.....	2	2		2		5	44		
Females.....			1	3		6	44	1	
Total.....	2	2	1	5		11	88	1	
Hastings :									
Males.....			2	6	3	9	100	3	5
Females.....			3	1		11	86	3	5
Total.....			5	7	3	20	186	6	10
Huron :									
Males.....	4	2	7	6	2	17	128	3	6
Females.....		1			3	18	107		2
Total.....	4	3	7	6	5	35	235	3	8
Kent :									
Males.....		1	5	3	3	5	107		3
Females.....	1		1	1	1	8	87		1
Total.....	1	1	6	4	4	13	194		4
Lambton :									
Males.....	1		3	1		7	98		3
Females.....		2			1	17	109		5
Total.....	1	2	3	1	1	24	207		8
Lanark :									
Males.....		1	2		1	4	48		2
Females.....						6	53		
Total.....		1	2		1	10	101		2
Leeds and Grenville :									
Males.....	2	2		4	1	6	94		1
Females.....		3	1	3		8	81	1	
Total.....	2	5	1	7	1	14	175	1	1
Lennox and Addington :									
Males.....		1	1	1		1	31	1	1
Females.....			1		1	3	26	1	
Total.....		1	2	1	1	4	57	2	1

CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total No. of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Valvula (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
1	6	8 16		10 23				1		2	3		121
1	6	24		33				1		4	5		102
													223
1		19		20	2	1				6	9	2	110
	7	19	1	28						3	3	2	131
1	7	38	1	48	2	1				9	12	4	241
2		31	2	43	17	3		1		13	34		378
1	11	27	2	49								6	343
3	11	58	4	92	17	3		1		13	34	6	721
3		36	1	49	7					8	15	7	317
	12	27		41						3	3	12	298
3	12	63	1	90	7					11	18	19	615
2		24	1	30	5	1		1		7	14	5	283
1	19	23		44	4					2	6	15	268
3	19	47	1	74	9	1		1		9	20	20	551
9		15	4	31	7	1		1		6	15	8	274
5	11	11	1	33	1					3	4	6	270
14	11	26	5	64	8	1		1		9	19	14	544
1		30		33	6	1				2	9	4	157
1	5	18		24						3	3	2	163
2	5	48		57	6	1				5	12	6	320
		36		37	3			1		2	6	6	261
	11	37	2	51						2	2	12	289
	11	73	2	88	3			1		4	8	18	550
1		12		15		1					1	1	115
	6	20		27		1				1	2	2	117
1	6	32		42		2				1	3	3	232



TABLE F.—DEATHS BY COUNTIES.

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Group).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Lincoln :									
Males.....	9		5	3	3	3	3	10	2
Females.....	6	1	6	2	2	3	2	3	
Total.....	15	1	11	5	5	6	5	13	2
Middlesex :									
Males.....	17		2	19	5	9	3	17	
Females.....	5		5	16	4	4	2	18	2
Total.....	22		7	35	9	13	5	35	2
Muskoka and Parry Sound :									
Males.....	2			3		5	3	4	1
Females.....	1		1	4	1				1
Total.....	3		1	7	1	5	3	4	2
Norfolk :									
Males.....	4		2	2			1	4	1
Females.....	4		1	2	1			8	
Total.....	8		3	4	1		1	12	1
Northumberland and Durham :									
Males.....	3	1	6	9	3	11	1	8	9
Females.....	5		3	13	1	9	5	6	5
Total.....	8	1	9	22	4	20	6	14	14
Ontario :									
Males.....	7		3	6		12	4	7	2
Females.....	4	1	1	2		9	1	6	3
Total.....	11	1	4	8		21	5	13	5
Oxford :									
Males.....	7		1	2		4	3	2	2
Females.....	4		4	5	1	4	1	3	1
Total.....	11		5	7	1	8	4	5	3
Peel :									
Males.....	8		1	1	2	5	2	3	
Females.....	2	1	2	2		6	1	5	3
Total.....	10	1	3	3	2	11	3	8	3
Perth :									
Males.....				6	2	1		8	2
Females.....	1		1	1	2	2	2	3	
Total.....	1		1	7	4	3	2	11	2

CAUSES OF DEATHS, 1884—*Continued.*

DISEASES.									CLASS II.— CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
1			1			1	1	1	43	19	4	1	3	2
1				2					28	13	5	1	4	6
2			1	2		1	1	1	71	32	9	2	7	2
6	1	10	9	7			1	5	111	41	11	2	15	6
2		7	3	5				3	76	32	12	2	11	3
8	1	17	12	12			1	8	187	73	23	4	26	9
2								2	22	11	4		3	1
2	1		3	2				1	17	14	2	1	3	
4	1		3	2				3	39	25	6	1	6	1
4		2	1					3	24	10	4	1	5	1
2		1	1	2				1	23	7	6		2	
6		3	2	2				4	47	17	10	1	7	1
2	1		1	3				2	60	12	6		5	3
4			1	1			1	2	56	19	9	1	8	3
6	1		2	4			1	4	116	31	15	1	13	6
7			2	2			1	1	54	15		2	1	2
2	1	1	3						34	15	8		6	2
9	1	1	5	2			1	1	88	30	8	2	7	4
9			5	2			1	2	40	14	3	2	5	
4		1	2	3				2	35	14	4		10	1
13		1	7	5			1	4	75	28	7	2	15	1
1			2				1		26	6	5		2	2
5	1		1	1				2	32	4	3		6	2
6	1		3	1			1	2	58	10	8		8	4
1			4		1		1		26	7	4	2	11	
			3					2	17	10	4		7	
1			7		1		1	2	43	17	8	2	18	

TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Lincoln :									
Males.....	1	21		1	52	6	7	4	1
Females.....	1	37	1	2	70	2	4	2	1
Total.....	2	58	1	3	122	8	11	6	2
Middlesex :									
Males.....	8	45	1	6	135	13	14	10	4
Females.....	3	62	2	2	129	6	12	11	2
Total.....	11	107	3	8	264	19	26	21	6
Muskoka and Parry Sound :									
Males.....		4	1		24	6	5	2	1
Females.....		9			29		7	1	
Total.....		13	1		53	6	12	3	1
Norfolk :									
Males.....	1	13		1	36	5	4	1	1
Females.....	1	19			35	4	3	5	2
Total.....	2	32		1	71	9	7	6	3
Northumberland and Durham :									
Males.....	4	36		1	67	8	10	7	3
Females.....	2	60	1	3	106	2	5	7	1
Total.....	6	96	1	4	173	10	15	14	4
Ontario :									
Males.....	3	31			54	1	7	5	1
Females.....	2	45			78	3	7	7	
Total.....	5	76			132	4	14	12	1
Oxford :									
Males.....		20	1	2	47	5	9	7	1
Females.....	1	27		5	62	2	5	4	
Total.....	1	47	1	7	109	7	14	11	1
Peel :									
Males.....	1	17			33	3	4	4	
Females.....		21			36		4	2	1
Total.....	1	38			69	3	8	6	1
Perth :									
Males.....	3	25		2	54	2	7	4	1
Females.....		24		3	48	5	4	2	
Total.....	3	49		5	102	7	11	6	1

CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of the Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	2	.....	5	11	6	.....	.....	.....	12	1	2	.....	3	1
.....	.....	.....	5	10	4	3	.....	.....	12	1	1	3	1	.....
.....	2	.....	10	21	10	3	.....	.....	24	2	3	3	4	1
1	3	3	12	31	19	12	2	.....	53	1	18	2	7	4
3	7	2	14	23	16	13	1	.....	45	2	21	3	9	3
4	10	5	26	54	35	25	3	.....	98	3	39	5	16	7
.....	.....	.....	.....	8	1	3	.....	1	8	1	4	1	.....	.....
.....	.....	.....	4	2	1	2	1	.....	10	.....	5	.....	.....	.....
.....	.....	.....	4	10	2	5	1	1	18	1	9	1	.....	.....
.....	2	1	2	5	5	5	.....	1	21	.....	9	1	3	1
.....	3	.....	6	4	3	6	.....	.....	9	.....	2	.....	1	.....
.....	5	1	8	9	8	11	.....	1	30	.....	11	1	4	1
1	1	3	18	16	7	9	1	.....	22	3	13	6	7	2
1	4	2	16	18	14	3	.....	.....	15	.....	10	2	5	3
2	5	5	34	34	21	12	1	.....	37	3	23	8	12	5
1	3	1	10	9	5	8	.....	1	19	3	12	2	1	3
.....	2	2	2	10	4	7	1	.....	11	.....	8	3	4	3
1	5	3	12	19	9	15	1	1	30	3	20	5	5	6
.....	3	.....	13	17	3	4	.....	.....	30	.....	11	4	7	2
.....	2	1	7	10	4	6	1	.....	19	.....	6	3	1	3
.....	5	1	20	27	7	10	1	.....	49	.....	17	7	8	5
.....	2	1	5	3	3	4	.....	1	10	.....	2	3	3	3
1	2	.....	2	7	2	5	.....	.....	3	.....	2	1	3	2
1	4	1	7	10	5	9	.....	1	13	.....	4	4	6	5
.....	3	1	1	12	2	2	.....	.....	13	4	5	3	2	2
1	2	.....	5	7	3	8	.....	1	12	.....	8	2	2	2
1	5	1	6	19	5	10	.....	1	25	4	13	5	4	4



TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still-Birth).
Lincoln :									
Males .....	2			1	1	10	75		8
Females .....			1	1		13	64		4
Total .....	2		1	2	1	23	139		12
Middlesex :									
Males .....		1	2	2	3	20	237	3	13
Females .....		1	3	1	3	16	217	6	5
Total .....		2	5	3	6	36	454	9	18
Muskoka and Parry Sound :									
Males .....	1	2			2	4	50	2	1
Females .....		1		2	2	1	39	2	3
Total .....	1	3		2	4	5	89	4	4
Norfolk :									
Males .....				1	1	3	72		1
Females .....			1	1		6	56		1
Total .....			1	2	1	9	128		2
Northumberland and Durham :									
Males .....	2	1	4	3	6	17	170	1	1
Females .....				2	3	14	127		1
Total .....	2	1	4	5	9	31	297	1	2
Ontario :									
Males .....	2	3		1		11	109		4
Females .....		1		1	3	4	83		4
Total .....	2	4		2	3	15	192		8
Oxford :									
Males .....			1	1	1	12	131	2	3
Females .....	1			2	1	13	91	1	4
Total .....	1		1	3	2	25	222	3	7
Peel :									
Males .....		1	2	2	2	2	60		3
Females .....			2	1		3	43		2
Total .....		1	4	3	2	5	103		5
Perth :									
Males .....		3	1	2	1	11	82		4
Females .....		1	2	3	1	10	81	1	2
Total .....		4	3	5	2	21	163	1	6

## CAUSES OF DEATHS, 1884—Continued.

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total No. of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
1		22	3	34	1	1		2		13	17	6	227
1	6	22	3	36		1		1		3	5	7	210
2	6	44	6	70	1	2		3		16	22	13	437
11		51	2	80	10	5	1	2		15	33	13	609
13	17	50	4	95	3					1	4	19	540
24	17	101	6	175	13	5	1	2		16	37	32	1149
4		10		17	5					9	14	3	130
1	4	6	1	17						1	1	2	105
5	4	16	1	34	5					10	15	5	235
		19	1	21	3	1				2	6	3	162
1	8	16	2	28						4	4	1	147
1	8	35	3	49	3	1				6	10	4	309
2		51	6	61	3	2	1	2		10	18	7	383
1	8	47		57	1					2	3	10	359
3	8	98	6	118	4	2	1	2		12	21	17	742
4		31	1	40	3	2	1	2		6	14	8	279
1	9	37	5	56	1					2	3	9	263
5	9	68	6	96	4	2	1	2		8	17	17	542
2		33	1	41	6	2				6	14	4	277
3	6	27	3	44	1	1		1		2	5	3	240
5	6	60	4	85	7	3		1		8	19	7	517
2		11		16	4	3		1		3	11	6	152
	2	22	1	27		1				2	3	8	149
2	2	33	1	43	4	4		1		5	14	14	301
4		24	2	34	4	2				2	8	5	209
1	9	35	1	49	1					4	5	7	207
5	9	59	3	83	5	2				6	13	12	416

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhea Acuta (Acute Diarrhea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Peterborough:									
Males .....	1	1	2	3	2	4	1	6	12
Females .....	2	1	2	4	.....	4	.....	4	13
Total .....	3	2	4	7	2	8	1	10	25
Prescott and Russell:									
Males .....	8	.....	9	3	4	10	.....	5	1
Females .....	6	.....	6	3	.....	8	.....	8	1
Total .....	14	.....	15	6	4	18	.....	13	2
Prince Edward:									
Males .....	1	.....	1	1	2	2	.....	2	16
Females .....	3	.....	2	3	.....	2	.....	1	12
Total .....	4	.....	3	4	2	4	.....	3	28
Renfrew:									
Males .....	5	2	4	5	.....	11	2	2	1
Females .....	1	.....	1	3	.....	10	.....	3	1
Total .....	6	2	5	8	.....	21	2	5	2
Simcoe:									
Males .....	3	1	6	18	3	10	1	18	8
Females .....	1	.....	2	6	3	18	2	8	11
Total .....	4	1	8	24	6	28	3	26	19
Stormont, Dundas and Glengarry:									
Males .....	3	1	3	6	1	11	.....	3	4
Females .....	2	.....	4	7	.....	6	2	3	3
Total .....	5	1	7	13	1	17	2	6	7
Victoria:									
Males .....	1	.....	1	5	1	12	.....	2	1
Females .....	2	1	1	2	4	18	1	2	3
Total .....	3	1	2	7	5	30	1	4	4
Waterloo:									
Males .....	14	1	3	4	2	4	1	7	4
Females .....	4	1	1	4	.....	1	.....	7	1
Total .....	18	2	4	8	2	5	1	14	5
Welland:									
Males .....	10	2	1	2	2	2	.....	6	4
Females .....	3	.....	.....	1	.....	7	1	1	4
Total .....	13	2	1	3	2	9	1	7	8

## CAUSES OF DEATHS, 1884—Continued.

DISEASES.										CLASS II.— CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.	
5		1					1	1	40	15	2	1	1	2	
6									36	9	2		3	1	
11		1					1	1	76	24	4	1	4	3	
5								1	46	51	4	2	1	3	
3									35	40	2		3	1	
8								1	81	91	6	2	4	4	
5		1		2			1		34	3	3	2	3		
1		1							25	3	3	1	5	2	
6		2		2			1		59	6	6	3	8	2	
1	2		1				1		37	20	2	1	1	1	
1	1	1							22	24	2		5	1	
2	3	1	1				1		59	44	4	1	6	2	
3			2	4			1		78	30	6	1	4	1	
4	1		1	3				2	62	24	8	1	7	1	
7	1		3	7			1	2	140	54	14	2	11	2	
5			1					3	41	26	1	2	5	2	
5		1	1	1				2	37	32	10		11	2	
10		1	2	1				5	78	58	11	2	16	4	
2				1		1	1	1	29	5	1		3		
2	1		2	1					40	10	7		1		
4	1		2	2		1	1	1	69	15	8		4		
2		1	2	1	1				47	12	2	2	2	3	
1			1	2					23	14	8	3	6	1	
3		1	3	3	1				70	26	10	5	8	4	
6			2					1	38	6	3			2	
5			4	1					27	5	1	2	4	3	
11			6	1				1	65	11	4	2	4	5	



TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Peterborough :									
Males .....	3	21			45	4	6	7	1
Females .....		16			31	4	3	2	1
Total .....	3	37			76	8	9	9	2
Prescott and Russell :									
Males .....		18	1	1	81	4	7	9	1
Females .....		23		1	70	1	5	4	
Total .....		41	1	2	151	5	12	13	1
Prince Edward :									
Males .....	1	18		1	31	1	3	1	
Females .....	2	18	2	1	37	4	3	2	
Total .....	3	36	2	2	68	5	6	3	
Renfrew :									
Males .....		13		1	39	3	3		
Females .....	2	17		1	52	2	2	3	
Total .....	2	30		2	91	5	5	3	
Sincoe :									
Males .....	1	31		3	77	2	22	2	1
Females .....	1	33		3	78	2	7	3	
Total .....	2	64		6	155	4	29	5	1
Stormont, Dundas and Glengarry :									
Males .....	2	41		2	81	5	3	7	3
Females .....	4	62	1	1	123		1	4	2
Total .....	6	103	1	3	204	5	4	11	5
Victoria :									
Males .....	1	17			27	4	2	2	1
Females .....	2	17		3	40	1	2	4	
Total .....	3	34		3	67	5	4	6	1
Waterloo :									
Males .....		20		2	43	3	12	1	1
Females .....	1	30		2	65	5	8	3	2
Total .....	1	50		4	108	8	20	4	3
Welland :									
Males .....	3	11	1		26	5	5	2	
Females .....		24	1		40	1	3		1
Total .....	3	35	2		66	6	8	2	1

CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Inanition.	Meningitis.	Neurocephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of the Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis. (Inflammation of Abdomen).
.....	1	1	6	12	3	2	.....	.....	16	1	7	.....	4	1
.....	2	.....	7	10	1	1	1	.....	9	.....	7	1	2	1
.....	3	1	13	22	4	3	1	.....	25	1	14	1	6	2
.....	1	.....	4	5	3	.....	.....	2	6	1	2	1	4	2
.....	1	.....	3	6	3	.....	.....	3	13	1	1	1	2	.....
.....	1	.....	7	11	6	.....	.....	5	19	2	3	2	6	2
.....	4	.....	2	10	5	3	1	1	2	3	5	.....	2	1
.....	1	.....	4	6	1	3	.....	.....	1	.....	1	1	.....	.....
.....	5	.....	6	16	6	6	1	1	3	3	6	1	2	1
.....	3	.....	5	4	1	3	1	.....	4	2	7	1	.....	.....
.....	1	.....	2	8	.....	4	.....	1	2	1	1	.....	.....	.....
.....	4	.....	7	12	1	7	1	1	6	3	8	1	.....	.....
.....	6	1	7	10	11	10	1	1	14	1	11	.....	2	3
.....	4	.....	6	14	4	12	.....	1	12	1	7	3	4	1
.....	10	1	13	24	15	22	1	2	26	2	18	3	6	4
.....	5	.....	6	7	2	1	.....	.....	12	2	7	.....	1	.....
.....	2	1	6	8	5	2	1	.....	9	1	6	1	3	.....
.....	7	1	12	15	7	3	1	.....	21	3	13	1	4	.....
.....	1	2	5	13	1	4	.....	1	11	.....	7	.....	.....	.....
.....	1	.....	2	7	1	1	.....	.....	15	.....	7	2	4	5
.....	1	3	7	20	2	5	.....	1	26	.....	14	2	4	5
.....	4	2	9	12	3	3	.....	.....	11	2	10	1	.....	.....
.....	4	.....	4	8	3	5	.....	.....	11	.....	7	1	1	4
.....	8	2	13	20	6	8	.....	.....	22	2	17	2	1	4
.....	1	1	6	10	2	3	.....	.....	19	.....	5	1	3	1
.....	1	3	4	5	2	2	.....	1	11	.....	1	.....	.....	.....
.....	1	4	1	10	4	5	.....	1	30	.....	6	1	3	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitia (Teething).	Partus Mortuus (Still Birth).
Peterborough :									
Males.....				5	1	4	82	1	2
Females.....		1	2	2		5	62	1	4
Total.....		1	2	7	1	9	144	2	6
Prescott and Russell :									
Males.....				2	1	8	63	3	7
Females.....				1		3	47	3	2
Total.....				3	1	11	110	6	9
Prince Edward :									
Males.....	2	2	1	1		5	55	2	1
Females.....		1			1	5	34		1
Total.....	2	3	1	1	1	10	89	2	2
Renfrew :									
Males.....		3		1		6	47	1	2
Females.....					1	4	32	1	1
Total.....		3		1	1	10	79	2	3
Simcoe :									
Males.....			3	4	2	9	123	1	4
Females.....					1	12	94	1	2
Total.....			3	4	3	21	217	2	6
Stormont, Dundas and Glengarry :									
Males.....	4	1	3	4	2	5	80	1	3
Females.....	1			2	2	12	69	1	1
Total.....	5	1	3	6	4	17	149	2	4
Victoria :									
Males.....	1	3	1	4	1	5	69		6
Females.....		1	1	1	1	7	63		4
Total.....	1	4	2	5	2	12	132		10
Waterloo :									
Males.....	2	2	3	2	1	10	94	3	7
Females.....			1	1		5	73	2	5
Total.....	2	2	4	3	1	15	167	5	12
Welland :									
Males.....	1		3	5	2	7	82		
Females.....				1	1	11	48		2
Total.....	1		3	6	3	18	130		2

CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DIS- EASES.					CLASS V.—VIOLENT DEATHS.									
Partus Intempestivus (Pre- mature Birth).	Diseases incidental to Child- Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.	Cause not specified.	Total No. of Deaths.	
6		19		28	2					7	9	5	209	
3	7	16		31		2		1			3	8	171	
9	7	35		59	2	2		1		7	12	13	380	
5		18	1	34	1					2	3	20	247	
1	7	14	3	30						2	2	4	188	
6	7	32	4	64	1					4	5	24	435	
1		15	1	20	3			2	2	1	8	8	156	
	6	17	3	27						1	1	10	134	
1	6	32	4	47	3			2	2	2	9	18	290	
1		14	4	22	7	2		2		7	18	9	172	
5	17	19	1	44	2					2	4	12	166	
6	17	33	5	66	9	2		2		9	22	21	338	
3		28	4	40	10	2		1		5	18	14	350	
	14	24	1	42	1					5	6	10	292	
3	14	52	5	82	11	2		1		10	24	24	642	
2		47	3	56	7	2				9	18	9	285	
1	8	38		49						2	2	17	297	
3	8	85	3	105	7	2				11	20	26	582	
2		20	6	34	5	2				4	11	1	171	
1	13	24	2	44						1	1	9	197	
3	13	44	8	78	5	2				5	12	10	368	
12		28	2	52	4	1		1		5	11	3	250	
9	9	24	2	51						4	4	4	220	
21	9	52	4	103	4	1		1		9	15	7	470	
2		26	4	32	2	6		2		2	12	1	191	
2	6	12	1	23		2					2	1	141	
4	6	38	5	55	2	8		2		2	14	2	332	



TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhea Acuta (Acute Diarrhea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Felvis Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Wellington :									
Males .....	3	1	6	4	1	7	3	5	2
Females .....	6	.....	3	5	2	5	1	7	4
Total .....	9	1	9	9	3	12	4	12	6
Wentworth :									
Males .....	15	1	7	14	3	27	5	16	2
Females .....	4	1	9	18	2	36	5	12	3
Total .....	19	2	16	32	5	63	10	28	5
York :									
Males .....	47	6	16	62	7	24	14	42	15
Females .....	38	3	13	35	6	30	5	36	23
Total .....	85	9	29	97	13	54	19	78	38
Total :									
Males .....	246	21	150	299	75	323	69	274	186
Females .....	176	21	111	232	49	345	53	223	196
Grand Total .....	422	42	261	531	124	668	122	497	382

## CAUSES OF DEATHS, 1884.

DISEASES.										CLASS II.— CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
7	1	1	2	2					45	13	8	1	13	4
2	.....	1	1	1	.....	.....	.....	1	39	23	9	1	6	3
9	1	2	3	3	.....	.....	.....	1	84	36	17	2	19	7
2	.....	.....	1	1	.....	2	.....	1	97	34	5	.....	10	3
2	.....	.....	1	.....	.....	2	1	3	99	38	9	2	10	2
4	.....	.....	2	1	.....	4	1	4	196	72	14	2	20	5
12	.....	.....	7	8	1	3	6	3	273	102	10	3	27	1
13	2	3	11	13	.....	6	3	1	241	104	20	4	28	7
25	2	3	18	21	1	9	9	4	514	206	30	7	55	8
136	17	41	80	54	38	7	25	58	2099	876	173	48	187	72
110	20	40	74	54	25	8	9	43	1789	821	228	31	235	72
246	37	81	154	108	63	15	34	101	3888	1697	401	79	422	144

TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Wellington :									
Males .....	2	29		3	73	10	12	6	.....
Females .....	2	54		2	100	6	5	9	2
Total .....	4	83		5	173	16	17	15	2
Wentworth :									
Males .....	3	49		16	120	20	18	2	3
Females .....	3	80	1	16	161	24	12	2	.....
Total .....	6	129	1	32	281	44	30	4	3
York :									
Males .....	7	116	4	20	290	23	72	4	6
Females .....	10	142	3	18	336	38	50	9	11
Total .....	17	258	7	38	626	61	122	13	17
Total Males .....	112	986	23	82	2559	204	309	152	45
Total Females .....	102	1361	23	81	2954	162	218	149	45
Grand Total .....	214	2347	46	163	5513	366	527	301	90

## CAUSES OF DEATHS, 1884—Continued.

## LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	2	.....	9	17	11	4	.....	.....	18	.....	9	1	4	1
.....	5	2	11	18	12	12	.....	1	26	.....	8	2	2	3
.....	7	2	20	35	23	16	.....	1	44	.....	17	3	12	4
3	12	5	17	29	11	17	1	1	44	1	7	5	10	10
3	12	1	9	38	11	15	.....	.....	27	.....	14	5	7	6
6	24	6	26	67	22	32	1	1	71	1	21	10	17	16
2	32	4	45	78	15	44	5	6	82	3	13	6	15	16
1	21	4	18	54	9	46	.....	5	83	2	17	11	11	24
3	53	8	63	132	24	90	5	11	165	5	30	17	26	40
25	130	40	299	486	195	214	17	22	690	44	270	70	107	73
14	105	23	236	443	187	212	11	16	565	24	242	68	98	72
39	235	63	535	929	382	426	28	38	1255	68	512	138	205	145



TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
<b>Wellington:</b>									
Males.....	2		2	3	1	19	131	2	18
Females.....		2		4		14	150	1	10
Total.....	2	2	2	7	1	33	281	3	28
<b>Wentworth:</b>									
Males.....		1	4	1	4	23	249		26
Females.....		2	5	2	4	19	218	2	17
Total.....		3	9	3	8	42	467	2	43
<b>York:</b>									
Males.....	5	6	10	22	14	32	560	11	79
Females.....		2	18	16	9	32	491	7	55
Total.....	5	8	28	38	23	64	1051	18	134
<b>Total Males.....</b>	43	48	72	111	62	361	4089	66	258
<b>" Females.....</b>	5	22	49	58	48	343	3417	63	173
<b>Grand Total.....</b>	48	70	121	169	110	704	7506	129	431

# CAUSES OF DEATHS, 1884—*Concluded.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total Number of Deaths.
Partus Intermentivus (Premature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
8 2	..... 10	41 30	6 2	75 55	7 6	2 .....	.....	1 1	.....	5 4	15 11	16 5	355 360
10	10	71	8	130	13	2	.....	2	.....	9	26	21	715
18 7	..... 14	36 35	4 .....	84 75	13 5	3 .....	.....	2 .....	.....	8 1	26 6	8 .....	584 559
25	14	71	4	159	18	3	.....	2	.....	9	32	8	1143
40 39	..... 44	78 89	13 .....	221 234	20 11	14 .....	1 2	6 4	.....	40 17	81 34	5 11	1430 1347
79	44	167	13	455	31	14	3	10	.....	57	115	16	2777
186 133	..... 379	1068 997	86 55	1664 1800	225 45	75 11	6 3	40 13	4 .....	263 93	613 165	267 286	11291 10411
319	379	2065	141	3464	270	86	9	53	4	356	778	553	21702

H. S. CREWE,  
*Inspector.*

TABLE G.—DEATHS IN THE CITIES AND PRINCIPAL

		CLASS I.—ZYMOTIC								
CITIES AND TOWNS.		Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysenteria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Brantford :										
Males .....	1			1			3		1	
Females .....	2			2	2		4	1	3	
Total .....	3			3	2		7	1	4	
Walkerton :										
Males .....				1	1		2	1		
Females .....				1						
Total .....				2	1		2	1		
Ottawa :										
Males .....	14			11	39	1	3		9	5
Females .....	13			2	27	1	4	1	7	6
Total .....	27			13	66	2	7	1	16	11
St. Thomas :										
Males .....	7			1			3	1	3	
Females .....	2			2			2		3	
Total .....	9			3			5	1	6	
Windsor :										
Males .....	3			1	2		5			1
Females .....	1			1	2	1	6	1	2	
Total .....	4			2	4	1	11	1	2	1
Kingston :										
Males .....				5	5	1	3	1	3	
Females .....	1			5	1	1	2		3	2
Total .....	1			10	6	2	5	1	6	2
Owen Sound :										
Males .....	1				1	1		1		
Females .....									2	
Total .....	1				1	1		1	2	
Belleville :										
Males .....	3			2	2		2			18
Females .....	11								3	13
Total .....	14			2	2		2		3	31
Goderich :										
Males .....						1				6
Females .....										2
Total .....						1				8

## TOWNS.—CAUSES OF DEATHS, 1884.

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
				1				2	9	5	2			1
									14	5	3		3	
				1				2	23	10	5		3	1
									5	2	1			
		1						1	3				1	1
		1						1	8	2	1		1	1
2		1	4	3				3	95	72	5	3	4	2
3			2	1	1		1	4	73	90	7	3	10	2
5		1	6	4	1		1	7	168	162	12	6	14	4
									19	4	1		1	
2		2							13	2				
1		3												
3		5							32	6	1		1	
				1			2		15	14	1			
				1			2	2	19	4				
				2			4	2	34	18	1			
									20	8	1		2	
2									16	10	1	1	6	2
1									36	18	2	1	8	2
3														
		1	2					1	8	3			1	1
									3	3				
1		1	2					1	11	6			1	1
1		1	1	1					31	3		1		3
1									28	4	5		1	1
2		1	1	1					59	7	5	1	1	4
1									7		1		2	
									3		1		2	
1									10		2		4	



TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Brantford:									
Males.....	1	7			16	3			
Females.....		3			14	1	1		
Total.....	1	10			30	4	1		
Walkerton:									
Males.....		1			4	1	1		
Females.....		2			4				
Total.....		3			8	1	1		
Ottawa:									
Males.....	40	41	9	2	178	5	11	12	
Females.....	40	59	8		219	2	7	7	2
Total.....	80	100	17	2	397	7	18	19	2
St. Thomas:									
Males.....	1	1			8		3	1	
Females.....		7			9		1	1	
Total.....	1	8			17		4	2	
Windsor:									
Males.....	1	3			19	1	2	3	
Females.....	1	5			10	2	2	2	
Total.....	2	8			29	3	4	5	
Kingston:									
Males.....	6	11		3	31	1	2	1	1
Females.....	4	17			41		1	1	1
Total.....	10	28		3	72	1	3	2	2
Owen Sound:									
Males.....	1	2			8	3			
Females.....		1		1	5			1	
Total.....	1	3		1	13	3		1	
Belleville:									
Males.....		11			18	3		1	
Females.....	1	11			23	1	1	1	
Total.....	1	22			41	4	1	2	
Goderich:									
Males.....					3				
Females.....		3			6	1	2		
Total.....		3			9	1	2		

TOWNS—CAUSES OF DEATHS, 1884—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of the Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	2	.....	2	4	.....	2	.....	.....	16	.....	2	.....	.....	.....
.....	.....	.....	3	2	.....	1	.....	.....	9	.....	.....	1	.....	.....
.....	2	.....	5	6	.....	3	.....	.....	25	.....	2	1	.....	.....
.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	1	.....
.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	1	.....
.....	1	3	12	18	11	7	1	1	21	.....	17	1	2	1
2	3	.....	9	14	15	7	2	.....	17	2	19	4	1	.....
2	4	3	21	32	26	14	3	1	38	2	36	5	3	1
.....	.....	.....	2	2	.....	1	.....	.....	6	1	.....	.....	.....	.....
.....	.....	.....	1	3	1	.....	.....	.....	6	.....	2	.....	.....	.....
.....	.....	.....	3	5	1	1	.....	.....	12	1	2	.....	.....	.....
.....	1	.....	.....	1	1	.....	.....	.....	1	.....	1	.....	.....	.....
.....	1	.....	.....	2	1	.....	.....	.....	1	.....	1	.....	.....	1
.....	1	.....	.....	3	1	.....	.....	.....	2	.....	2	.....	.....	1
.....	2	.....	9	8	2	3	.....	1	8	1	2	1	2	.....
.....	3	.....	2	10	4	2	1	.....	8	1	1	1	.....	.....
.....	5	.....	11	18	6	5	1	1	16	2	3	2	2	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	2	2	4	.....	1	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	3	2	4	.....	.....	1	.....	.....	.....	.....	.....
1	.....	.....	.....	5	4	8	.....	1	1	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	2	1	3	2	2	.....	1	.....	2	.....	.....	3	.....	.....
.....	.....	.....	2	5	2	1	.....	.....	4	.....	2	1	.....	.....
.....	2	1	5	7	4	1	1	.....	6	.....	2	4	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	1	3	.....	1	.....	.....	1	.....	3	.....	.....	.....
.....	1	.....	.....	.....	1	.....	.....	.....	4	.....	.....	.....	.....	.....
.....	1	1	1	3	1	1	.....	.....	5	.....	3	.....	.....	.....

TABLE G.—DEATHS IN THE CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentition (Teething).	Partus Mortuus.
Brantford :									
Males .....	1			1		2	36		
Females .....							17	2	
Total .....	1			1		2	53	2	
Walkerton :									
Males .....							5		2
Females .....							3		1
Total .....							8		3
Ottawa :									
Males .....			1	3	2	17	147	20	19
Females .....	1				1	10	125	18	15
Total .....	1		1	3	3	27	272	38	34
St. Thomas :									
Males .....							16		1
Females .....						1	16		
Total .....						1	32		1
Windsor :									
Males .....			2			1	12		4
Females .....							13	1	1
Total .....			2			1	25	1	5
Kingston :									
Males .....					1	6	51		3
Females .....					1	3	40	3	1
Total .....					2	9	91	3	4
Owen Sound :									
Males .....				1		1	17		1
Females .....					1	2	14		
Total .....				1	1	3	31		1
Belleville :									
Males .....			1	4		5	30	2	5
Females .....			2			4	26		5
Total .....			3	4		9	56	2	10
Goderich :									
Males .....							12	1	1
Females .....					1	1	9		
Total .....					1	1	21	1	1

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.								
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.	Cause not Specified.	Total No. of Deaths.
2		10		12	1	1	1			1	4	1	78
4	3	9		18								2	65
6	3	19		30	1	1	1			1	4	3	143
1		2		5									19
	2			3									13
1	2	2		8									32
7		27	5	78	6					9	15	10	523
10	11	27	8	89						2	2	16	524
17	11	54	13	167	6					11	17	26	1047
1		1	1	4		1				1	2	1	50
		2		2				1			1		41
1		3	1	6		1		1		1	3	1	91
2		2		8		1				1	2	2	58
2	1	5	1	11								5	58
4	1	7	1	19		1				1	2	7	116
4		16	1	24	5					3	8	5	139
6	1	4		15				1		2	3	14	129
10	1	20	1	39	5			1		5	11	19	268
		2	1	4	3				1		4		41
1		3		4			1				1		27
1		5	1	8	3		1		1		5		68
		8		15	1	2				2	5		99
	2	7	1	15								3	55
	2	15	1	30	1	2				2	5	3	194
		3		5						1	1		28
		1		1								1	20
		4		6						1	1	1	48



TABLE G.—DEATHS IN THE CITIES AND PRINCIPAL TOWNS.—

CITIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Chatham :									
Males.....	2	1	2	2	1	5	1		2
Females.....	1		1	1	2	4		1	1
Total .....	3	1	3	3	3	9	1	1	3
Sarnia :									
Males.....				1	1	2	1		3
Females.....	1			2		1			1
Total .....	1			3	1	3	1		4
Perth :									
Males.....				1	1				
Females.....					1				
Total .....				1	2				
Brockville :									
Males.....	1		2	3		6		3	
Females.....	2			3		7		2	1
Total .....	3		2	6		13		5	1
Napanee :									
Males.....				2					6
Females.....						1	1		1
Total .....				2		1	1		7
St. Catharines :									
Males.....	3		4	1			1	8	
Females.....	2	1	3	2		1		3	
Total .....	5	1	7	3		1	1	11	
London :									
Males.....	9		1	6	1	3	1	7	
Females.....	2		1	6	1	1		6	1
Total .....	11		2	12	2	4	1	13	1
Cobourg :									
Males.....						5			1
Females.....						2			
Total .....						7			1
Whitby :									
Males.....						1		1	
Females.....	1								
Total .....	1					1		1	

CAUSES OF DEATHS, 1884—*Continued.*

DISEASES.										CLASS II.—CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
3			1					1	16	1			2	1
									16	1	1		1	
3			1					1	32	2	1		3	1
		1							9	2				
1									6				1	
1		1							15	2			1	
									2	2				
									1	1				
									3	3				
		3							18	5		1		
1									16	2		1	1	
1		3							34	7		2	1	
2									10	4	3			
1								1	5	3			1	1
3								1	15	7	3		1	1
						1			18	7	1	1	1	
									12	5	1		2	2
						1			30	12	2	1	3	2
2		1			2			1	34	7	1		7	1
1			1		2			2	24	5	4	1	4	1
3		1	1		4			3	58	12	5	1	11	2
				2					8					
1			1						4					
1			1	2					12					
3									5	2		1	1	
									1	2			1	
3									6	4		1	2	

TABLE G.—DEATHS IN THE CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phtthisis.	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Chatham:									
Males .....		11			15		2		2
Females .....		14		1	18		1	3	
Total .....		25		1	33		3	3	2
Sarnia:									
Males .....		4			6			1	
Females .....		3		2	6	1			
Total .....		7		2	12	1		1	
Perth:									
Males .....	1	1			4			2	
Females .....	1	7			9		1		
Total .....	2	8			13		1	2	
Brockville:									
Males .....	1	3			10		2		
Females .....	1	7			12		1	1	2
Total .....	2	10			22		3	1	2
Napanee:									
Males .....		2			9				
Females .....		6			11		1		
Total .....		8			20		1		
St. Catharines:									
Males .....	1	8			19	3	5	2	
Females .....	1	20	1		32	1	1	1	1
Total .....	2	28	1		51	4	6	3	1
London:									
Males .....	6	14		3	39	5	8		
Females .....	2	15	1		33		7	1	
Total .....	8	29	1	3	72	5	15	1	
Cobourg:									
Males .....		3			3	1	1	2	
Females .....		2			2	1	1	2	
Total .....		5			5	2	2	4	1
Whitby:									
Males .....		3			7			2	
Females .....		8			11	1			
Total .....		11			18	1		2	

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Insanity.	Meningitis.	Neurocephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
			3	4					8		2			
			4		2			1	1	1		1		
			7	4	2			1	9	1	2	1		
	2										1			
				1		2		1	1					1
	2			1		2		1	1		1			1
1				1					4		1			
	1									1	2		1	
1	1			1					4	1	3		1	
			2		2	1			5		1	1		1
		1		1					3					
		1	2	1	2	1			8		1	1	1	1
			6	1	1					1	1			
			3						1					
			9	1	1				1	1	1			
	2		2	8	2				4				2	
			1	5		3			7					
	2		3	13	2	3			11				2	
			1	8	9	7	1		12		6		3	
			2	6	4	4			18	1	12	1	12	
			3	14	13	11	1		30	1	18	1	5	
			1	1			1							
					2						1		2	
			1	1	2		1				1			
				2		1		1	1		1			
				1	1				2					
				3	1	1		1	3		1			



TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Chatham:									
Males .....		1		1		1	27		2
Females .....	1					2	14		
Total .....	1	1		1		3	41		2
Sarnia:									
Males .....						1	5		
Females .....						1	8		
Total .....						2	13		
Perth:									
Males .....		1			1		11		2
Females .....							6		
Total .....		1			1		17		2
Brockville:									
Males .....						1	16		1
Females .....		1				3	14		
Total .....		1				4	30		1
Napanee:									
Males .....							10		
Females .....			1			1	7		
Total .....			1			1	17		
St. Catharines:									
Males .....						3	33		7
Females .....			1			6	27		4
Total .....			1			9	60		11
London:									
Males .....		1			3	3	67		8
Females .....			2		2	6	68	4	2
Total .....		1	2		5	9	135	4	10
Cobourg:									
Males .....	1		1			1	11		
Females .....					1	2	12		
Total .....	1		1		1	3	23		
Whitby:									
Males .....				1		1	10		1
Females .....				1			6		
Total .....				2		1	16		1

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DIS-EASES.					CLASS V.—VIOLENT DEATHS.							Total Number of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Dis-eases.	Total Developmental Dis-eases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.	
1	5	5		8	1	1				3	5	71
		3		8								57
1	5	8		16	1	1				3	5	128
1	1	2		3						2	2	25
			1	2								22
1	1	2	1	5						2	2	47
		5		7	1	1					2	26
	2			2						1	1	20
	2	5		9	1	1				1	3	46
		2		3						2	2	53
	3	10	1	14							2	58
	3	12	1	17						2	2	111
1		1		2		1					1	32
		4		4						1	1	28
1		5		6		1				1	2	60
1		4	1	13						10	10	97
1	3	5	1	14				1		2	3	92
2	3	9	2	27				1		12	13	189
6		10	1	25	1	1				5	7	175
6	5	8	3	28	1					1	2	157
12	5	18	4	53	2	1				6	9	332
		1		1			1			1	2	25
		4		4								23
		5		5			1			1	2	48
		3		4		1				3	4	30
	1	3		4								22
	1	6		8		1				3	4	52

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS I—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Woodstock :									
Males .....	2			1				1	
Females .....				1					
Total .....	2			2				1	
Brampton :									
Males .....	4					3	1		
Females .....		1	1			1		1	
Total .....	4	1	1			4	1	1	
Stratford :									
Males .....						1			2
Females .....							1	1	
Total .....						1	1	1	2
Peterborough :									
Males .....	1			1	2	2	1	4	3
Females .....			1	2				1	3
Total .....	1		1	3	2	2	1	5	6
Picton :									
Males .....					1				4
Females .....	1			1					2
Total .....	1			1	1				6
Pembroke :									
Males .....	1			3					
Females .....	1			3					1
Total .....	2			6					1
Barrie :									
Males .....				5	1			2	
Females .....						1		1	
Total .....				5	1	1		3	
Cornwall :									
Males .....			2		1	4		1	
Females .....				1		3		2	2
Total .....			2	1	1	7		3	2
Lindsay :									
Males .....			1			5			
Females .....						8	1		
Total .....			1			13	1		

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

DISEASES.										CLASS II.— CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
									4					
									1	2	1			
									5	3	1			
1			1					1	9	1	2			
			1						7	2	1			
1			2					1	16	3	3			
									3	3			2	
									2	7			3	
									5	10			5	
2							1		15	1				
									9	3			1	1
2								1	24	4			1	1
2				1					8		1	1		
									4		1			
2				1					12		2	1		
									4	1			1	1
									5					
									9	1			1	1
									8	2	1			
								1	3	2			1	
								1	11	4	1		1	
			1						9	2			1	
			1						9	2	1			
			2						18	4	1		1	
						1		1	8					
1	1			1					12	1				
1	1			1		1	1		20	1				



TABLE G.—DEATHS IN THE CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Brantford :									
Males .....		6			9		1	1	
Females .....		2		1	4				
Total .....		8		1	13		1	1	
Walkerton :									
Males .....	1	8			12	1	1	1	
Females .....		4			7			1	
Total .....	1	12			19	1	1	2	
Ottawa :									
Males .....	1	9			15		1	2	
Females .....		9			19	1		1	
Total .....	1	18			34	1	1	3	
St. Thomas :									
Males .....	1	7			9	1	3	1	
Females .....		3			8	2	1	1	
Total .....	1	10			17	3	4	2	
Windsor :									
Males .....		4			6	1	2		
Females .....		6	2	1	10		3		
Total .....		10	2	1	16	1	5		
Kingston :									
Males .....		1		1	5				
Females .....		1		1	2			2	
Total .....		2		2	7			2	
Owen Sound :									
Males .....		1		1	5	2	2		
Females .....		5		1	9	1	1		
Total .....		6		2	14	3	3		
Belleville :									
Males .....	1	3			7	1	1		
Females .....	1	4			8			2	
Total .....	2	7			15	1	1	2	
Goderich :									
Males .....	1	6			7	1		1	
Females .....		4		1	6		1	1	
Total .....	1	10		1	13	1	1	2	

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Insanity.	Meningitis.	Necroticcephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of the Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
			1	3		1			1		1	1	2	
				3	2	1	1		3					
			1	6	2	2	1		4		1	1	2	
		1	1	1	2	2	1		4				2	
			1	1		1			2		1			
		1	2	2	1	3			6		1		2	
				1	1				1					
			1		2	1		1			1			
			1	1	3	1		1	1		1			
		1	2	3					5		2		3	1
			2	7		1	1		4		1	1	1	
		1	4	10		1	1		9		3	1	4	1
	1			2	2	1	1			1				
	1		2	2		2	1					1		
	2		2	4	2	3	2			1		1		
	2					2	1		1		1			
				2		2					1			
	2			2		4	1		1		2			
					1	3					1			
					1	1			1	1		2		
					2	4			1	1	1	2		
	1				1									
	1			1					1					
	2			1	1				1					
	1		1	3							1			
			1	1					1		1		1	1
	1			2	4				1		2		1	1

TABLE G.—DEATHS BY CITIES AND PRINCIPAL TOWNS.—

CITIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Brantford :									
Males.....						1	13		
Females.....	1					1	12		
Total.....	1					2	25		
Walkerton :									
Males.....			1				14		3
Females.....						2	11		1
Total.....			1			2	25		4
Ottawa :									
Males.....		1				2	9		2
Females.....					1	1	10	1	2
Total.....		1			1	3	19	1	4
St. Thomas ;									
Males.....				2	1	1	26	1	1
Females.....			1			3	26	1	
Total.....			1	2	1	4	52	2	1
Windsor :									
Males.....	2						13	1	
Females.....					1	3	16		
Total.....	2				1	3	29	1	
Kingston :									
Males.....						1	8		1
Females.....						1	8		
Total.....						2	16		1
Owen Sound :									
Males.....						3	12		
Females.....						3	11		1
Total.....						6	23		1
Belleville :									
Males.....	1		1				6		
Females.....	1			1		3	10	1	
Total.....	2		1	1		3	16	1	
Goderich :									
Males.....					1	1	10		
Females.....						1	9		
Total.....					1	2	19		

CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not specified.	Total No. of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
		4		4						1	1		31
	1	1		2									19
	1	5		6						1	1		50
		1		4	1	1				1	3	3	45
		3		4								1	30
		4		8	1	1				1	3	4	75
		4		6		1					1	1	35
	1	2		6								4	41
	1	6		12		1					1	5	76
		5		7						2	2	1	60
1		4		6									49
1		9		13						2	2	1	109
		1		2					2		2		31
	1	2		3						1	1	2	36
	1	3		5					2	1	3	2	67
				1				1			1		19
2	2		1	5						1	1		21
	2		1	6				1		1	2		40
					2						2		27
	2	3		6						1	1		30
		2		6	2					1	3		57
1		2		3	1					2	3		28
1	1	4		7									34
2	1	6		10	1					2	3		62
1		2		3		1					1	1	30
1	1	2		4									31
2	1	4		7		1					1	1	61



TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.		CLASS I.—ZYMOTIC								
		Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Group).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Berlin :										
Males .....		1		1			1		2	
Females .....		1							1	
Total .....		2		1			1		3	
Guelph :										
Males .....		1		1	2		4	2	3	
Females .....					2		3		3	1
Total .....		1		1	4		7	2	6	1
Hamilton :										
Males .....		12	1	5	10	1	23	5	9	
Females .....		4	1	6	13	2	27	5	6	2
Total .....		16	2	11	23	3	50	10	15	2
Toronto :										
Males .....		30	1	13	56	4	9	9	41	3
Females .....		37		8	29	4	18	3	26	5
Total .....		67	1	21	85	8	27	12	67	8
Total :										
Males .....		96	3	54	144	17	95	26	98	54
Females .....		83	3	34	98	14	96	14	77	44
Grand Total .....		179	6	88	242	31	191	40	175	98

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

DISEASES.										CLASS II.— CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
.....	.....	1	1	.....	1	.....	.....	.....	8 2	4 6	.....	.....	.....	1
.....	.....	1	1	.....	1	.....	.....	.....	10	10	.....	.....	.....	1
.....	.....	.....	.....	1	.....	.....	.....	2	16 10	2 5	.....	.....	3 2	.....
1	.....	.....	.....	1	.....	.....	.....	2	26	7	1	.....	5	.....
.....	.....	.....	.....	1	.....	1	.....	1	69 73	27 25	2 5	.....	8 4	2
1	.....	.....	.....	1	.....	3	1	4	142	52	7	2	12	2
7 8	..... 1	.....	2 7	7 11	1	1 6	5 2	9 3	198 168	92 87	4 13	1 4	14 23	1 5
15	1	.....	9	18	1	7	7	12	366	179	17	5	37	6
24 29	..... 2	11 4	12 14	20 16	2 1	4 8	9 6	19 19	688 562	278 278	28 45	9 12	50 68	14 16
53	2	15	26	36	3	12	15	38	1250	556	73	21	118	30

TABLE G.—DEATHS BY COUNTIES—

CITIES AND TOWNS.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
<b>Berlin:</b>									
Males.....		1		1	7	1			1
Females.....		1			7			2	
Total.....		2		1	14	1		2	1
<b>Guelph:</b>									
Males.....	1	10		2	18	1	1	1	
Females.....	1	11		1	21		1		
Total.....	2	21		3	39	1	2	1	
<b>Hamilton:</b>									
Males.....	2	31	1	13	86	9	12	2	1
Females.....	3	47		14	100	14	6	2	
Total.....	5	78	1	27	186	23	18	4	1
<b>Toronto:</b>									
Males.....	5	88	4	21	230	22	62	4	6
Females.....	9	101	3	14	259	30	47	5	10
Total.....	14	189	7	35	489	52	109	9	16
<b>Total:</b>									
Males.....	72	301	14	47	813	66	126	43	12
Females.....	65	388	15	38	925	59	85	35	16
Grand Total.....	137	689	29	85	1738	125	211	78	28

CAUSES OF DEATHS, 1884—*Continued.*

## LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of the Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis, (Inflammation of Abdomen).
	1		1	1	1	1			1		2			
	1			1	1	1								
	2		1	2	1	1			1		2			
			4	4	2				1		1	1	2	
	3	2	4	1	3	3			7		1	1	1	1
	3	2	8	5	5	3			8		2	2	3	1
	10	1	4	11	8	10	1	1	29		3	3	8	4
	7	1	5	22	6	9			9		10	3	5	5
	17	2	10	33	14	19	1	1	38		13	6	13	9
1	26	3	26	56	20	33	1	5	72	2	13	4	9	12
1	15	2	11	44	7	37	1	4	56	1	12	11	6	19
2	41	5	37	100	27	75	2	9	128	3	25	15	15	31
4	52	11	84	149	67	85	8	10	203	7	63	15	35	21
3	37	6	55	139	58	83	7	7	170	8	68	28	22	28
7	89	17	139	288	125	168	15	17	373	15	131	43	57	49



TABLE G.—DEATHS IN THE CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS III.— <i>Continued.</i>							CLASS IV	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still-Birth).
Berlin:									
Males .....				1		3	11		
Females .....							7	2	
Total .....				1		3	18	2	
Guelph:									
Males .....			1		1	6	26	1	12
Females .....		1		1		2	32	1	10
Total .....		1	1	1	1	8	58	2	22
Hamilton:									
Males .....			3	1	4	18	143		26
Females .....		1	4	2	4	12	128	2	16
Total .....		1	7	3	8	30	271	2	42
Toronto:									
Males .....	1	3	7	17	8	25	443	9	70
Females .....		1	17	11	9	54	411	5	52
Total .....	1	4	24	28	17	79	854	14	122
Total:									
Males .....	6	7	18	32	22	104	1250	35	172
Females .....	4	4	28	16	22	128	1116	41	111
Grand Total .....	10	11	46	48	44	232	2366	76	283

TOWNS.—CAUSES OF DEATHS, 1884—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total No. of Deaths.
Pertussis (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
3		12		15	2						2		43
2		5		9									25
5		17		24	2						2		68
1		13		27				1		3	4	1	92
		8		19	1						1		83
1		21		46	1			1		3	5	1	175
17		6	2	51	14	1				3	18	3	370
5	9	11	2	45	3					1	4	2	352
22	9	17	4	96	17	1				4	22	5	722
34		42	6	161	14	12	1	2		32	61	8	1101
35	16	58	11	177	7		2	3		12	24	15	1054
69	16	100	17	338	21	12	3	5		44	85	23	2155
84		196	18	505	53	26	3	4	3	88	177	48	3481
77	74	198	30	531	12		3	6		25	46	76	3256
161	74	394	48	1636	65	26	6	10	3	113	223	124	6737

H. S. CREWE,  
*Inspector.*

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Algoma :											
Males .....	29	5	1	4	1	1	1	.....	2	.....	2
Females .....	15	3	.....	.....	2	1	2	1	.....	.....	.....
Total .....	44	8	1	4	3	2	3	1	2	.....	2
Brant :											
Males .....	42	7	3	.....	3	3	1	.....	.....	.....	3
Females .....	40	5	6	1	2	2	1	.....	2	.....	1
Total .....	82	12	9	1	5	5	2	.....	2	.....	4
Bruce :											
Males .....	47	9	8	3	.....	5	2	2	1	2	2
Females .....	30	8	6	6	2	2	4	1	1	3	2
Total .....	77	17	14	9	2	7	6	3	2	5	4
Carleton :											
Males .....	294	43	17	3	9	3	4	6	5	1	2
Females .....	257	32	16	7	9	2	3	3	3	1	2
Total .....	551	75	33	10	18	5	7	9	8	2	4
Dufferin :											
Males .....	22	4	4	.....	1	1	2	.....	.....	1	1
Females .....	13	4	2	2	1	.....	2	.....	.....	2	1
Total .....	35	8	6	2	2	1	4	.....	.....	3	2
Elgin :											
Males .....	45	6	3	2	3	.....	2	.....	.....	.....	1
Females .....	31	3	5	.....	3	1	2	.....	1	1	.....
Total .....	76	9	8	2	6	1	4	.....	1	1	1
Essex :											
Males .....	115	29	19	13	8	2	5	9	4	3	1
Females .....	67	30	8	11	6	2	2	5	3	6	5
Total .....	182	59	27	24	14	4	7	14	7	9	6
Frontenac :											
Males .....	50	13	1	1	4	3	1	5	1	1	1
Females .....	42	13	1	4	2	3	1	1	3	1	2
Total .....	92	26	2	5	6	6	2	6	4	2	3
Grey :											
Males .....	46	11	5	9	1	3	3	4	.....	3	.....
Females .....	43	12	11	4	5	3	.....	.....	.....	1	1
Total .....	89	23	16	13	6	6	3	4	.....	4	1
Haldimand :											
Males .....	26	5	3	2	1	1	.....	2	.....	.....	.....
Females .....	14	3	1	.....	.....	3	.....	.....	.....	1	.....
Total .....	40	8	4	2	1	4	.....	2	.....	1	.....
Halton :											
Males .....	17	3	1	1	1	1	1	2	.....	.....	2
Females .....	19	4	2	2	.....	.....	1	.....	1	1	2
Total .....	36	7	3	3	1	1	2	2	1	1	4

## BY COUNTIES, 1884.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	4			3	1	1	3		2	3	3	1	1	4
1		1	1						1	1	1	2	1	2
2	4	1	1	3	1	1	3		3	4	4	3	2	6
2	1	2	1		4	1			5	3	2	3	1	
1		1	2	1		2		5	4	1		2	2	1
3	1	3	3	1	4	3		5	9	4	2	5	3	1
1			2		3	4	2		3	3	3	2	2	2
	2		1	1	4	3	2	3	3	1	3	5	6	3
1	2		3	1	7	7	4	3	6	4	6	7	8	5
2	3	1		4	4	2		6		4	5	6	2	5
1		1	4	1	1	4	2	2	4	5	5	1	4	8
3	3	2	4	5	5	6	2	8	4	9	10	7	6	13
1	1	1		1	1		1	1		1	3			
	1	1				2	1	4	2		2	3	1	2
1	2	2		1	1	2	2	5	2	1	5	3	1	2
2			1		1	2	1		1	1	1	3	2	1
				3		3	1	2			3	5	1	2
2			1	3	1	5	2	2	1	1	4	8	3	3
5	3	1	2		1		3	1	3	3	5		5	1
3	1	1	4	2	4	5	3	1	3	3	6	5	1	4
8	4	2	6	2	5	5	6	2	6	6	11	5	6	5
4	1		3	2	4	1	1	4	5		5	2	5	4
		2		3	5	3	2		3	4	4	1	1	1
4	1	2	3	5	9	4	3	4	8	4	9	3	6	5
	1	1	1		2	2	1	1	6	2	4	3	2	4
4			2	3		5		1	2	1	2	4	1	3
4	1	1	3	3	2	7	1	2	8	3	6	7	3	7
	2				1					1	1			1
	1		2		1	1	3	1		1	2	2	2	
	3		2		2	1	3	1		2	3	2	2	1
1				1	1		1	1					3	
	1				1						1	1	3	2
1	1			1	2		1	1			1	1	6	2



TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
<b>Algoma :</b>											
Males .....	5		2		1	1	1			3	
Females .....					1	2	2		2	1	
Total .....	5		2		2	3	3		2	4	
<b>Brant :</b>											
Males .....		2	1		1		1		2	2	2
Females .....	2		2	1		2	3	1	2	3	1
Total .....	2	2	3	1	1	2	4	1	4	5	3
<b>Bruce :</b>											
Males .....		2	3		1	1			5	1	1
Females .....	3	3	3	1	2	1	2	1	2		3
Total .....	3	5	6	1	3	2	2	1	7	1	4
<b>Carleton :</b>											
Males .....	2	5	4	2	3	1	2	2	3	3	3
Females .....	4	5	8	3	4	2	4	10	7	9	4
Total .....	6	10	12	5	7	3	6	12	10	12	7
<b>Dufferin</b>											
Males .....				1					1	1	
Females .....	2	1		1	1	1	1	1	1		
Total .....	2	1		2	1	1	1	1	2	1	
<b>Elgin :</b>											
Males .....	2	1	3	1	1	1	1		1	2	1
Females .....	2	2	2	2	5	2		3	1	1	4
Total .....	4	3	5	3	6	3	1	3	2	3	5
<b>Essex :</b>											
Males .....	1	1	4	1	1		1	6	2	1	
Females .....	1	2	1	3	3	2	4	5	2	2	
Total .....	2	3	5	4	4	2	5	11	4	3	
<b>Frontenac :</b>											
Males .....	3	1	2	3	1		1	2	2	2	3
Females .....	6		1	1	5	1	1	4		3	2
Total .....	9	1	3	4	6	1	2	6	2	5	5
<b>Grey :</b>											
Males .....	1	4	2	3	1		1		1	2	1
Females .....		4	2	3	4	2	1	2	5	3	4
Total .....	1	8	4	6	5	2	2	2	6	5	5
<b>Haldimand :</b>											
Males .....					1						
Females .....	1	1	1	2				1		3	1
Total .....	1	1	1	2	1			1		3	1
<b>Halton :</b>											
Males .....	1	1	2	1					1		
Females .....	2	5	3	1	2			1		2	1
Total .....	3	6	5	2	2			1	1	2	1

## BY COUNTIES, 1884—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
	1		1	1		1	1	3			1			1
		1	2											
	1	1	3	1		1	1	3			1			1
1	2		2		1		4	1	2	2	1		3	1
1	1	2	1			1	3	3	1		3	1	1	
2	3	2	3		1	1	7	1	3	2	4	1	4	1
2	1	2	2	2		1	1	1	1		4	2	2	1
		1	4	3	1		3	1	1				3	
2	1	3	6	5	1	1	4	2	2		4	2	5	1
4	2	3	1	2	2	6	2	5	3	3	1	1	2	1
3	5	9	10	6	3	5	8	1	3	1	1	5	3	
7	7	12	11	8	5	11	10	6	6	4	2	6	5	1
1		1	1	3	1			1				2		
				2				1	1		1			
1		1	1	5	1			2	1		1	2		
1		1	1	1	2		2	2	1		2	2	2	
1	1	2	2	1	1	1	1	3			2	3	1	
2	1	3	3	2	3	1	3	5	1		4	5	3	
1	4	1	3	1		3	2		2	1	1	1	2	
	5	1	1	2	2	1	1	2	3	1	1		1	1
1	9	2	4	3	2	4	3	2	5	2	2	1	3	1
2	1		1	1	1	3	1	2	2	1	3	1	5	2
4	3	2					3	2		3		2	3	1
6	4	2	1	1	1	3	4	4	2	4	3	3	8	3
2		3	1	1	1	1	1	1	6	1	3	3	2	2
2	2	3	2	2		2		2	1	3	2	1	2	1
4	2	6	3	3	1	3	1	3	7	4	5	4	4	3
		1	1			1		1	1		1	2	2	1
2	1	1		1	1	1		1		2	1		2	
2	1	2	1	1	1	2		2	1	2	2	2	4	1
2	1		1		1			1				1		1
	1	2	2	1	2	3		1				2		
2	2	2	3	1	3	3		2				3		1

TABLE H.—DEATHS BY AGES.

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Algoma:											
Males .....		1	1			2	1		1	1	1
Females .....				1				1		2	1
Total .....		1	1	1		2	1	1	1	3	2
Brant:											
Males .....	2		1	1	2	1	3	1	2	1	1
Females .....	1	1			2	2	1	3	3	2	2
Total .....	3	1	1	1	4	3	4	4	5	3	3
Bruce:											
Males .....			2	4	6	1	1	2	2	3	4
Females .....	5	1	1	1	2	2	2	1	1		3
Total .....	5	1	3	5	8	3	3	3	3	3	7
Carleton:											
Males .....	1	2		3	4	1	3	3	1		7
Females .....	5	2	2	4	3	3	2	1	4	1	4
Total .....	6	4	2	7	7	4	5	4	5	1	11
Dufferin:											
Males .....	1	1		1	1						1
Females .....		1					1		1		
Total .....	1	2		1	1		1		1		1
Elgin:											
Males .....	3		1		1	1	1		2	1	
Females .....	2		2							1	1
Total .....	5		3		1	1	1		2	2	1
Essex:											
Males .....	2	2	1	1					2		1
Females .....	1	1	2	1	3		1	3	3		
Total .....	3	3	3	2	3		1	3	5		2
Frontenac:											
Males .....	1	2	5	1	2	1	2	2	5	2	3
Females .....	3	2		1	1	1	1	4	4		1
Total .....	4	4	5	2	3	2	3	6	9	2	4
Grey:											
Males .....	1	1	2	3	4	2	3	1	4	2	3
Females .....	1				3	6		3	1		2
Total .....	2	1	2	3	7	8	3	4	5	2	5
Haldimand:											
Males .....		1		1	3		1	1	3	1	
Females .....	1		1	1					2		
Total .....	1	1	1	2	3		1	1	5	1	1
Halton:											
Males .....		1		1		1	1		1	1	2
Females .....	1		2	2	4	1					1
Total .....	1	1	2	3	4	2	1		1	1	3

BY COUNTIES, 1884—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
2 1	2			1			2		1		1	2		1
3	2			1			2		1		1	2		1
2	3 2	5 2	1	3 3	4 4	3 3	3 3	1 2	4 1	1 5	2 2	2	4 1	1
2	5	7	1	6	8	6	6	3	5	6	4	2	5	1
4	1 4	2 3	3 1	1 3	3	3 2	4 3	1 3	3	5 1	3 4	4 2	5 2	4 3
4	5	5	4	4	3	5	7	4	3	6	7	6	7	7
5 2	6 1	4 3	3 2	3 2	2 1	3 3	3 6	4 4	6 1	5 7	5 4	6 8	2 7	8 1
7	7	7	5	2	3	6	9	8	7	12	9	14	9	9
3 2	1	1 1	1	3 2	1	1	2	1	1	1	2	2	1 2	
5	1	2	1	5	1	1	2	1	1	3	2	2	2	
1	1 3		1	1	4 1		2	2 1	2	6	3 1	5 5	4 3	1 1
1	4	2	1	1	5		2	3	2	6	4	10	7	2
1 1	5 2	3 1	2 1	1	2 1	4 1	3 1	2 1	5 1	4	3 2	3 2	1 2	1 1
2	7	4	3	1	3	5	4	3	6	4	2	5	3	2
1 1	1 2	6 5	4 1	2 2	8 2	3 1	6 4	2 3	7 2	2	5 3	5 5	4 3	9 3
2	3	11	5	4	10	4	10	5	9	2	8	16	7	12
7 2	4	4	3 2	3 1	5 1	2 4	3 1	3 1	1 1	2 3	4 1	2 3	3 2	2 1
9	4	4	5	4	6	6	4	4	2	5	5	5	5	3
4 2	2 2	2 2	1 1	1 1	2 3	3	1	3 1	5 1	1	2 2		1 2	4 2
6	4	4	1	2	5	3	1	4	6	1	4	2	1	6
2 4	2	2	1 1	1	4 1	1	1		1 1	2 2	2 2	1 2		3
6	2	2	2	1	5	2	1		2	4	4	3	2	3



TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Algoma:											
Males .....			1								
Females .....			1								
Total .....			2								
Brant:											
Males .....	2	3	3	3	1	2	3	1	1	1	1
Females .....	5	1	2	1	2		2	1	2	1	1
Total .....	7	4	5	4	3	2	5	2	3	2	2
Bruce:											
Males .....	6	3	2	2	1	1	3	2	1	4	1
Females .....	4		1	1		5	4	2	1	3	2
Total .....	10	3	3	3	1	6	7	4	2	7	3
Carleton:											
Males .....	3	1	3	2	2	4	6	4	3	2	2
Females .....	5	2	4		3	2	3	4	2		
Total .....	8	3	7	2	5	6	9	8	5	2	2
Dufferin:											
Males .....	2			3		1	2		1		1
Females .....	1						1	1		1	1
Total .....	3			3		1	3	2	1	1	2
Elgin:											
Males .....	1	3	2	2	1	3	2	1	1		
Females .....	2	2	1	2	1	3		1	2	3	3
Total .....	3	5	3	4	2	6	2	2	3	3	3
Essex:											
Males .....	2	2	1	2	2	1	2		1	2	
Females .....	5	1	6	1	2		5	2	1	1	1
Total .....	7	3	7	3	4	1	7	2	2	3	1
Frontenac:											
Males .....	6	1	4	3	4	8	3	2	2	1	
Females .....	1		2		1	2	2	1	3		
Total .....	7	1	6	3	5	10	5	3	5	1	
Grey:											
Males .....		1	1	2		3	2	1	2	4	1
Females .....	1	3		2	2	3	2	3	1		
Total .....	1	4	1	4	2	6	4	4	3	4	1
Haldimand:											
Males .....	3	2	1	1		1	2		1		
Females .....			1				1		3	1	
Total .....	3	2	2	1		1	3		4	1	
Halton:											
Males .....	4	1	2	1	3	1	4	1		2	1
Females .....	2		7	1		2	3			2	1
Total .....	6	1	9	2	3	3	7	1		4	2

BY COUNTIES, 1884—*Continued.*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
													21	135
													2	58
													23	193
						1							9	200
1	1			1									5	188
1	1			1		1							14	388
	2		1		1	1				1			8	251
				1	1					1		1	4	225
	2		1	1	2	1				2		1	12	476
1	2		3	2	1	1					1		20	649
				1			1					1	8	621
1	2		3	3	1	1	1			1	1	1	28	1270
1	1					1			1				5	95
	1		1										3	92
1	2		1			1			1				8	187
	1												13	181
			1			1							14	170
	1		1			1							27	351
2	2							1				1	12	360
			1									1	15	313
2	2		1					1				2	27	673
3	1												15	312
1		3	1						1		1	1	17	241
4	1	3	1						1		1	1	32	553
		1	1	2	2			1					7	264
1	1				1		1		1				6	230
1	1	1	1	2	3		1	1	1				13	494
1												1	7	121
1	1												9	102
2	1											1	16	223
	2								1				8	110
		1		1									8	131
	2	1		1					1				16	241

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Hastings :											
Males .....	77	15	18	12	10	5	10	4	4	3	3
Females .....	63	13	13	4	2	6	7	6	2	1	4
Total .....	140	28	31	16	12	11	17	10	6	4	7
Huron :											
Males .....	71	10	9	7	4	3	2	1	2	2	3
Females .....	59	13	7	3	2	2	2	3	2	2	2
Total .....	130	23	16	10	6	5	2	4	2	2	3
Kent :											
Males .....	73	9	5	9	4	1	3	1	5	1	1
Females .....	34	14	8	5	7	6	1	1	2	3	1
Total .....	107	23	13	14	11	7	4	1	7	4	1
Lambton :											
Males .....	86	12	8	2	2	2	2	1	4	1	1
Females .....	68	15	13	9	4	2	2	4	2	1	1
Total .....	154	27	21	11	2	6	4	5	6	1	2
Lanark :											
Males .....	37	4	4	2	7	3	2	2	2	2	1
Females .....	21	6	3	3	2	2	4	2	3	1	5
Total .....	58	10	7	5	9	5	6	2	5	3	6
Leeds and Grenville :											
Males .....	41	18	7	11	6	7	3	3	3	4	2
Females .....	33	10	8	11	8	6	4	3	2	7	2
Total .....	74	28	15	22	14	13	4	6	5	11	2
Lennox and Addington :											
Males .....	25	3	5	1	4	3	1	2	2	3	2
Females .....	19	3	4	3	3	1	1	1	1	1	1
Total .....	44	6	9	4	7	3	1	2	2	2	3
Lincoln :											
Males .....	58	10	4	1	2	2	2	2	2	1	1
Females .....	32	6	3	3	3	1	2	2	2	3	1
Total .....	90	16	7	3	4	3	4	2	2	4	1
Middlesex :											
Males .....	150	35	14	7	7	1	6	3	5	3	2
Females .....	122	37	7	7	4	1	2	3	2	3	2
Total .....	272	72	21	14	11	2	8	6	7	6	2
Muskoka and Parry Sound :											
Males .....	29	8	3	2	1	1	1	1	1	1	1
Females .....	35	6	6	6	2	1	1	1	1	1	1
Total .....	64	14	3	8	2	1	2	2	2	2	2
Norfolk :											
Males .....	40	9	3	3	1	1	1	1	1	1	1
Females .....	14	11	7	3	1	1	2	2	2	2	1
Total .....	54	20	10	6	2	1	2	2	2	2	2

## BY COUNTIES, 1884—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
5 2	1 5	1 5	2 1	1 7	3 4	6 6	..... 6	6 3	2 2	3 7	2 6	2 10	7 3	3 1
7	6	6	3	8	7	12	6	9	4	10	8	12	10	4
2 2	..... 1	1 1	1 4	2 3	1 3	..... 5	2 9	5 4	3 4	3 6	1 2	7 6	2 2	..... 1
4	1	2	5	5	4	5	11	9	7	9	3	13	4	1
..... 1	1 1	1 1	2 2	1 3	1 .....	3 2	3 2	2 5	1 4	3 3	1 3	1 8	..... 5	2 3
1	2	2	4	4	1	5	5	7	5	6	4	9	5	5
2	1 1	..... 2	2 2	..... 2	2 .....	2 6	2 2	..... 2	3 5	5 3	6 .....	1 5	1 1	2 3
2	2	2	4	.....	2	8	4	2	8	8	6	6	2	5
1 3	1 3	..... 1	..... .....	1 .....	1 1	1 1	1 1	..... 3	1 3	..... 2	2 1	2 6	..... 1	..... 1
4	4	1	.....	1	1	2	2	3	4	2	3	8	1	1
..... 3	3 2	..... 3	1 1	2 .....	3 3	1 3	..... 5	1 4	2 3	..... 5	2 4	3 2	2 3	1 7
3	5	3	2	2	3	4	5	5	5	5	6	5	5	8
..... 2	..... 1	..... .....	1 .....	1 1	2 .....	..... 1	2 .....	1 .....	1 1	1 1	1 .....	..... 2	1 .....	..... 1
2	1	.....	1	2	2	1	2	1	2	2	1	2	1	1
1	1	.....	.....	.....	.....	3 3	3 3	2 4	4 1	1 4	3 1	..... 2	3 3	4 1
1	1	1	1	.....	3	5	6	6	5	5	4	2	6	5
1 1	6 2	2 2	2 3	5 2	..... 3	6 4	6 5	3 7	6 3	5 5	6 6	4 11	2 5	4 8
2	8	4	5	7	3	10	11	10	9	10	12	15	7	12
.....	2	1	.....	2	2	2	1	.....	2	2	1	1	2	.....
.....	.....	.....	1	.....	.....	2	2	1	1	1	3	.....	1	1
.....	2	1	1	2	2	4	3	1	3	3	4	1	3	1
.....	.....	.....	.....	3	.....	1	1	2	1	.....	2	2	1	3
.....	2	.....	1	2	1	1	1	1	.....	.....	1	3	6	2
.....	2	.....	1	2	4	1	2	3	1	.....	3	5	7	5



TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years
Hastings:											
Males .....	2	2	3	1	6	2	1	2	3	2	1
Females .....	2	6	6				1	2	1	5	4
Total .....	4	8	9	1	6	2	2	4	4	7	5
Huron:											
Males .....	1	5	6		2					3	2
Females .....	4	4	1		1	1	4	4	2		2
Total .....	5	9	7		3	1	4	4	2	3	4
Kent:											
Males .....	2	2	3	2		1	1		1	2	2
Females .....	3	4	2	2	3	2	4	2	2	3	
Total .....	5	6	5	4	3	3	5	2	3	5	2
Lambton:											
Males .....	4	1	2	2	6	1	1	3	1	7	2
Females .....	6	5	3	2		6	2		3	3	2
Total .....	10	6	5	4	6	7	3	3	4	10	4
Lanark:											
Males .....	1	1	2		1	2	1		2	1	1
Females .....	2	1		2	1	1	1	1	2	1	2
Total .....	3	2	2	2	2	3	2	1	4	2	3
Leeds and Grenville:											
Males .....	1	1	1	3	2		3	1	2		1
Females .....	1	1	3	4	5	2	4	2	5	3	4
Total .....	2	2	4	7	7	2	7	3	7	3	5
Lennox and Addington:											
Males .....	1		2	1				2	1		2
Females .....	1	1	5	1	1	1		3	2		
Total .....	2	1	7	2	1	1		5	3		2
Lincoln:											
Males .....	3	2	2	2			2	2	2		1
Females .....		2	1	2		5		1	1	3	
Total .....	3	4	3	4		5	2	3	3	3	1
Middlesex:											
Males .....	3	4	3	2	4	1	7	4	2	10	2
Females .....	7	7	5	7	1	1	4	1	3	4	4
Total .....	10	11	8	9	5	2	11	5	5	14	6
Muskoka and Parry Sound:											
Males .....		1					1	2		3	
Females .....	2		1	2		1		1		2	
Total .....	2	1	1	2		1	1	3		5	
Norfolk:											
Males .....			1	1	2	1	1	2			1
Females .....	4	3	2	2		1	1	1	1	1	1
Total .....	4	3	3	3	2	2	2	3	1	1	2

BY COUNTIES, 1884—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
3	2	1	2	2	1	1	3	1	1	2	2	2	6	5
4	2	4	5	2	2	2	3	3		2	2	2	5	
7	4	5	7	4	3	3	6	4	1	4	4	4	11	5
			2			2	3		4	2	2			2
2	3	2	1	2	4		2		1	6				
2	3	2	3	2	4	2	5		5	8	2			2
5	1	2	5		1	3		1	1	2	3		1	1
2		5	2	1	4	4	4	2	2					2
7	1	7	7	1	5	7	4	3	3	2	3		1	3
	1	2		1	2	1			3	3			2	1
4	1	4	2	2	4			1		2			1	1
4	2	6	2	3	6	1		1	3	5			2	2
	1			1		1		1	1	1		1		
1	1			1	1	2	1	4	1		2	2	1	1
1	2			2	1	3	1	5	2	1	2	3	1	1
1		3	1				2	4	2	2	3	2	3	1
3	2	2	3		2	2	2	1			2			1
4	2	5	4		2	2	4	5	2	2	5	2	3	2
	1				3					1		1	1	2
			1					3		1		1	1	
	1		1		3			3		2		2	2	2
2		4	2	1	2				1	1	2		3	1
3	3	1		1	1	1	2	2	3	1	1	1	2	
5	3	5	2	2	3	1	2	2	4	2	3	1	5	1
3	3	3	8	1	7	1	7	2	2	6	8	4	5	4
3	5	5	12	2	10	4	4	10	1	5	3	4	4	3
6	8	8	20	3	17	5	11	12	3	11	11	8	9	7
	1	1	1	1	1	1	1	2				2	2	
1		1				1		1						2
1	1	2	1	1	1	2	1	3				2	2	2
	1	1	2	1	2	1	1	1	1	1	1			
3			1	1		1	1	2						2
3	1	1	3	2	2	2	2	3	1	2	1			2

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Hastings :											
Males .....	5	3		6	1	1	1	1	5		4
Females .....	3	3	1	2	1	1		2	1	4	4
Total .....	8	6	1	8	2	2	1	3	6	4	8
Huron :											
Males .....	2	4	5	3	3	7	3	1	4		4
Females .....	3	1	1	1		1	3	5	4	2	5
Total .....	5	5	6	4	3	8	6	6	8	2	9
Kent :											
Males .....	3	3		1	1	2	4	1	3	2	2
Females .....	1	4	1	3	3	3	1	1		1	3
Total .....	4	7	1	4	4	5	5	2	3	3	5
Lambton :											
Males .....	2		3	4	2	4	3	3	1		1
Females .....	3	1	1	1			4	2	1	4	1
Total .....	5	1	4	5	2	4	7	5	2	4	2
Lanark :											
Males .....	1	2	1	2	1	2	2			1	2
Females .....		2	2	1		2	2	2			2
Total .....	1	4	3	3	1	4	4	2		1	4
Leeds and Grenville :											
Males .....				1	3		1		3	1	4
Females .....	3	1	2		2		3	1	3	2	2
Total .....	3	1	2	1	5		4	1	6	3	6
Lennox and Addington :											
Males .....							3				1
Females .....	1		2		1			1	2	2	
Total .....	1		2		1		3	1	2	2	1
Lincoln :											
Males .....	1	2	1	1	3	4	1	2	1		2
Females .....		2	4	4		1	8	2	5		
Total .....	1	4	5	5	3	5	9	4	6		2
Middlesex :											
Males .....	4	3	4	6	6	5	4	5	8	5	4
Females .....	1	4	7	3	3	2	3	6	5	1	
Total .....	5	7	11	9	9	7	7	11	13	6	4
Muskoka and Parry Sound :											
Males .....		1			1	2	2	1			3
Females .....							1	1	1		
Total .....		1			1	2	3	2	1		3
Norfolk :											
Males .....		2			2		2	4	2	2	1
Females .....		2	1		2	1		2			1
Total .....		4	1		4	1	2	6	2	2	2

BY COUNTIES, 1884—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
5	2	2	2	3	3	1	5	4	7	3	4	3	3	3
1	1	4	2	2	3	2	2	3	4	1	2	2	1	1
5	3	6	4	5	6	3	7	7	11	4	4	5	4	4
2	4	3	1	2	3	3	3	5	7	2	6	4	8	4
2	1	1	1	1	2	1	5	6	2	4	1	5	2	7
4	5	3	2	2	5	4	8	11	9	6	7	9	10	11
3	3	3	3	5	2	2	4	4	1	2	3	3	6	5
3	2	1	1	2	2	3	3	1	3	3	2	1	2	3
6	5	3	4	7	4	2	7	5	4	5	5	4	8	8
4	5	3	6	3	3	2	6	4	4	2	3	4	2	1
1	5	2	1	2	1	2	2	1	2	3	4	3	3	1
5	10	5	7	2	4	4	8	1	6	3	4	5	5	2
2	2	1	1	2	1	2	4	2	1	1	1	2	1	1
2	3	1	1	2	3	2	2	2	1	1	1	2	2	2
2	5	1	1	2	4	2	4	2	1	1	1	4	1	3
1	1	3	4	2	2	1	6	2	7	4	2	4	4	3
2	1	2	1	3	1	1	3	2	4	1	4	2	3	1
3	2	5	5	5	3	2	9	4	11	5	6	6	7	4
5	3	1	2	1	1	1	1	1	1	3	2	2	1	2
5	1	1	1	1	4	1	1	1	1	1	2	2	1	1
5	4	1	3	3	5	2	2	2	1	5	4	1	1	3
3	1	2	2	2	2	2	2	2	1	2	2	6	5	3
5	1	2	2	3	1	2	2	2	2	2	4	3	4	1
8	1	4	3	3	3	4	2	3	4	6	9	9	9	4
4	5	2	1	2	7	5	3	10	11	7	6	8	11	6
4	3	6	10	11	5	5	5	3	3	4	6	5	8	3
4	8	2	7	12	18	10	8	13	14	11	12	13	19	9
2	1	1	2	3	1	1	1	2	2	2	2	1	2	1
2	1	1	1	1	1	1	1	1	1	2	2	2	2	1
2	1	1	2	4	1	1	1	3	2	2	2	3	2	2
1	1	1	6	3	3	3	3	3	1	2	1	2	3	2
1	3	1	3	1	2	1	1	1	1	2	1	2	6	2
2	4	2	9	1	5	4	4	4	1	4	2	4	9	4



TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Hastings :											
Males .....	4	3	6	3	3	1	2	3			
Females .....	3	1	2	2	5	2	4	4	2	2	
Total .....	7	4	8	5	8	2	5	6	5	2	
Huron :											
Males .....	3	3	2	4		5	2	2	5	2	2
Females .....	2	6	4		3	3	2	1	2		1
Total .....	5	9	6	4	3	8	4	3	7	2	3
Kent :											
Males .....	2	3	4	2	1		2		1	2	
Females .....	2	4	3		1	1		1	2	2	1
Total .....	4	7	7	2	2	1	2	1	3	4	1
Lambton :											
Males .....	2		1	1	1	2	3	3			1
Females .....	1	2	1	2		2		1	5		
Total .....	3	2	2	3	1	4	3	4	5		1
Lanark :											
Males .....	7	2	4	1	3	4	4	4	1	2	
Females .....	1		2	1	1			1	3		3
Total .....	8	2	6	2	4	4	4	5	4	2	3
Leeds and Grenville :											
Males .....	5	2	5	4	2	1	4	2	1	2	2
Females .....	2		6	2	1	3	1	3	3	2	1
Total .....	7	2	11	6	3	4	5	5	4	4	3
Lennox and Addington :											
Males .....			1		5	2	2	1	1	1	
Females .....			4		2	2	2		1		
Total .....			5		7	4	4	1	2	1	
Lincoln :											
Males .....	1	1		2	2	1	5	1	1	1	2
Females .....	1	1	7	1	1	1	1		2	3	1
Total .....	2	2	7	3	3	2	6	1	3	4	3
Middlesex :											
Males .....	4	5	11	2	5	9	4	4	4	4	2
Females .....	9	1	6	1	3	4	5	2	3	1	1
Total .....	13	6	17	3	8	13	9	6	7	5	3
Norfolk :											
Males .....		1	1	3	2		2				1
Females .....	1			2							
Total .....	1	1	1	5	2		2				1
Muskoka and Parry Sound :											
Males .....	3	1	1	2	1	3	2	1	1	2	
Females .....		1	1	4	4	4	2				
Total .....	3	2	2	6	5	7	4	1	1	2	

## BY COUNTIES, 1884—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
		1		1						1			9	378
				1	1								10	348
		1		2	1					1			19	721
1	1	1	1	1	2		1		1				11	317
3				1	1								10	298
4	1	1	1	2	3		1		1				21	615
	1			1						1	1		15	288
1				1							1		21	268
1	1			2						1	2		36	551
		1										1	6	274
													2	270
		1										1	8	541
	3	1											2	157
1	1	1	1	1									1	168
1	4	2	1	1									3	321
2			1		1			1				2	10	261
1	1	1			2								12	280
3	1	1	1		3			1				2	22	550
1	1	1											2	117
2		1		1			1						6	117
3	1	2		1			1						8	232
	1											2	17	227
1	1	1								1			15	210
1	2	1								1		2	32	437
1	1		1	1			1						15	609
1	2		1	1	1	2			2				9	540
2	3		2	2	1	2	1		2				24	1149
													12	130
													10	106
													22	235
		1			1	1							1	162
													4	147
		1			1	1							5	809

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Northumberland & Durham :											
Males .....	76	12	7	8	6	3	4	4	1	4	1
Females .....	50	14	10	2	6	2	1	.....	2	2	3
Total .....	126	26	17	10	12	5	5	4	3	6	4
Ontario :											
Males .....	68	13	6	4	1	3	2	2	1	1	4
Females .....	37	7	8	1	2	4	1	1	2	3	1
Total .....	105	20	14	5	3	7	3	3	3	4	5
Oxford :											
Males .....	64	12	4	1	2	1	2	3	.....	4	1
Females .....	50	11	10	2	.....	3	1	2	.....	1	1
Total .....	114	23	14	3	2	4	3	5	.....	5	2
Peel :											
Males .....	41	4	1	1	2	1	2	.....	1	.....	.....
Females .....	14	5	2	4	2	3	2	4	.....	.....	.....
Total .....	55	9	3	5	4	4	4	4	1	.....	.....
Perth :											
Males .....	42	5	.....	3	1	1	1	1	1	1	.....
Females .....	36	8	5	3	1	.....	2	2	1	1	1
Total .....	78	13	5	6	2	1	3	3	2	2	1
Peterborough :											
Males .....	53	4	9	5	7	3	3	1	1	1	2
Females .....	30	6	5	5	2	2	4	1	2	2	2
Total .....	83	10	14	10	9	5	7	2	3	3	4
Prescott and Russell :											
Males .....	92	17	9	6	4	1	2	1	.....	1	2
Females .....	61	21	7	6	1	1	3	1	1	.....	1
Total .....	153	38	16	12	5	2	5	2	1	1	3
Prince Edward :											
Males .....	22	4	5	8	3	.....	2	2	1	2	.....
Females .....	17	2	3	2	2	3	1	2	.....	3	1
Total .....	39	6	8	10	5	3	3	4	1	5	1
Renfrew :											
Males .....	45	10	8	3	1	6	.....	2	2	1	.....
Females .....	39	7	4	2	4	6	2	.....	.....	3	1
Total .....	84	17	12	5	5	12	2	2	2	4	1
Simcoe :											
Males .....	88	17	13	6	8	2	4	2	1	5	3
Females .....	58	9	7	4	5	8	1	1	1	5	2
Total .....	146	26	20	10	13	10	5	3	2	10	5
Stormont, Dundas & Glengarry											
Males .....	57	12	8	5	1	4	2	1	.....	1	3
Females .....	52	11	9	3	3	1	1	1	2	2	1
Total .....	109	23	17	8	4	5	3	2	2	3	4

BY COUNTIES, 1884.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1 2	1 4	3 2	2	3	2	4 4	6 2	1 1	2 6	6 8	2 4	3 5	3 8	4 3
3	5	5	2	3	4	8	8	2	8	14	6	8	11	7
1 1	3	1	3 2	3	4 3	1 5	1	3 2	2 3	3 7	1 6	3 5	2 2	2 6
2	3	1	5	3	7	6	1	5	5	10	7	8	4	8
	2	1 3	1 4		1 1	2 2	1 3	3 3	2		3 2	2 1	6 4	4 4
	2	4	5		2	4	4	6	2	6	5	3	10	8
3	1 1	1		1	1	1 3		1 1	2 1	4	2	3 2		1
3	2	1		1	1	4	1	2	3	4	2	5	3	1
1		1 1	1 1	2	1 3		1 2	3 2	3 4	1 3	4	2 3	3 2	2
1		2	2	2	4		3	5	7	4	4	5	5	2
1	1	4	1 2	1	1 1	2 1	4 1	1 5	1	2 1	2 5		1 2	1 1
1	1	4	3	1	2	3	5	6	1	3	7	5	3	2
1	1	1 2	2 1			2	2	2 1	2 1	1	5			3
1	1	3	3	2	2		4	3	3	1	5	2	1	3
1 1	1 2	2	4 1		1 1	1	1 3	3 3		1 1		3 2	1 5	2 2
2	3	2	5		2	1	4	6	4	2	2	5	6	4
2 1	2 2	3				2	2 1	2 2	3 2		4 2			1 4
3	4	3	3			2	3	4	5	2	6		3	5
2	1 5	1	1 4	3 2	6 4	3 3		7 8	4 5	3 5	4 4	3 7	3 3	10 4
2	6	1	5	5	10	6	4	15	9	8	8	10	6	14
	3 1	1	1 1	2 2		2 3	4 2	1	2 3	3 2	3 4	2 2	2 3	6 5
	4	1	2	4	2	5	6	1	5	5	7	4	5	11



TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Northumberland & Durham :											
Males .....	2	3	1	1	1	3	3	2	4		
Females .....	10	3	4	4	6	1	2	3	4		
Total .....	12	6	4	5	7	1	4	5	5	8	6
Ontario :											
Males .....	1	2	2	2	3	2	2	4	1		1
Females .....	5	2	2	3	4	2	3	1	1		
Total .....	1	7	4	4	6	6	2	5	5	1	
Oxford :											
Males .....	3	2	1	1			3	2	1		
Females .....	2	1	1	3	3		2	4	1	1	
Total .....	5	3	2	4	3		5	4	3	2	1
Peel :											
Males .....	1	3	1	3	2	1					1
Females .....	2		3	1	4	3	1	4	3		1
Total .....	3	3	3	2	7	5	2	4	3		
Perth :											
Males .....	1	1	3	3	2		1		1	1	
Females .....	3	1	2	1	1		1	3	2	1	
Total .....	4	2	5	4	3		2	3	3	2	
Peterboro :											
Males .....		3	1	1	2		2	1	2		
Females .....	4		2	2	1	1	3	1	1	2	
Total .....	4	3	3	3	3	1	5	2	3	2	2
Prescott & Russell :											
Males .....	2	1	2		1		1	2	1		1
Females .....	1		3	1	2	2		3	3	2	1
Total .....	3	1	5	1	3	2	1	5	4	2	2
Prince Edward :											
Males .....	2		1				2	1	2		1
Females .....	1	1	1				2	2	1	2	1
Total .....	3	1	2				4	3	3	2	2
Renfrew :											
Males .....		2	1	1	1	1	1	1	3	1	1
Females .....	1	4	3	3	2	1	1		1	1	1
Total .....	1	6	4	4	3	2	2	1	3	2	2
Simcoe :											
Males .....	4	3	2			1	1		2	6	
Females .....	2	2	3	1	3	1		1		4	
Total .....	6	5	5	1	3	2	1	1	2	10	3
Stormont, Dundas & Glengarry											
Males .....	2	8	3		1	1		4	2	1	1
Females .....	7	3	10	4	7		1	2	2	4	3
Total .....	9	11	13	4	8	1	1	6	4	5	4

BY COUNTIES, 1884—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
4	3	1		2	2	2	2	1	2		1	2	3	1
2	1	2	6	3	3	2	3	2	2	2	1	2	4	3
6	4	3	6	5	5	4	5	3	2	2	2	4	7	4
2	1	2			1	7	1	1	1	1	2	4	3	4
5	3	1	3	1	2	1	2	1		2		1	1	1
7	4	3	3	1	3	8	3	1	1	3	2	5	4	5
1	2		2	2	1	3	1	2	2	1				
4		2	1	2	1		2	1		2	1	1	1	1
5	2	2	3	4	2	3	3	3	2	3	1	1	1	1
				1	1		1	2	1				2	1
3			2	2	2			1	1	1				
3			2	3	3		1	3	2	1			2	1
2	1	1	1		1					3	1		4	2
2	2	1	5	1	2	2		4		1			1	1
4	3	2	6	1	3	2		4		4	1		5	3
2	1		1		3		1	1		2	2	1		
1	1	1	1	1	2	1	1	1	1	1	2	2		2
3	2	1	2	1	5	1	2	2	1	3	4	3		3
	1	1	3		2		2	1	1		1	3	2	
	1	2	6		2	2	3	2	2	1	3	3	3	1
		1	1		1	2	1		2		1	2		
3			1	1		1		1			4		1	2
3		1	2	1	1	3	1	1	2		5	2	1	2
1	2	2	1	2	1		1	1	1		1			
2	1		2		1	1		1		1	1			1
3	3	2	3	2	2	1	1	2	1	1	2		1	2
													1	3
1	2	4	4	1	2	1	2			2	2	2	3	
2		1	4	2	6		2	2	1	1		2	2	1
3	2	5	8	3	8	1	4	2	1	3	2	4	5	1
			1		1		2		2	3	2	1	1	2
1	4	3	4	1	1	1	2		2	2	4	2	6	3
1	4	3	5	1	2	1	4		4	5	6	3	7	5

TABLE H.—DEATHS BY AGES.—

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Northumberland and Durham:											
Males.....	1	3	4	7	1	4	3	1	1	2	2
Females.....		2	3	7	3	1	2	5	6	4	6
Total.....	1	5	7	7	4	5	5	6	7	6	8
Ontario:											
Males.....	3	1	2	2	2		1	1		2	2
Females.....	2	1		3	1		3	1	5	1	3
Total.....	5	2	2	5	3		4	2	5	3	5
Oxford:											
Males.....	2	2	1	1	2	3	1	2	4	5	1
Females.....		2	2	2	2	1	1	3	3		1
Total.....	2	4	3	3	4	4	2	5	7	5	2
Peel:											
Males.....	1		1	1	2		1		6		2
Females.....	1			1			1	3	4		1
Total.....	2		1	2	2		2	3	10		3
Perth:											
Males.....	3		1			2	3	3		2	4
Females.....			1	1	1	1	4	3	2	4	1
Total.....	3		2	1	1	3	7	6	2	6	5
Peterborough:											
Males.....		2	1	3	1	1	1	1	2		1
Females.....		2	1			2	1		2	1	1
Total.....		4	2	3	1	3	2	1	4	1	2
Prescott and Russell:											
Males.....		1	2		2	1	1		4		1
Females.....				4					2		4
Total.....		1	2	4	2	1	1		6		5
Prince Edward:											
Males.....	3	1	2	1	5		1		1	5	
Females.....		1		2			1	1	2	1	
Total.....	3	2	2	3	5		2	1	3	6	
Renfrew:											
Males.....	3		1		2				2		
Females.....	1	1	1	2			3	2	2		2
Total.....	4	1	2	2	2		3	2	4		2
Simcoe:											
Males.....	1	2	4	3	2	2	3	3		2	3
Females.....	3	3	1	2	1	1		1	3	1	2
Total.....	4	5	5	5	3	3	3	4	3	3	5
Stormont, Dundas & Glengarry:											
Males.....	1	1	2	2		1		2	2		3
Females.....	3	1	1	4	1	1	1	2	3	1	2
Total.....	4	2	3	6	1	2	1	4	5	1	

BY COUNTIES, 1884 - *Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
5 4	8 2	5	2 1	1 1	3 4	7 4	7 5	8 4	11 5	6 4	9 2	6 3	10 6	7 8
9	10	5	3	2	7	11	12	12	16	10	11	9	16	15
1 2	3 5	3	1	4 3	2 2	2 3	1 3	1 1	2 3	2 5	1 5	4 3	5	6 1
3	8	3	1	7	4	5	4	2	5	7	6	7	5	7
1 2	5 3	3 3	3 2	4 3	3	2 2	2 3	5 2	5 4	6 2	5 3	7	10 4	1 2
3	8	6	5	7	3	4	5	7	9	8	8	7	14	3
1 2	2	3	2 2	2 2	3	2	1	1	2 2	2	1 3	3 1	1 1	3
3	2	3	4	4	3	2	1	1	4	2	4	4	2	3
2 2	3 1	2 1	3 2	3	4 6	1 1	6 1	5 3	5 1	6 4	1 2	2 1	1 1	5 2
4	4	3	5	3	10	2	6	8	6	10	3	3	2	7
1 1	1 1	1 1	3 2	3 2	3	5 5	3	3 4	4 2	1 2	3 4	4	1 1	1 1
2	2	2	1	5	3	10	3	7	6	2	7	4	2	2
1	1	3 3	3	1	3 1	2 1	4 3	1	1 2	2	2	2 1	1	1
1	2	6	3	1	4	3	7	1	3	2	2	3	1	1
1 1	2	1	6 2	1	1 2	1 1	3 2	2 1	1 3	1 3	1 3	1 4	2 2	5
2	2	1	8	1	3	2	5	3	4	1	5	4	5	5
3	2	1	1	1	1	6	4	3	4	3	4	2	1	1
3	2	1	1	2	6	5	3	7	3	1	3	1	1	1
2	2	1	3	3	3	1	4	3	4	2	5	3	2	2
2	3	2	7	6	3	4	10	6	6	4	14	5	6	3
3	5 4	5 3	3 1	2 1	2 1	1 2	4 2	3 3	4 1	5 4	7 2	4 6	3 7	3 3
3	9	8	4	2	3	3	6	6	5	9	9	10	10	6



TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Northumberland & Durham :											
Males .....	6	3	2	6	6	3	9	3	3	3	1
Females .....	8	3	1	2	8	1	2	3	3	1	.....
Total .....	14	6	3	8	14	4	11	6	6	4	1
Ontario :											
Males .....	1	5	1	1	4	6	2	5	.....	2	1
Females .....	2	3	2	.....	2	3	6	1	1	1	1
Total .....	3	8	3	1	6	9	8	6	1	3	2
Oxford :											
Males .....	5	5	2	1	5	5	6	5	2	.....	1
Females .....	5	3	5	.....	4	.....	2	3	2	.....	3
Total .....	10	8	7	1	9	5	8	8	4	.....	4
Peel :											
Males .....	4	.....	.....	1	3	1	.....	2	.....	.....	.....
Females .....	2	1	1	.....	3	5	1	2	1	.....	.....
Total .....	6	1	1	1	6	6	1	4	1	.....	.....
Perth :											
Males .....	1	4	5	1	7	3	2	1	.....	1	1
Females .....	5	1	3	2	2	2	3	1	1	.....	1
Total .....	6	5	8	3	9	5	5	2	1	1	2
Peterborough :											
Males .....	1	3	1	2	3	2	.....	.....	2	1	.....
Females .....	.....	.....	1	.....	.....	1	4	3	2	.....	1
Total .....	1	3	2	2	3	3	4	3	4	1	1
Prescott & Russell :											
Males .....	4	.....	4	1	.....	2	3	2	4	.....	.....
Females .....	1	.....	1	1	1	1	1	.....	1	1	1
Total .....	5	.....	5	2	1	3	4	2	5	1	1
Prince Edward :											
Males .....	.....	2	5	1	.....	.....	1	1	.....	.....	.....
Females .....	3	1	1	.....	1	2	.....	.....	2	.....	.....
Total .....	3	3	6	1	1	2	1	1	2	.....	.....
Renfrew :											
Males .....	.....	1	2	.....	4	.....	2	1	1	2	.....
Females .....	2	.....	.....	1	.....	1	2	1	1	.....	1
Total .....	2	1	2	1	4	1	4	2	2	2	1
Simcoe :											
Males .....	2	4	3	2	1	2	3	3	4	1	2
Females .....	6	3	4	2	1	3	2	.....	.....	1	.....
Total .....	8	7	7	4	2	5	5	3	4	2	2
Stormont, Dundas & Glengarry :											
Males .....	7	2	5	3	4	2	3	2	4	3	2
Females .....	3	2	.....	3	3	2	1	4	2	1	6
Total .....	10	4	5	6	7	4	4	6	6	4	8

BY COUNTIES, 1884—*Continued.*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
1		2				2							1	383
2	3		2	1			1						4	359
3	3	2	2	1		2	1						5	742
2	1	1	1	2					2				9	279
1		1		1				1					16	263
3	1	2	1	3				1	2				25	542
	1		2			1								
	1											1	5	277
	2		2			1								240
												1	5	517
2	1				1								13	152
	1												12	149
2	2				1								25	301
1						1							5	209
1	3	2	1		1	2		1	1				6	207
2	3	2	1		1	3		1	1				11	416
	2													
1	1				1							1	4	209
						1							2	171
1	3				2									
												1	6	380
1	1	1	1										3	247
1	1				1								2	188
2	2	1	1		1								5	435
1			1		1	1	1	1	1				5	156
1	1											1	4	134
2	1		1		1	1	1	1	1			1	9	290
1														
1	1	1				1						1	4	172
													3	166
2	1	1				1						1	7	338
1	1	1					1						14	356
														292
1	2	1					1						14	642
4	3	1	1		1							1	8	285
2	2		1	1			1					2	4	297
6	5	1	2	1	1		1					3	12	582

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Victoria :											
Males .....	44	4	2	...	1	3	1	3	1	...	3
Females .....	28	10	5	2	1	3	...	3	...	1	2
Total .....	72	14	7	2	2	6	1	6	1	1	5
Waterloo :											
Males .....	82	11	5	3	2	2	3	...	...	...	1
Females .....	56	10	4	1	...	2	1	...	...	2	1
Total .....	138	21	9	4	2	4	4	...	...	2	2
Welland :											
Males .....	42	7	5	1	2	2	3	...	1	...	2
Females .....	25	7	2	2	5	...	3	1	1	...	...
Total .....	67	14	7	3	7	2	6	1	2	...	2
Wellington :											
Males .....	96	15	3	7	5	1	5	...	...	1	2
Females .....	72	21	8	4	1	2	2	...	1	...	3
Total .....	198	36	11	11	6	3	7	...	1	1	5
Wentworth :											
Males .....	163	29	14	8	6	5	1	9	2	1	3
Females .....	139	25	10	11	10	...	5	4	2	5	8
Total .....	302	54	24	19	16	5	6	13	4	6	11
York :											
Males .....	501	64	28	16	15	18	9	8	9	15	4
Females .....	411	71	27	21	20	11	14	13	11	10	1
Total .....	912	135	55	37	35	29	23	21	20	25	5
Total Males .....	2996	508	272	179	145	108	95	84	62	98	62
" Females .....	2246	496	257	169	131	98	89	68	57	77	62
Grand Total .....	5242	1004	529	348	276	206	184	152	119	145	124

COUNTIES, 1884--*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
2	2	1	5	1	2	1	2	1	6	2	3	1	1	4
3	2	1	5	3	3	5	4	3	6	5	7	6	1	6
1	1			1		4	3	1		1	3	2	1	3
	2				1		2		4	6	1	2	3	2
1	3			1	1	4	5	1	4	7	4	4	4	5
			2	1	3		3		3			1	2	1
	2	1	1	1	2	1				2	2	4		1
	2	1	3	2	5	1	3		3	2	2	5	2	2
1	2	2	1	2	2	3	1	1		2	5	6	4	3
1	4	1	2	3	7	2	5	9	6	1	4	4	6	11
2	6	3	3	5	9	5	6	10	6	3	9	10	10	14
3	1	1	2	3	2	3	2	3	4	12	14	5	4	4
3	1	1		2	3	4	5	4	6	3	9	6	5	6
6	2	2	2	5	5	7	7	7	10	15	23	11	9	10
5	5	4	4	6	7	5	12	11	13	14	11	12	11	8
5	1	4	5	6	4	1	9	20	13	18	13	8	14	12
10	6	8	9	12	11	6	21	31	26	32	24	20	25	20
46	52	37	46	49	68	68	79	80	93	99	125	91	86	97
49	56	40	64	58	73	97	94	116	114	122	118	149	119	123
96	108	77	110	107	141	165	173	196	207	221	243	240	205	220



TABLE H.—DEATHS BY AGES.—

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Victoria:											
Males .....	1	4	1		1			1		1	
Females .....	3	1	1	1	3	1	5	3	1	2	1
Total .....	4	5	2	1	4	1	5	4	1	3	1
Waterloo:											
Males .....		2		1	1	4	1	1		1	1
Females .....	4	1	5	1	2	1	2	7	2	1	1
Total .....	4	3	5	2	3	5	3	8	2	2	2
Welland:											
Males .....	3	3			1		1	3			1
Females .....	4	2	1	2		1		1		2	2
Total .....	7	5	1	2	1	1	1	4		2	3
Wellington:											
Males .....	2	2	8	1	2	1	1	1	1	1	
Females .....	6	3	1	3	1		5	3	1	3	2
Total .....	8	5	9	4	3	1	6	4	2	4	2
Wentworth:											
Males .....	2	3	4		5	1	2	3	3	8	10
Females .....	6	7	6	6	9	4	4	8	6	7	5
Total .....	8	10	10	6	14	5	6	11	9	15	15
York:											
Males .....	14	17	8	11	17	4	13	12	2	11	7
Females .....	19	17	11	11	22	11	11	15	10	12	14
Total .....	33	34	19	22	39	15	24	27	12	23	21
Total Males .....	73	95	85	49	75	30	59	63	59	81	59
" Females .....	130	108	111	88	108	66	80	109	81	101	80
Grand Total .....	203	203	196	137	183	96	139	172	140	182	139

BY COUNTIES, 1884 - *Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1	2	2	5	1	1	2	1	1	1	1	3	4	4	1
2	2	4	8	1	1	3	1	1	1	3	4	4	4	1
2	3	1	1	1	1	1	1	2	2	1	1	1	1	1
1	2	1	1	1	1	1	1	1	1	1	1	2	2	1
3	5	1	2	1	2	2	1	2	3	1	2	3	3	1
.....	1	1	.....	.....	.....	2	1	1	.....	1	1	2	1	2
.....	5	2	3	.....	.....	1	.....	.....	.....	1	1	1	1	.....
.....	6	3	3	.....	.....	3	1	1	.....	2	2	3	2	2
2	1	.....	3	1	3	1	2	2	4	2	1	1	2	.....
12	2	4	4	2	3	7	3	3	2	.....	5	2	2	2
4	3	4	7	3	6	8	5	5	6	2	6	3	4	2
8	3	4	2	2	5	2	3	2	3	7	4	4	6	1
4	7	8	5	.....	6	3	6	6	2	3	8	4	4	2
12	10	12	7	2	11	5	9	8	5	10	12	8	10	3
8	14	6	15	10	8	10	11	10	10	6	18	4	13	4
12	13	10	10	3	8	14	12	4	6	9	5	8	7	5
20	27	16	25	13	16	24	23	14	16	15	23	12	20	9
63	60	53	77	42	61	58	64	55	65	58	78	54	85	48
85	77	88	110	50	77	68	74	72	36	56	57	55	65	40
148	137	141	187	92	138	126	138	127	101	114	135	109	150	88

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Victoria :											
Males .....	1	1		2		3	2	1	1		2
Females .....	1					1			3		4
Total .....	2	1		2		4	2	1	4		6
Waterloo :											
Males .....			2		2		2	4		4	4
Females .....				1		1	1	3	1	1	4
Total .....			2	1	2	1	3	7	1	5	8
Welland :											
Males .....		1		1	3	2	1	2	2		3
Females .....		2	1				1	1	4	1	1
Total .....		3	1	1	3	2	2	3	6	1	4
Wellington :											
Males .....	3	4	3	3	2	1	3	1	3	3	5
Females .....	3		2	5	2	3	5	3	2		1
Total .....	6	4	5	8	4	4	8	4	5	3	6
Wentworth :											
Males .....	7	3	6	8	7	6	2	3	5	2	1
Females .....	5	1	4	1	5	3	2	3	7	5	
Total .....	12	4	10	9	12	9	4	6	12	7	1
York :											
Males .....	14	9	10	10	8	6	11	4	13	7	7
Females .....	7	9	8	2	3	6	11	5	7	8	4
Total .....	21	18	18	12	11	12	22	9	20	15	11
Total Males .....	72	62	69	77	87	69	78	56	96	57	92
“ Females .....	61	53	57	63	49	47	70	77	99	50	72
Grand Total .....	133	115	126	140	136	116	148	133	195	107	164

BY COUNTIES, 1884—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
3 3	1	1	.....	1	3	1	4 1	3 1	1 1	3 2	4 4	..... 2	1 4	1 1
6	1	1	.....	1	3	1	5	4	2	5	8	2	5	2
..... 5	1 2	2 1	2 1	1 2	7 2	3 1	8 .....	..... 4	6 5	10 7	3 3	2 4	3 2	4 .....
5	3	3	3	3	9	4	8	4	11	17	6	6	5	4
5 2	3 .....	3 .....	..... 1	5 2	..... 2	1 2	3 2	2 2	5 2	4 3	7 1	2 1	4 1	1 3
7	3	3	1	7	2	3	5	4	7	7	8	3	5	4
2 3	5 3	5 3	3 .....	4 2	8 2	6 3	4 7	1 2	8 1	3 .....	6 7	7 3	7 6	2 1
5	8	8	3	6	10	9	11	3	9	3	13	10	13	3
3 2	3 4	3 1	2 4	5 1	9 2	3 4	9 5	3 4	4 8	9 14	5 6	8 7	9 5	8 2
5	7	4	6	6	11	7	14	7	12	23	11	15	14	10
9 6	12 7	17 5	5 3	10 7	11 8	8 7	20 15	10 9	14 9	15 18	12 19	13 10	13 18	15 15
15	19	22	8	17	19	15	35	19	23	33	31	23	31	30
82 89	108 76	101 55	86 50	86 67	124 82	81 64	146 110	101 78	158 81	135 111	128 120	135 109	147 115	121 85
171	184	156	136	153	206	145	256	179	239	246	248	244	262	206



TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Victoria:											
Males .....	4		2		3	1	2	1		3	1
Females .....	2	1	2	2	1		2	2	1		
Total .....	6	1	4	2	4	1	4	3	1	3	1
Waterloo:											
Males .....	3		5	1	2	2	6		1		1
Females .....	7		2	2	2		1	1	1	1	2
Total .....	10		7	3	4	2	7	1	2	1	3
Welland:											
Males .....	2	2	1	4	1	2	5	4		1	
Females .....	2	2	1	1	1		1				1
Total .....	4	4	2	5	2	2	6	4		1	1
Wellington:											
Males .....	4	1	3	2	4	4	6	4	1	2	1
Females .....	1	2	1	5	5	2	6	2	1	1	2
Total .....	5	3	4	7	9	6	12	6	2	3	3
Wentworth:											
Males .....	4	1	8	3	5	4	2	2	1	1	1
Females .....	8	7	5	2	3	5	2	1	2	1	1
Total .....	12	8	13	5	8	9	4	3	3	2	2
York:											
Males .....	6	6	10	3	6	8	3	4	5	6	1
Females .....	10	11	12	10	8	9	6	5	6	2	
Total .....	16	17	22	13	14	17	9	9	11	8	1
Total Males .....	114	77	115	77	97	99	115	73	59	58	30
" Females .....	115	65	103	56	77	76	82	57	65	32	37
Grand Total .....	229	142	218	133	174	175	197	130	124	90	67

BY COUNTIES, 1884—*Continued.*

80 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
1	2	1		1	1	1						1	7	171
													11	197
1	2	1		1	1	1						1	18	368
1														
	2	1			1								4	250
														220
1	2	1			1								4	470
	1			1									1	191
1													3	141
1	1			1									4	332
	1		1		1						2	1		355
1	1		1	1	1		1						6	360
1	2		2	1	2		1				2	1	6	715
					1	1		1					15	584
					1	3								559
					2	4		1					15	1143
2	1	2		1		2		1	1				1	1430
2	1	1	1	2	2		1		1	1			8	1347
4	2	3	1	3	2	2	1	1	2	1			9	2777
28	34	13	15	12	15	13	4	6	7	3	4	10	315	11291
31	28	17	12	17	15	10	7	2	6	4	2	10	281	10411
59	62	30	27	29	30	23	11	8	13	7	6	20	596	21702

TABLE I.—DEATHS BY AGES IN THE

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Brantford :											
Males .....	14	3	1		1	1	1				1
Females .....	14	2	1	1	1	1					1
Total .....	28	5	2	1	2	2	1				2
Walkerton :											
Males .....	10	3		1							
Females .....	2	2		1							
Total .....	12	5		2							
Ottawa :											
Males .....	272	36	14	3	7	1	4	3	4		2
Females .....	244	26	13	6	6	1	3	2	2	1	2
Total .....	516	62	27	9	13	2	7	5	6	1	4
St. Thomas :											
Males .....	21	1	2	1	3		1				
Females .....	10		2		1		1				
Total .....	31	1	4	1	4		2				
Windsor :											
Males .....	25	3	3	2	2		1	1	2	1	
Females .....	15	6		3	1					2	1
Total .....	40	9	3	5	3		1	1	2	3	1
Owen Sound :											
Males .....	10	4	1	2							
Females .....	4	2	1	1						1	
Total .....	14	6	2	3						1	
Kingston :											
Males .....	30	6	1	1	1	1	1	2			1
Females .....	31	6	1	2	2	2	1				
Total .....	61	12	2	3	3	3	2	2			1
Goderich :											
Males .....	5	3	2	1		1					
Females .....	1	2	1	2				1			
Total .....	6	5	3	3		1		1			
Bellefleur :											
Males .....	19	4	5	4	2	3	7	2			
Females .....	24	6	4		1	1	1	2	1		
Total .....	43	10	9	4	3	4	8	4	1		
Chatham :											
Males .....	21	4		2	1		1	1	3		
Females .....	11	4	2	1	1	1	1		1	1	
Total .....	32	8	2	3	2	1	2	1	4	1	
Sarnia :											
Males .....	8		2		2			1			1
Females .....	6			1			1				
Total .....	14		2	1	2		1	1			1

CITIES AND PRINCIPAL TOWNS, 1884.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
		2			1	1								
		1				2		2	3	1		2	1	
		3			1	3		2	7	1		3	1	
					1							3		
					1							3		
2	3			3	3	1		2		2	3	5	2	2
1		1	4	1	1	4	1	1	3	5	3	1	4	8
3	3	1	4	4	4	5	1	3	3	7	6	6	6	10
1						1	1					1		1
				1		2		2			1	3		1
1				1		3	1	2			1	4		2
		1		1	1	2					1	2	1	1
		1		1	1	2		1			1	2	2	1
				1		1			2					1
				1		3			2					1
2				2	2			2	1		4	1	3	1
		2			4		1		3	4	1		1	
2		2		2	6		1	2	4	4	5	1	4	1
1				1				1						
						1	1		1				1	
1				1		1	1	1	1				1	
	1		1					3		1		1	1	
	1			2	1	1	1		1	1	2	1	1	
	2		1	2	1	1	1	3	1	2	2	2	2	
				1	1	1				1	1	1		
							2	1	1	2	1	3	2	
				1	1	1	2	1	1	3	2	4	2	
	1					1				1		1		
2						1							1	
2	1					2				1		1	1	



TABLE I.—DEATHS BY AGES IN THE

[illegible]

CITIES AND PRINCIPAL TOWNS—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1	1		1				2		1	1	1		1	
1	1					1	1		1		1	1		
2	2		1			1	3		2	1	2	1	1	
			1											
			1											
4	2	2	1	2	2	6	1	4	3	2	1	1	2	
3	3	7	8	4	3	3	8	1	1	1		4	2	
7	5	9	9	6	5	9	9	5	4	3	1	5	4	
		2	1	1	1			1			1	1	1	
		2	1	1	1			1			1	1	1	
	3	1					1						1	
	2	1			1			1		1	1			
	5	2			1		1	1		1	1		1	
1									3		1	1	2	1
	1	1									1			
1	1	1							3		2	1	2	1
						2	1	2					2	1
4		1						1		1				1
4		1				2	1	3		1			2	2
							1							
							1							
1	1	1		1			1		1		1	1	1	1
1		2	1		2			1				1	1	
2	1	3	1	1	2		1	1	1		1	2	2	1
1		1	1					1		1	1			
		2	2		1									
1		3	3		1			1		1	1			
		1								1				
			1		1			1		2				
		1	1		1			1		3				

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Brantford :											
Males .....			1		1	1	2	1	1	1	
Females .....					1	2	1	2	1	1	
Total .....			1		2	3	3	3	2	2	
Walkerton :											
Males .....											
Females .....											
Total .....											
Ottawa :											
Males .....	1	1		3	3	1	2	3	7		7
Females .....	4			3	3	3	1	1	4		3
Total .....	5	1		6	6	4	3	4	11		10
St. Thomas :											
Males .....	3		1			1					
Females .....	1										
Total .....	4		1			1					
Windsor :											
Males .....											
Females .....	1							1	1		
Total .....	1							1	1		
Owen Sound :											
Males .....	1			1	1				1		
Females .....						2					
Total .....	1			1	1	2			1		
Kingston :											
Males .....		1	4					1	2	1	1
Females .....	3	2		1	1	1			3		
Total .....	3	3	4	1	1	1		1	5	1	1
Goderich :											
Males .....						1	1		1		
Females .....											
Total .....						1	1		1		
Belleville :											
Males .....	1			1				1	2		1
Females .....	1	3	1	1	1			1			
Total .....	2	3	1	2	1			2	2		1
Chatham :											
Males .....	1					1	2		1		
Females .....		1			1			1			
Total .....	1	1			1	1	2	1	1		
Sarnia :											
Males .....											
Females .....		1	1							1	
Total .....		1	1							1	

## CITIES AND PRINCIPAL TOWNS, 1884—Continued.

[illegible]



TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Brantford :											
Males .....	1	1		3		1	1		1		
Females .....	1		1				1				1
Total .....	2	1	1	3		1	2		1		1
Walkerton :											
Males .....										1	
Females .....											
Total .....										1	
Ottawa :											
Males .....	2		8		1	2	3	4			
Females .....	5		4		2	1	3	2			
Total .....	7		12		3	3	6	6			
St. Thomas :											
Males .....											
Females .....		1									1
Total .....		1									1
Windsor :											
Males .....		1	1								
Females .....	1						1			1	
Total .....	1	1	1				1			1	
Owen Sound :											
Males .....											
Females .....		1				1					
Total .....		1				1					
Kingston :											
Males .....				2	2	1	1			1	
Females .....							1		1		
Total .....				2	2	1	2		1	1	
Goderich :											
Males .....	1	1									
Females .....											
Total .....	1	1									
Belleville :											
Males .....	1	1	1		1						
Females .....	2				1		3	1			
Total .....	3	1	1		2		3	1			
Chatham :											
Males .....							2			1	
Females .....		1				1					
Total .....		1				1	2			1	
Sarnia :											
Males .....							1			1	
Females .....											
Total .....							1			1	

CITIES AND PRINCIPAL TOWNS.—*Continued.*

[illegible]

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Perth :											
Males .....	8	1			2	1					
Females .....	3	2		1		1		1			1
Total .....	11	3		1	2	2		1			1
Brockville :											
Males .....	17	6	1	1	1	4		2	1	2	
Females .....	10	1	3			1		1	1	1	2
Total .....	27	7	4	1	1	5		3	2	3	2
Napanee :											
Males .....	10	2	2		1	1			1		1
Females .....	3	1	2		1						2
Total .....	13	3	4		2	1			1		3
St. Catharines :											
Males .....	24	4	3			1		2			
Females .....	15	2	1	1	1	1	2			1	1
Total .....	39	6	4	1	1	2	2	2		1	1
London :											
Males .....	52	9	3	2	2		3			1	
Females .....	46	8	3	1			2	1		2	
Total .....	98	17	6	3	2		5	1		3	
Cobourg :											
Males .....	3		1	2	1		1			2	
Females .....	3	2									1
Total .....	6	2	1	2	1		1			2	1
Whitby :											
Males .....	6		2		1						
Females .....	4						1	1			
Total .....	10		2		1		1	1			
Woodstock :											
Males .....	6	1						1		1	
Females .....	5		2								
Total .....	11	1	2					1		1	
:											
Males .....	20	1	1		1						
Females .....	2	1	1	2	1	2					
Total .....	22	2	2	2	2	2					
:											
Males .....	7	2			1	1	1			1	
Females .....	12	1	1	1							
Total .....	19	3	1	1	1	1	1			1	
Peterborough :											
Males .....	14		3	1		1		1		1	2
Females .....	7	1	3	2	1	1	3		1	1	
Total .....	21	1	6	3	1	2	3	1	1	2	2

CITIES AND PRINCIPAL TOWNS, 1884—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
									1			1		
									1	1			1	1
												1	1	1
									1					
			1				1	2	1	2	2	1	1	1
			1				1	2	2	2	2	1	2	1
					1				1					
				1									1	1
				1	1				1				1	1
	1					2	2	2	1	1	2		2	2
					2	1	3	2	1	3			1	
	1				2	3	5	4	2	4	2		3	2
1			3	2	1	1	2	2		3	1	1	2	2
			3	2	1	3	4	3		6	3	6	2	4
			1		1		1							1
			1		1		2							1
			1	1		1		1		1		1	1	
			1	1		2		1		3		1	1	
	1					1	1	1				1	3	1
	1					1	1	1				1	1	1
						1	1	1				1	4	2
1						1			1	1		1		
1						1			1	1		1		
1					1			1	1		1	2	1	
			1		2		1						1	1
1			1		3		1	1	1		1	2	2	1
		2			1		4			1	1			
					1	1		1	1		3			
		2			1	1	4	1	1	1	4			



TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Perth:											
Males.....					1				1		1
Females.....		1								1	
Total.....		1			1				1	1	1
Brockville:											
Males.....	1		1	1			1		1		
Females.....			2		1		2		1		1
Total.....	1		3	1	1		3		2		1
Napanee:											
Males.....											
Females.....		1		1							
Total.....		1		1							
St. Catharines:											
Males.....		1	2				2		1		
Females.....			1	2		2		1	1	1	
Total.....		1	3	2		2	2	2	2	1	
London:											
Males.....	1				1	1	2	2		3	
Females.....	3	1	2	2					1	1	2
Total.....	4	1	2	2	1	1	2	2	1	4	2
Cobourg:											
Males.....											
Females.....											1
Total.....											1
Whitby:											
Males.....											
Females.....		1	1			2					
Total.....		1	1			2					
Woodstock:											
Males.....							1				
Females.....								1		1	
Total.....							1	1		1	
Brampton:											
Males.....				1	1	2					
Females.....					3	2					
Total.....				1	4	4					
Stratford:											
Males.....											1
Females.....	1			1			1		1		1
Total.....	1			1			1		1		2
Peterborough:											
Males.....					2				1		
Females.....			1					1			
Total.....			1		2			1	1		

CITIES AND PRINCIPAL TOWNS, 1884—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
				1				1						1
1				1				1						1
1				1				1						1
		1	1			1				1	1			
1	1	1	1			1				1	1			
					1					1				
					1					2				
2		3	1		1						1		2	
1	2						1	1	1	1			2	
3	2	3	1		1		1	1	1	1	1		4	
	2	2	2	1	2	1	2			1	1		1	2
2	2	2	3		1					1	2			1
2	4	4	5	1	3	1	2			2	3		1	3
						1								
						1								1
						1								1
1		1					1					1		
	1	1				1								
1	1	2				1	1					1		
				1										
				1										
								2					1	1
2				1	1									
2				1	1			2					1	1
	1										2			
			1		1	1					1			
	1		1		1	1				3				
1	1				1						1			1
1	1	1	1				1				1	2		
2	2	1	1		1		1				2	2		1

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Perth :											
Males.....	1					1					
Females.....							1				1
Total .....	1					1	1				1
Brockville :											
Males.....							1				
Females.....	1								1		
Total .....	1						1		1		
Napanee :											
Males.....							1				
Females.....			1		1				1		
Total .....			1		1		1		1		
St. Catharines :											
Males.....		1	1	1	2	1		2			
Females.....			3	2		1	3	1	1		
Total .....		1	4	3	2	2	3	3	1		
London :											
Males.....	2	1	1	2	1	1	1		4	1	
Females.....			1	1	1		2	5			3
Total .....	2	1	2	3	2	1	3	5	4	1	3
Cobourg :											
Males.....		2			1		1				
Females.....					1				1		2
Total .....		2			2		1		1		2
Whitby :											
Males.....					1			1	2	1	1
Females.....				1							
Total .....				1	1			1	2	1	1
Woodstock :											
Males.....	1					1			1		
Females.....								1			
Total .....	1					1		1	1		
Brampton :											
Males.....	1		1						3		
Females.....									2		
Total .....	1		1						5		
Stratford :											
Males.....	3					1	1				1
Females.....				1			1			1	1
Total .....	3			1		1	2			1	2
Peterborough :											
Males.....				1		1	1	1			
Females.....		1								1	
Total .....		1		1		1	1	1		1	

CITIES AND PRINCIPAL TOWNS, 1884—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
					1		2					1		
					1		2					1		
							1					1		1
	1	1							1		2			1
	1	1					1		1		2	1		2
	1						1				1		1	1
3	1			1			1				1			
3	2			1			2				2		1	1
1			1			2	1							
					1	1			1	1	1	1	3	
1			1		1	3	1		1	1	1	1	3	
3	1	4			2		3	1	3	4	2	1		1
1		2	2	3	2	1	2	1			1	1	3	2
4	1	6	2	3	4	1	5	2	3	4	3	2	3	3
		1					1		1	1	1			1
		1			1	1	1			1				1
		2			1	1	2		1	2	1			2
	1					1				1	1			
				1										
	1			1		1				1	1			
1	1	1	1				1					1	1	
1				1		1								
2	1	1	1	1		1	1					1	1	
		1							1	1				
	1		1											2
	1	1	1						1	1				2
			1			1				1		1		
			1			1				1		1		
1				3						1		2	2	
	1			2			1		1			1		
1	1			5			1		1	1		3	2	



TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Perth :											
Males .....					1						
Females .....											
Total .....					1						
Brockville :											
Males .....							1				
Females .....			1		1	2			1	1	
Total .....			1		1	2	1		1	1	
Napanee :											
Males .....		1							1		
Females .....		1				1					
Total .....		2				1			1		
St. Catharines :											
Males .....		1		1	1		4				1
Females .....	1			1	1				1	1	
Total .....	1	1		2	2		4		1	1	1
London :											
Males .....	1	3	2	1	1	1		2		1	
Females .....			2	1		2	1				
Total .....	1	3	4	2	1	3	1	2		1	
Cobourg :											
Males .....	1										
Females .....				1					1		
Total .....	1			1					1		
Whitby :											
Males .....						2					
Females .....					1						
Total .....					1	2					
Woodstock :											
Males .....	1				1			1			1
Females .....		1									
Total .....	1	1			1			1			1
Brampton :											
Males .....					2	1					
Females .....					3	1					
Total .....					5	2					
Stratford :											
Males .....		1			1	2					
Females .....				1							1
Total .....		1		1	1	2					1
Peterborough :											
Males .....	1	2			1	1				1	
Females .....							3				1
Total .....	1	2			1	1	3			1	1

CITIES AND PRINCIPAL TOWNS, 1884—*Continued.*[illegible]

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Pictou :											
Males .....	4	2	1	3	1		1	1			
Females .....	3	2	2			1				1	
Total .....	7	4	3	3	1	1	1	1		1	
Pembroke :											
Males .....	5	2	2						1		
Females .....	8	1			1	1					
Total .....	13	3	2		1	1			1		
Barrie :											
Males .....	9	3	1								
Females .....	5				1	1					
Total .....	14	3	1		1	1					
Cornwall :											
Males .....	4	7	2	3							
Females .....	6	3	2	1	1		1				
Total .....	10	10	4	4	1		1				
Lindsay :											
Males .....	6				2		2			2	
Females .....	3	1					1		1		1
Total .....	9	1			2		3		1	2	1
Berlin :											
Males .....	10	4			1						
Females .....	12	1								1	
Total .....	22	5			1					1	
Guelph :											
Males .....	28	4		2	2		2				
Females .....	20	8	2		1	1	1				1
Total .....	48	12	2	2	3	1	3				1
Hamilton :											
Males .....	121	16	13	5	7	4		5	1		3
Females .....	97	16	6	10	8		4	3	2	3	6
Total .....	218	32	19	15	15	4	4	8	3	3	9
Toronto :											
Males .....	412	53	25	15	14	5	7	3	2	5	2
Females .....	355	56	25	19	15	7	3	5	4	8	7
Total .....	767	109	50	34	29	12	10	8	6	13	9
Total Males .....	1201	184	91	51	56	25	33	25	15	16	13
“ Females .....	981	163	78	56	44	23	26	17	13	23	26
Grand Total .....	2182	347	169	107	100	48	59	42	28	39	39

CITIES AND PRINCIPAL TOWNS, 1884.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
			1						1	1	1	1	2	1
			1						1	1	1	3	2	2
1														
1	1		1					1						
2	1		1					1						
						2					1			
								2	1		1			1
						2		2	1		2			1
				1	1		1			1				1
				1	1				1		1	1		
				2	1		1		1	1	1	1		1
						1			1	2			1	1
2		1	2		2			2			3			
2		1	2		2	1		2	1	2	3		1	1
						1								
									1					
						1			1					
1		1				1	1	1			4	1	1	1
	3				1	1	2	2	1		1	2	1	1
1	3	1			1	2	3	2	1		5	3	2	2
2		1	4	1		1	1	3	3	5	5	4	3	2
3	2	1	2	2	2	2	5		6	3	4	3	4	3
5	2	2	6	3	2	3	6	3	9	8	9	7	7	5
1	4	3	2	5	6	5	3	10	12	13	9	10	6	6
4	4	2	4	5	3	5	6	17	11	10	8	5	12	10
5	8	5	6	10	9	10	9	27	23	23	17	15	18	16
12	10	9	10	15	17	22	17	28	29	34	32	35	27	23
15	12	9	18	17	22	29	27	37	37	37	35	33	38	33
27	22	18	28	32	39	51	41	65	66	71	67	68	65	56



TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Pictou :											
Males .....									1		
Females .....			1				1			2	1
Total .....			1				1		1	2	1
Pembroke :											
Males .....					1				1		
Females .....											
Total .....					1				1		
Barrie :											
Males .....											1
Females .....		1								3	
Total .....		1								3	1
Cornwall :											
Males .....										1	
Females .....			1		1						1
Total .....			1		1					1	1
Lindsay :											
Males .....	2										
Females .....							1			1	
Total .....	2						1			1	
Berlin :											
Males .....						1	1	1			1
Females .....	1					1				1	
Total .....	1					2	1	1		1	1
Guelph :											
Males .....	1	1	2		1	1		1		1	
Females .....	1	1					1				
Total .....	2	2	2		1	1	1	1		1	
Hamilton :											
Males .....	1	3	4		4			2	2	5	7
Females .....	4	3	6	5	6	3	3	6	4	5	3
Total .....	5	6	10	5	10	3	3	8	6	10	10
Toronto :											
Males .....	12	14	5	10	14	4	13	10	4	9	15
Females .....	15	14	3	10	18	10	9	7	9	7	10
Total .....	27	28	8	20	32	14	22	17	13	16	25
Total Males .....	20	25	22	21	31	11	25	20	18	22	31
" Females .....	35	32	29	25	39	25	25	30	21	36	28
Grand Total .....	55	57	51	46	70	36	50	50	39	58	59

CITIES AND PRINCIPAL TOWNS, 1884—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
		1					1		1		1	1		
			1					1			1			
		1	1				1	1	1		2	1		
2	1										1			1
2	1					1					1			1
		2		1	1							1		
			1									1	1	
		2	1	1	1							2	1	
			1											
		2									1		2	
		2	1								1		2	
		1									1			
		2	1		1								1	
		3	1		1						1		1	
	3										1			
	3					1					1			
1			2					1		1				
1	1		1		1	2					2			
	1		3		1	2		1		1	2			
7	2	3	2	2	3	1	3	1	2	6	3	1	4	
3	3	4	3		2	2	6	6		3	4	2	3	
10	5	7	5	2	5	3	9	7	2	9	7	2	7	
6	12	3	13	9	8	6	8	9	8	5	13	4	14	3
9	9	8	9	3	7	12	8	3	3	7	4	6	6	5
15	21	11	22	12	15	18	16	12	11	12	17	10	20	8
26	29	23	25	17	19	16	21	20	19	22	30	12	32	10
31	27	36	35	10	23	26	26	18	6	19	18	17	18	10
57	56	59	60	27	42	42	47	38	25	41	48	29	50	20

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Pictou :											
Males .....	2		1								2
Females .....				2					1		
Total .....	2		1	2					1		2
Pembroke :											
Males .....											
Females .....											
Total .....											
Barrie :											
Males .....		1					1	1	1		
Females .....		1									
Total .....		2					1	1	1		
Cornwall :											
Males .....		1									
Females .....		1		1							
Total .....		2		1							
Lindsay :											
Males .....				2		1					
Females .....											
Total .....				2		1					
Berlin :											
Males .....					1			2		2	
Females .....											1
Total .....					1			2		2	1
Guelph :											
Males .....		1	1	1							1
Females .....	1			2	1		2		1		
Total .....	1	1	1	3	1		2		1	1	
Hamilton :											
Males .....	7	2	5	5	4	3	2		8	1	
Females .....	4		3	1	3	3	1		2	2	1
Total .....	11	2	8	6	7	6	3		10	3	1
Toronto :											
Males .....	8	7	7	7	6	3	10	1	13	6	6
Females .....	6	7	7		7	3	6	4	5	6	8
Total .....	14	14	14	7	13	6	16	5	18	12	14
Total Males .....	32	18	23	24	21	18	26	14	47	14	19
Females .....	22	17	17	16	21	15	18	17	24	12	20
Grand Total .....	54	35	40	40	42	33	44	31	71	26	39

CITIES AND PRINCIPAL TOWNS, 1884—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
			1								1			
									1	2				1
			1						1	2	1	1		1
2	1								1					
2	1										1			
									1		1			
1			1	1			1			2		1		
1			1	1			1			2		1	1	
			1											
		1												
		1				1	1					1		
						1	1					1		
	1				1			1		1				
								1	1		1		1	
	1				1			2	1	1	1		1	
			1		1	1	1		2		1	2		
			1		1	1	1	2	2	1	1	2		
		3			1	3	1		1	1	1	2	2	
1		1	2	1		2	2				1			
1		4	2	1	1	5	3		1	1	2	2	2	
1	1	7	1	2	7	1	2	1	1	3	2	3	4	3
1		4	3	6	1	1	3	1	6		1	3	3	
2	1	11	4	8	8	2	5	2	7	2	3	6	7	3
6	11	14	3	8	5	3	10	6	2	7	7	9	3	8
6	6	7	1	6	8	5	9	7	5	13	7	5	7	4
12	17	21	4	14	13	8	19	13	7	20	14	14	10	12
24	27	48	15	22	24	14	37	19	26	23	25	32	22	25
16	15	24	16	28	17	18	34	23	18	30	23	21	22	13
40	42	72	31	50	41	32	71	42	44	53	48	53	44	38



TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Pictou:											
Males .....		1						1			
Females .....				1					1		
Total .....		1		1				1	1		
Pembroke:											
Males .....							1				
Females .....											
Total .....							1				
Barrie:											
Males .....											
Females .....			2			1					
Total .....			2			1					
Cornwall:											
Males .....			1							1	
Females .....		1					1				
Total .....		1	1				1			1	
Lindsay:											
Males .....							1				
Females .....								1			
Total .....							1	1			
Berlin:											
Males .....	2						2		1		
Females .....	1										
Total .....	3						2		1		
Guolph:											
Males .....				1	2	1	2			1	
Females .....					1	1	1	1			
Total .....				1	3	2	3	1		1	
Hamilton:											
Males .....	3		5	1	2			1			
Females .....	2	2	2		2	2	2		1		
Total .....	5	2	7	1	4	2	2	1	1		
Toronto:											
Males .....	4	4	6	3	5	3	1	1	2	3	1
Females .....		7	12	8	6	8	4	5	4	2	
Total .....	4	11	18	11	11	11	5	6	6	5	1
Total Males .....	18	17	24	12	21	15	20	10	5	11	3
“ Females .....	13	15	24	13	18	21	21	10	10	5	4
Grand Total .....	31	32	48	25	39	36	41	20	15	16	7

CITIES AND PRINCIPAL TOWNS, 1884—*Continued.*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
														31
													1	36
													1	67
														19
														21
														40
														27
														30
														57
1														28
				1										34
1				1										62
														30
														31
														61
														43
		1												25
		1												68
			1								1		2	92
		1			1								1	83
		1	1		1						1		3	175
					1								3	370
														352
					1								3	722
2	1	1				2			1				16	1101
1		1		1	1				1	1			16	1054
3	1	2		1	1	2			2	1			32	2155
6	6	1	1	2	1	3		1	2		2		64	3481
4	4	3		3	3	1			2	2		1	68	3256
10	10	4	1	5	4	4		1	4	2	2	1	132	6737

TABLE J.—DEATHS BY

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....								
Brant.....	2	59					1	78
Bruce.....	1	62					3	170
Carleton.....								
Dufferin.....			1	22			1	83
Elgin.....					1	48	3	183
Essex.....	1	44					1	33
Frontenac.....	1	65					1	89
Grey.....							1	26
Haldimand.....							2	158
Halton.....								
Hastings.....	4	232					5	256
Huron.....							2	68
Kent.....							2	124
Lambton.....	1	22	1	70			2	96
Lanark.....	1	53						
Leeds and Grenville.....							3	123
Lennox and Addington.....							2	143
Lincoln.....	1	59						
Middlesex.....	3	146					2	122
Muskoka and Parry Sound.....								
Norfolk.....	1	71					1	91
Northumberland and Durham.....	1	37					4	239
Ontario.....	1	58	1	51			2	139
Oxford.....	1	24	1	32			4	304
Peel.....	1	29	1	60			2	89
Perth.....	2	86					3	146
Peterborough.....	1	20						
Prescott and Russell.....								
Prince Edward.....							3	191
Renfrew.....					1	34	3	134
Simcoe.....	1	22						
Stormont, Dundas and Glengarry.....							2	55
Victoria.....							1	80
Waterloo.....								
Welland.....								
Wellington.....	4	172					2	112
Wentworth.....	5	207					5	264
York.....	11	526	1	36			1	69
Totals.....	44	1994	6	271	2	82	64	3685

OCCUPATIONS, 1884.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Book-keepers and Clerks.		Bankers.		Bakers and Confectioners.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
						1	62	2	100				
		1	33	1	25	2	140	10	323	1	38	3	72
				1	32	1	75	1	26				
				1	43	1	39	2	65				
						2	97	3	128				
								1	21				
						1	30						
								1	34				
						1	72	5	157			1	46
1	33					1	31	1	35				
		1	58					1	21			1	31
1	39					1	31	2	45				
												1	73
						4	188	2	101				
1	59	1	73	1	50	1	60	7	276			2	91
				1	60	2	122	2	110				
				1	25	2	87	1	21			1	77
						1	67	1	59			2	119
								3	181			1	73
				1	21								
								3	92				
								1	49			1	74
				1	38								
								1	58				
								1	28	2	100		
								3	98				
1	35					1	61	3	77				
						1	59	2	57				
		1	25			1	52	3	89			1	23
1	58	2	95	1	65	2	116	4	157	2	73	1	28
3	106	3	216	4	177	5	275	28	1292			1	21
8	330	9	500	13	537	31	1664	94	3700	5	211	16	728



TABLE J.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....	1	70					1	61
Brant .....	10	580			1	68		
Bruce .....	2	88	1	23	2	140		
Carleton .....	8	361	2	76				
Dufferin .....	2	148						
Elgin .....	3	182						
Essex .....	4	141						
Frontenac .....	9	664	1	54				
Grey .....	7	431						
Haldimand .....	1	45						
Halton .....	1	24	1	45				
Hastings .....	3	157			1	72		
Huron.....	5	325						
Kent .....	2	102					1	29
Lambton .....	6	320			1	52		
Lanark .....	2	151						
Leeds and Grenville.....	3	178			1	77		
Lennox and Addington .....								
Lincoln .....	7	300	1	45	1	72		
Middlesex .....	14	690	3	120	1	30		
Muskoka and Parry Sound .....	2	74	1	38				
Norfolk .....	4	192	1	85				
Northumberland and Durham .....	4	268						
Ontario.....	3	197	1	43	3	209		
Oxford .....	2	139						
Peel .....	1	72						
Perth.....	3	120			1	62		
Peterborough .....	2	93			1	53		
Prescott and Russell .....	1	33						
Prince Edward.....	2	109	1	39	2	163		
Renfrew .....	3	185	1	22				
Simcoe .....	5	290	1	28	1	62		
Stormont, Dundas and Glengarry.....	4	191			2	172		
Victoria .....								
Waterloo .....	4	237			3	205		
Welland .....	4	189						
Wellington .....	5	316						
Wentworth .....	13	611	4	199				
York.....	30	1479	4	196	2	120	3	134
Totals.....	182	9731	23	1013	23	1557	5	224

OCCUPATIONS, 1884—*Continued.*

Chemists and Druggists.		Clergymen.		Contractors and Builders.		Carriage and Wagon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				2	116	1	44			1	22	1	30
		2	151			2	134						
		1	23							1	37		
				1	64	3	228					1	73
				1	52			1	44				
		1	64										
1	25	2	138							2	135		
		1	68			1	48			1	51		
		2	154										
		1	83										
		1	85					1	67				
1	34			1	70					1	50		
		2	152			1	76			1	44		
		1	87			1	58			2	76		
		2	143	1	58					2	70		
1	49	1	55	1	31	1	70						
		1	46										
				2	120			1	34				
				3	143					2	117	2	81
		1	32										
		1	44										
		2	125										
		1	67	1	35	1	51	1	34				
		1	51										
		2	132			3	134	1	27	1	41		
		1	82					2	50				
				1	79								
		1	63			1	21						
						1	46						
		1	29										
1	32	1	88			2	67			1	44		
		2	128					1	55	1	35		
		1	74										
		1	68			2	109						
		1	77							2	80		
		1	69			2	124						
1	37	6	360	2	74					4	212		
2	64	4	273	2	115	4	178			8	374		
7	241	45	2947	19	1031	26	1388	8	311	30	1388	4	184

TABLE J.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....	7	382	7	331				
Brant .....	36	2386	35	2222	2	109	7	489
Bruce .....	105	6639	76	4617			2	119
Carleton .....	53	3527	28	1734	2	119	6	479
Dufferin .....	34	2172	31	1848				
Elgin .....	48	3058	40	1848			2	142
Essex .....	57	3417	51	3228			2	139
Frontenac .....	57	3672	23	1567	3	178	3	243
Grey .....	105	6383	54	3141				
Haldimand .....	43	2822	36	2223	1	51	4	238
Halton .....	31	2076	46	2933			1	65
Hastings.....	95	5517	79	4557	2	122	7	522
Huron .....	114	7378	85	5199			9	677
Kent .....	73	4391	61	3589			12	775
Lambton .....	61	3487	66	3777	1	80	2	146
Lanark .....	44	3170	38	2503			1	84
Leeds and Grenville. .	91	6221	51	3114	1	75	3	243
Lennox and Addington. .	32	1872	30	1694			4	318
Lincoln.....	37	2360	29	1842	3	207	3	167
Middlesex .....	155	9354	94	5734	3	140	13	870
Muskoka and Parry Sound .....	47	3436	22	1134			1	35
Norfolk.....	57	3634	52	3035	1	42	3	178
Northumberland and Durham .....	136	8956	107	6780			9	624
Ontario .....	70	4276	54	3464			17	1269
Oxford .....	93	6111	60	3965	1	52	11	718
Peel.....	42	2522	34	2176			4	332
Perth.....	91	5711	60	4032			13	858
Peterborough .....	56	3524	36	1917			3	249
Prescott and Russell.....	71	4359	41	2543			4	306
Prince Edward.....	47	2944	28	1797			5	390
Renfrew .....	41	2494	36	2051			1	87
Simcoe .....	84	5239	55	3268	2	160	2	98
Stormont, Dundas and Glengarry.....	112	7644	99	6261			3	206
Victoria .....	54	3314	69	3925			10	707
Waterloo .....	42	2823	56	3351	1	66	14	959
Welland .....	55	3676	24	1497	1	47	6	420
Wellington .....	98	6446	107	5872	2	136	9	671
Wentworth .....	64	4195	55	3402	4	255	9	611
York .....	128	8039	65	3782	10	588	16	1044
Totals.....	2666	169627	2020	121953	40	2427	221	15478

OCCUPATIONS, 1884—Continued.

Hunters and Fishermen.		Housewives.		Labourers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.		Masons.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
.....	.....	13	546	45	1659	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	55	3142	23	1172	1	47	2	77	1	68	.....	.....
.....	.....	18	1002	10	578	.....	.....	1	71	2	57	1	80
.....	.....	79	4549	61	3398	.....	.....	.....	.....	.....	.....	1	89
.....	.....	10	477	2	132	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	27	1297	8	355	.....	.....	.....	.....	.....	.....	.....	.....
1	25	45	2312	27	1291	.....	.....	.....	.....	2	58	.....	.....
1	65	65	3785	45	2473	.....	.....	.....	.....	1	21	1	75
.....	.....	32	1773	12	580	1	40	1	46	.....	.....	.....	.....
.....	.....	15	708	7	462	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	24	1284	12	712	.....	.....	.....	.....	.....	.....	1	68
1	64	52	2286	22	1111	.....	.....	3	132	.....	.....	1	25
1	37	21	1013	23	1349	.....	.....	.....	.....	1	38	2	107
.....	.....	22	1183	25	1484	.....	.....	.....	.....	.....	.....	1	23
.....	.....	40	1942	23	1129	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	26	1286	8	409	.....	.....	1	34	1	26	1	90
.....	.....	51	2835	17	458	1	69	.....	.....	.....	.....	.....	.....
.....	.....	23	1334	8	511	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	64	3720	21	1069	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	128	7058	47	2425	1	38	1	32	3	113	2	97
.....	.....	6	286	2	103	3	69	1	32	.....	.....	1	58
.....	.....	19	1098	15	723	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	51	3002	37	2025	2	85	.....	.....	2	52	1	80
.....	.....	44	2147	22	1212	.....	.....	1	37	.....	.....	.....	.....
.....	.....	28	1509	20	920	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	40	2027	9	524	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	21	1224	10	486	.....	.....	.....	.....	.....	.....	3	216
.....	.....	37	2133	17	926	2	97	1	32	2	63	.....	.....
.....	.....	13	572	12	567	.....	.....	.....	.....	1	70	.....	.....
1	34	25	1480	11	564	.....	.....	.....	.....	1	48	.....	.....
.....	.....	19	1040	19	859	1	27	.....	.....	.....	.....	.....	.....
.....	.....	43	2372	26	1309	.....	.....	.....	.....	1	21	.....	.....
.....	.....	37	1886	17	761	.....	.....	.....	.....	2	108	.....	.....
.....	.....	16	710	10	496	.....	.....	.....	.....	1	23	1	87
.....	.....	50	2815	21	1268	.....	.....	.....	.....	.....	.....	2	90
.....	.....	35	1822	20	1243	.....	.....	.....	.....	.....	.....	1	87
.....	.....	46	2800	23	1284	.....	.....	.....	.....	3	90	3	177
3	236	142	7687	56	2991	2	66	.....	.....	1	46	.....	.....
.....	.....	300	17242	128	6510	1	21	5	232	3	102	3	117
8	461	1782	97382	921	47528	15	559	17	725	28	1004	26	1566



TABLE J.—DEATHS BY

COUNTIES.	Machinists.		Moulders.		Millers.		Millwrights.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay .....								
Brant .....			1	50	1	40		
Bruce .....					4	216		
Carleton .....					1	68		
Dufferin .....								
Elgin .....	1	57			2	92		
Essex .....							1	70
Frontenac .....								
Grey .....								
Haldimand .....			1	40				
Halton .....			1	78	3	154		
Hastings .....					3	175		
Huron .....					2	107		
Kent .....	2	76						
Lambton .....								
Lanark .....	1	55			1	26		
Leeds and Grenville .....	2	56	1	50	1	65		
Lennox and Addington .....	1	33						
Lincoln .....								
Middlesex .....	2	56	1	65	1	80	1	58
Muskoka and Parry Sound .....								
Norfolk .....					1	81		
Northumberland and Durham .....			1	54	1	70		
Ontario .....					2	85		
Oxford .....			1	84	1	53		
Peel .....	2	42						
Perth .....					3	166		
Peterborough .....	1	67	1	60	1	51		
Prescott and Russell .....								
Prince Edward .....					2	92		
Renfrew .....							1	74
Simcoe .....								
Stormont, Dundas and Glengarry .....								
Victoria .....	1	21			1	64		
Waterloo .....	2	91						
Welland .....	1	45	1	33				
Wellington .....	2	50	2	104			2	103
Wentworth .....	5	236	6	297	1	70	1	78
York .....	3	99	3	105				
Totals .....	26	984	20	1020	32	1755	6	383

OCCUPATIONS, 1884—*Continued.*

Musicians.		Manufacturers.		Merchants.		Miners.		Other Occupations.		Other Mechanics.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				2	106	1	21			1	31
				2	147					2	143
				1	25					1	65
				5	326			1	87	3	102
				1	39						
				1	73			1	50	1	43
		1	47	4	297			1	60	1	24
				6	306			1	35		
		1	24	2	126						
				3	183					1	82
		2	111	3	170	3	109	1	59		
				2	84			1	72	3	120
				5	264						
1	23			9	422			1	39	1	64
		2	117	1	64			1	74	2	64
				5	313	1	32	1	72	1	36
		1	64							1	74
		2	84	6	363			1	105	5	268
		2	102			1	48	3	241	5	328
				1	42						
				2	136						
1	67			4	200					1	24
				3	110						
1	36			3	192			2	101	2	85
				1	36					1	22
				2	83					2	126
		1	38	1	42						
				3	180						
				1	52					2	65
		1	74								
		1	54	4	241			1	39		
				3	114						
		1	88	2	67						
		3	150	1	42					1	58
				1	79						
		2	93	6	336			2	147	1	53
		14	667	15	765	1	68	1	68	9	411
1	45	5	243	22	1173	1	57	3	204	11	429
4	171	39	1956	133	7198	8	335	22	1458	58	2717

TABLE J.—DEATHS BY

COUNTIES.	Painters.		Printers		Provincial Land Surveyors.		Public Officials.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay .....								
Brant .....	1	44	1	21			2	140
Bruce .....							1	61
Carleton .....	2	93					15	831
Dufferin .....								
Elgin .....	1	24					4	261
Essex .....							2	114
Frontenac .....	2	100						
Grey .....	1	23	2	51				
Haldimand .....								
Halton .....	2	97					1	55
Hastings .....	1	64			1	86	2	117
Huron .....	2	67			2	106	2	126
Kent .....								
Lambton .....								
Lanark .....							1	66
Leeds and Grenville .....	1	53			1	61	1	32
Lennox and Addington .....					2	106	1	89
Lincoln .....					1	80	3	237
Middlesex .....	3	159	1	81			3	169
Muskoka and Parry Sound .....							1	45
Norfolk .....							1	95
Northumberland and Durham .....	1	84					3	137
Ontario .....							1	63
Oxford .....	3	159			1	72	4	315
Peel .....							2	125
Perth .....								
Peterborough .....								
Prescott and Russell .....							1	22
Prince Edward .....	1	33					1	62
Renfrew .....	1	52					2	109
Simcoe .....	1	36					1	53
Stormont, Dundas and Glengarry .....	1	51			1	75	1	67
Victoria .....								
Waterloo .....	2	108					3	178
Welland .....			1	27			2	88
Wellington .....							4	256
Wentworth .....	5	211	1	72			3	191
York .....	8	327	6	289			16	916
Totals .....	39	1785	12	541	9	586	84	5020

OCCUPATIONS, 1885—Continued.

Physicians.		Pedlars.		Plasterers.		Railroad Employees.		Stonecutters.		Shoemakers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
1	68	1	34			4	140				
		1	64			3	111			3	161
						1	22			1	62
								1	23	2	115
						4	145				
4	230	1	45	1	40	1	74	2	58	3	124
				1	54					4	250
				1	46						
2	95					1	69				
1	49					1	45			1	66
1	64					4	116			2	107
						2	103			1	80
2	91			1	22			1	63		
				1	77	5	187				
						1	35	2	92	3	179
								2	60	1	70
		1	75			1	57				
1	72					2	88			2	89
2	76									2	104
										2	118
2	77	1	31			1	29			3	225
1	72									4	261
1	75					1	45			2	107
1	60									4	235
		1	55			2	96	1	30	3	234
1	72									3	124
		1	52							2	78
2	143					5	196	2	98	2	120
						4	109			1	65
						3	115	1	38	1	26
		1	23							4	262
						1	27			3	207
1	54					1	40			4	230
		2	105					1	35	5	303
6	341	3	189	2	78	8	308			12	680
29	1639	13	673	7	317	56	2155	13	497	80	4682



TABLE J.—DEATHS BY

COUNTIES.	Sailors.		Saddlers and Harness- makers.		Seamstresses.		Servants.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....							2	45
Brant .....	1	87	1	41	1	57		
Bruce .....					1	22	5	266
Carleton .....							2	113
Dufferin .....							1	53
Elgin .....	2	98	1	65	1	31	4	179
Essex .....	2	86			1	36	4	162
Frontenac .....								
Grey .....	2	91			1	24		
Haldimand .....					1	38	1	21
Halton .....			3	93	2	47		
Hastings .....			1	47	1	23		
Huron .....			1	30			1	34
Kent .....			1	28	1	54		
Lambton .....	1	42	1	59	1	29		
Lanark .....							1	24
Leeds and Grenville .....	4	211			1	34	2	53
Lennox and Addington .....	5	316	1	62	3	106	2	120
Lincoln .....								
Middlesex .....							2	101
Muskoka and Parry Sound .....								
Norfolk .....	1	34	1	78	1	30	2	76
Northumberland and Durham .....								
Ontario .....			1	60	1	22	1	24
Oxford .....								
Peel .....			1	58				
Peterborough .....					1	45		
Prescott and Russell .....	1	78			1	52		
Prince Edward .....					1	59		
Renfrew .....					2	52	1	25
Simcoe .....	1	25					7	297
Stormont, Dundas and Glengarry .....								
Victoria .....			2	96			3	109
Waterloo .....			1	84	1	27	1	63
Welland .....	1	28	1	30				
Wellington .....	1	22	3	169	2	86	6	187
Wentworth .....	9	522	3	152	6	243	15	631
York .....								
Totals .....	31	1640	23	1152	31	1087	63	2583

OCCUPATIONS, 1884.—*Continued.*

Tinsmiths.		Teamsters.		Tavern-Keepers.		Tobacconists and Cigar- Makers.		Teachers.			
								Male.		Female.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
2	90			2	102						
				2	107			2	84		
				1	50			2	53	4	112
1	49	2	120	1	37			1	80		
				1	49			1	26		
		1	29					1	30		
				1	52					1	65
2	131	3	206	1	54			1	94	2	146
				2	102			1	27		
										1	39
				1	69						
1	52	1	65	1	29			2	56		
		1	54	3	157			1	23	1	42
1	27			1	50						
1	54							1	26		
								3	206		
		4	128			1	47				
				2	96						
		2	65	3	168	1	39	1	53	1	74
				2	146			2	101		
				1	62						
										2	45
		1	53	2	94						
		1	54	1	43			1	40		
		2	150	1	50						
				1	60			1	63	1	33
		1	52					1	48		
				1	37			2	177	1	23
								1	80	1	23
		1	40	2	106			1	73		
		1	25	1	53			2	96		
				1	48			1	22	1	21
				1	58			1	35		
						1	27	1	31		
				4	252			1	74	1	23
2	70			3	175						
3	93	6	287	1	54	3	102			2	82
3	114	9	418	9	390	3	100	4	204	2	74
16	680	36	1746	53	2750	9	315	36	1802	21	903

TABLE J.—DEATHS BY

COUNTIES.	Telegraph Operators.		Tailors.		Tanners and Curriers.		Undertakers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algonia and Thunder Bay.....	1	25						
Brant.....			1	60				
Bruce.....			2	49				
Carleton.....			2	92				
Dufferin.....								
Elgin.....			1	77				
Essex.....			4	219				
Frontenac.....			5	268				
Grey.....			2	173				
Haldimand.....								
Halton.....			1	74				
Hastings.....			1	82	1	52		
Huron.....	1	24	2	81				
Kent.....	1	36	4	267				
Lambton.....								
Leamark.....			2	147				
Leeds and Grenville.....	1	22	1	70				
Lennox and Addington.....								
Lindsay.....	1	27	1	24	2	119		
Middlesex.....	1	22	4	233			1	83
Muskoka and Parry Sound.....			1	76				
Norfolk.....								
Northumberland and Durham.....			2	97	2	117		
Ontario.....					2	73		
Oxford.....			3	184				
Peel.....								
Perth.....	2	45	2	99				
Peterborough.....					1	55		
Prescott and Russell.....								
Prince Edward.....			1	56				
Renfrew.....			1	52				
Simcoe.....	1	30	1	47	1	72		
Stormont, Dundas and Glengarry.....			1	70				
Victoria.....			1	25				
Waterloo.....			2	133	1	30		
Welland.....								
Wellington.....			2	80				
Wentworth.....			9	590				
York.....	2	62	11	694				
Totals.....	11	293	70	4119	10	518	1	83

OCCUPATIONS, 1884.—*Continued.*

Volunteers, Soldiers, and Pensioners.		Watchmakers and Jewellers.		Weavers.		Total Number of Deaths.	Total Ages.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.		Aggregate.	Average.
		1	62			93	3791	40.7 years,
1	58			1	38	211	12397	58.7 "
1	51	1	37			246	14492	58.9 "
		1	34			308	17744	57.6 "
				3	184	90	5392	59.8 "
5	392			1	72	153	8136	53.1 "
6	412			1	81	221	12410	55.6 "
1	65			2	141	267	16112	60.3 "
1	75	1	21			248	14197	57.2 "
1	78			1	82	121	7309	60.4 "
						139	8505	61.1 "
						316	16999	53.8 "
						300	17940	59.8 "
				1	85	224	12942	57.7 "
						238	12685	53.3 "
						152	9286	61.0 "
1	74					254	14922	58.7 "
1	90					109	6448	59.1 "
1	74					216	12494	57.8 "
3	168			1	64	544	31008	57.0 "
				1	81	94	5719	60.2 "
1	67					173	10219	59.0 "
						388	23941	61.7 "
2	158					244	14256	58.2 "
1	67					263	16271	61.8 "
				1	75	157	8975	57.1 "
				2	140	231	14220	61.5 "
		1	82	2	154	178	10182	57.2 "
						148	8697	58.8 "
				1	96	146	8783	60.1 "
1	73			1	84	138	7690	55.7 "
2	173	1	23	2	94	262	14841	56.6 "
		1	62			312	18829	60.3 "
2	157			1	70	182	10268	56.4 "
				2	150	230	13687	59.5 "
		1	81			173	10387	60.4 "
1	80	1	24	3	226	352	20637	58.6 "
5	284	1	44	6	385	507	28007	55.2 "
6	382	1	32	1	58	969	52887	54.5 "
43	2978	11	502	34	2360	9597	553705	57.7 years,

H. S. CREWE,

*Inspector.*













